This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019

3104211

Other means of identification:

UFI: 2D3A-9XR4-H801-0DXF

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Cleaner. For professional users/industrial user only.

Uses advised against (Professional users): not defined

1.3 Details of the supplier of the safety data sheet:

KiiltoClean Oy Tengströminkatu 6

PL157, 20101 Turku - FINLAND Phone: +358 (0) 207710400 asiakaspalvelu@kiiltoclean.fi www.kiiltoclean.fi

1.4 Emergency telephone number: Poison advisory center in Finland: +358 9 471 977

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1: Skin corrosion, Category 1, H314

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Skin Corr. 1: H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P280: Wear protective gloves/protective clothing/eye protection.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313: Get medical advice/attention.

Substances that contribute to the classification

Isotridecanol, ethoxylated (CAS: 69011-36-5); Sodium metasilicate pentahydrate (CAS: 10213-79-3); 2-aminoethanol (CAS: 141-43-5); Potassium hydroxide (CAS: 1310-58-3)

Acute Toxicity Estimate (ATE mix):

12,9 % (oral) of the mixture consists of ingredient(s) of unknown toxicity

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

- CONTINUED ON NEXT PAGE -

Printing: 15/08/2022 Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24 **Page 1/13** (Replaced 23)

^{**} Changes with regards to the previous version

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

3.2 Mixture:

Chemical description: Basic solution

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration		
CAS:	69011-36-5	Isotridecanol, ethoxy	sotridecanol, ethoxylated ⁽¹⁾ Self-classified			
EC: Index: REACH:	500-241-6 Non-applicable 02-2119552461-55-xxxx	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	5 - <15 %		
CAS:	112-34-5	2-(2-Butoxyethoxy)	ethanol ⁽¹⁾ ATP CLP00			
EC: Index: REACH:	203-961-6 603-096-00-8 01-2119475104-44- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	<5 %		
CAS:	10213-79-3 Non-applicable Non-applicable 01-2119449811-37- XXXX	Sodium metasilicate pentahydrate(1) Self-classified				
EC: Index: REACH:		Regulation 1272/2008	Eye Dam. 1: H318; Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335 - Danger	<5 %		
CAS:	111163-38-3	Fatty alcohol alkoxyl	ate, polymer ⁽¹⁾ Self-classified			
EC: Index: REACH:	Non-applicable Non-applicable Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Chronic 3: H412; Eye Irrit. 2: H319 - Warning	1 - <5 %		
CAS:	141-43-5	2-aminoethanol(2)	Self-classified			
EC: Index: REACH:	205-483-3 603-030-00-8 01-2119486455-28- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H312+H332; Aquatic Chronic 3: H412; Skin Corr. 1B: H314; STOT SE 3: H335 - Danger	1 - <2 %		

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit	
2-aminoethanol CAS: 141-43-5 EC: 205-483-3	% (w/w) >=5: STOT SE 3 - H335	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

- CONTINUED ON NEXT PAGE -

Printing: 15/08/2022 Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24 **Page 2/13** (Replaced 23)

⁽²⁾ Substance with a Union workplace exposure limit

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



SECTION 4: FIRST AID MEASURES (continued)

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

- CONTINUED ON NEXT PAGE -

Printing: 15/08/2022 Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24 **Page 3/13** (Replaced 23)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



SECTION 7: HANDLING AND STORAGE (continued)

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: $5 \, ^{\circ}\text{C}$ Maximum Temp.: $35 \, ^{\circ}\text{C}$

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occup	Occupational exposure limits			
2-(2-Butoxyethoxy) ethanol	IOELV (8h)	10 ppm	67,5 mg/m ³		
CAS: 112-34-5 EC: 203-961-6	IOELV (STEL)	15 ppm	101,2 mg/m ³		
2-aminoethanol	IOELV (8h)	1 ppm	2,5 mg/m ³		
CAS: 141-43-5 EC: 205-483-3	IOELV (STEL)	3 ppm	7,6 mg/m ³		

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Isotridecanol, ethoxylated	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 69011-36-5	Dermal	Non-applicable	Non-applicable	2080 mg/kg	Non-applicable
EC: 500-241-6	Inhalation	Non-applicable	Non-applicable	294 mg/m ³	Non-applicable
2-(2-Butoxyethoxy) ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-34-5	Dermal	Non-applicable	Non-applicable	83 mg/kg	Non-applicable
EC: 203-961-6	Inhalation	Non-applicable	101,2 mg/m ³	67,5 mg/m ³	67,5 mg/m ³
Sodium metasilicate pentahydrate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 10213-79-3	Dermal	Non-applicable	Non-applicable	1,49 mg/kg	Non-applicable
EC: Non-applicable	Inhalation	Non-applicable	Non-applicable	6,22 mg/m ³	Non-applicable
2-aminoethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 141-43-5	Dermal	Non-applicable	Non-applicable	3 mg/kg	Non-applicable
EC: 205-483-3	Inhalation	Non-applicable	Non-applicable	1 mg/m³	0,51 mg/m ³

DNEL (General population):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Isotridecanol, ethoxylated	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
CAS: 69011-36-5	Dermal	Non-applicable	Non-applicable	1250 mg/kg	Non-applicable
EC: 500-241-6	Inhalation	Non-applicable	Non-applicable	87 mg/m ³	Non-applicable

- CONTINUED ON NEXT PAGE -

Printing: 15/08/2022 Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24 **Page 4/13** (Replaced 23)

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
2-(2-Butoxyethoxy) ethanol	Oral	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
CAS: 112-34-5	Dermal	Non-applicable	Non-applicable	50 mg/kg	Non-applicable
EC: 203-961-6	Inhalation	Non-applicable	60,7 mg/m ³	40,5 mg/m ³	40,5 mg/m ³
Sodium metasilicate pentahydrate	Oral	Non-applicable	Non-applicable	0,74 mg/kg	Non-applicable
CAS: 10213-79-3	Dermal	Non-applicable	Non-applicable	0,74 mg/kg	Non-applicable
EC: Non-applicable	Inhalation	Non-applicable	Non-applicable	1,55 mg/m ³	Non-applicable
2-aminoethanol	Oral	Non-applicable	Non-applicable	1,5 mg/kg	Non-applicable
CAS: 141-43-5	Dermal	Non-applicable	Non-applicable	1,5 mg/kg	Non-applicable
EC: 205-483-3	Inhalation	Non-applicable	Non-applicable	0,18 mg/m ³	0,28 mg/m ³

PNEC:

Identification				
Isotridecanol, ethoxylated	STP	1,4 mg/L	Fresh water	0,074 mg/L
CAS: 69011-36-5	Soil	0,1 mg/kg	Marine water	0,007 mg/L
EC: 500-241-6	Intermittent	0,015 mg/L	Sediment (Fresh water)	0,604 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,06 mg/kg
2-(2-Butoxyethoxy) ethanol	STP	200 mg/L	Fresh water	1,1 mg/L
CAS: 112-34-5	Soil	0,32 mg/kg	Marine water	0,11 mg/L
EC: 203-961-6	Intermittent	11 mg/L	Sediment (Fresh water)	4,4 mg/kg
	Oral	0,056 g/kg	Sediment (Marine water)	0,44 mg/kg
Sodium metasilicate pentahydrate	STP	1000 mg/L	Fresh water	7,5 mg/L
CAS: 10213-79-3	Soil	Non-applicable	Marine water	1 mg/L
EC: Non-applicable	Intermittent	7,5 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
2-aminoethanol	STP	100 mg/L	Fresh water	0,07 mg/L
CAS: 141-43-5	Soil	1,29 mg/kg	Marine water	0,007 mg/L
EC: 205-483-3	Intermittent	0,028 mg/L	Sediment (Fresh water)	0,357 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,036 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.38 mm)		EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

- CONTINUED ON NEXT PAGE -

Printing: 15/08/2022 Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24 **Page 5/13** (Replaced 23)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
= +	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	*	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Protective gloves complying with EN374: butylrubber, nitrile rubber, natural rubber, PVC. Breakthrough time \geq 480 min, material thickness \geq 0,7 mm.

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance:

Physical state at 20 °C:

Appearance:

Fluid

Colour:

Yellowish

Odour:

Undefined

Odour threshold:

Non-applicable *

Volatility:

Boiling point at atmospheric pressure: Non-applicable * Vapour pressure at 20 °C: Non-applicable *

Vapour pressure at 50 °C: 12251,51 Pa (12,25 kPa)

Evaporation rate at 20 °C: Non-applicable *

Product description:

Density at 20 °C: 1060 kg/m³

Relative density at 20 °C: Non-applicable *

Dynamic viscosity at 20 °C: Non-applicable *

Kinematic viscosity at 20 °C: Non-applicable *

Kinematic viscosity at 40 °C: Non-applicable *

Concentration: Non-applicable *

pH: 13

Vapour density at 20 °C:

Partition coefficient n-octanol/water 20 °C:

Solubility in water at 20 °C:

Non-applicable *

Non-applicable *

Water-soluble

Decomposition temperature:

Melting point/freezing point:

Non-applicable *

Non-applicable *

Flammability:

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Printing: 15/08/2022 Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24 **Page 6/13** (Replaced 23)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



Page 7/13

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Flash Point: Non Flammable (>60 °C)

Flammability (solid, gas):

Autoignition temperature:

Lower flammability limit:

Upper flammability limit:

Non-applicable *

Non-applicable *

Non-applicable *

Particle characteristics:

Median equivalent diameter: Non-applicable

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Non-applicable *

Non-applicable *

Non-applicable *

components:

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

Non-applicable *

Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Avoid direct impact	Precaution	Not applicable	Not applicable

Other information:

To be avoided: zinc, aluminium, brass and copper.

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health \cdot .

- CONTINUED ON NEXT PAGE -

Printing: 15/08/2022 (Replaced 23)

Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
 - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Isotridecanol, ethoxylated	LD50 oral	500 mg/kg (ATEi)	
CAS: 69011-36-5	LD50 dermal	Non-applicable	
EC: 500-241-6	LC50 inhalation	Non-applicable	
Fatty alcohol alkoxylate, polymer	LD50 oral	500 mg/kg (ATEi)	
CAS: 111163-38-3	LD50 dermal	Non-applicable	
EC: Non-applicable	LC50 inhalation	Non-applicable	

Printing: 15/08/2022 Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24 **Page 8/13** (Replaced 23)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	A	Acute toxicity		
2-aminoethanol	LD50 oral	500 mg/kg	Rat	
CAS: 141-43-5	LD50 dermal	1025 mg/kg	Rabbit	
EC: 205-483-3	LC50 inhalation	11 mg/L (4 h)	Rat	

Acute Toxicity Estimate (ATE mix):

	Ingredient(s) of unknown toxicity		
Oral 4294,87 mg/kg (Calculation method)		12,9 %	
Permal >2000 mg/kg (Calculation method)		Non-applicable	
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
2-(2-Butoxyethoxy) ethanol	LC50	1300 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 112-34-5	EC50	2850 mg/L (24 h)	Daphnia magna	Crustacean
EC: 203-961-6	EC50	53 mg/L (192 h)	Microcystis aeruginosa	Algae
Fatty alcohol alkoxylate, polymer	LC50	>10 - 100 (96 h)		Fish
CAS: 111163-38-3	EC50	>10 - 100 (48 h)		Crustacean
EC: Non-applicable	EC50	>10 - 100 (72 h)		Algae
2-aminoethanol	LC50	349 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 141-43-5	EC50	65 mg/L (48 h)	Daphnia magna	Crustacean
EC: 205-483-3	EC50	22 mg/L (72 h)	Scenedesmus subspicatus	Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
2-aminoethanol	NOEC	1,24 mg/L	Oryzias latipes	Fish
CAS: 141-43-5 EC: 205-483-3	NOEC	0,85 mg/L	Daphnia magna	Crustacean

Printing: 15/08/2022 Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24 **Page 9/13** (Replaced 23)

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



SECTION 12: ECOLOGICAL INFORMATION (continued)

12.2 Persistence and degradability:

Identification	Degradability		Biodegradability	
2-(2-Butoxyethoxy) ethanol	BOD5	0,25 g O2/g	Concentration	100 mg/L
CAS: 112-34-5	COD	2,08 g O2/g	Period	28 days
EC: 203-961-6	BOD5/COD	0,12	% Biodegradable	92 %
2-aminoethanol	BOD5	Non-applicable	Concentration	20 mg/L
CAS: 141-43-5	COD	Non-applicable	Period	21 days
EC: 205-483-3	BOD5/COD	Non-applicable	% Biodegradable	90 %

12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential		
2-(2-Butoxyethoxy) ethanol	BCF	0.46	
CAS: 112-34-5	Pow Log	0.56	
EC: 203-961-6	Potential	Low	
2-aminoethanol	BCF	3	
CAS: 141-43-5	Pow Log	-1.31	
EC: 205-483-3	Potential	Low	

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
2-(2-Butoxyethoxy) ethanol	Koc	48	Henry	7,2E-9 Pa·m³/mol
CAS: 112-34-5	Conclusion	Very High	Dry soil	No
EC: 203-961-6	Surface tension	3,395E-2 N/m (25 °C)	Moist soil	No
2-aminoethanol	Koc	0.27	Henry	3,7E-5 Pa·m³/mol
CAS: 141-43-5	Conclusion	Very High	Dry soil	No
EC: 205-483-3	Surface tension	5,025E-2 N/m (25 °C)	Moist soil	No

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 15*	Alkalines	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP8 Corrosive

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

- CONTINUED ON NEXT PAGE -

Printing: 15/08/2022 Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24 Page 10/13

(Replaced 23)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



SECTION 14: TRANSPORT INFORMATION (continued)

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



14.1 UN number or ID number: UN1760

14.2 UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Sodium metasilicate pentahydrate)

14.3 Transport hazard class(es): Labels:

14.4 Packing group: ΙΙ 14.5 Environmental hazards: Nο

14.6 Special precautions for user

Special regulations: 274 Tunnel restriction code: Ε

Physico-Chemical properties: see section 9

Limited quantities: 1 L

14.7 Maritime transport in bulk according to IMO instruments:

Non-applicable

Transport of dangerous goods by sea:

With regard to IMDG 40-20:



14.1 UN number or ID number: UN1760

14.2 UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Sodium metasilicate pentahydrate)

14.3 Transport hazard class(es): 8 Labels:

Π 14.4 Packing group: 14.5 Marine pollutant: Nο

14.6 Special precautions for user

Special regulations: 274 FmS Codes: F-A, S-B Physico-Chemical properties: see section 9 Limited quantities: 1 L Segregation group: SGG18

14.7 Maritime transport in bulk according to IMO

instruments:

Non-applicable

Transport of dangerous goods by air:

With regard to IATA/ICAO 2022:



14.1 UN number or ID number:

CORROSIVE LIQUID, N.O.S. (Sodium metasilicate pentahydrate) 14.2 UN proper shipping name:

14.3 Transport hazard class(es): Labels: 8 14.4 Packing group: Π 14.5 Environmental hazards: Nο

14.6 Special precautions for user

see section 9 Physico-Chemical properties: 14.7 Maritime transport in bulk Non-applicable

according to IMO instruments:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

- CONTINUED ON NEXT PAGE -

Printing: 15/08/2022 Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24 Page 11/13 (Replaced 23)

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



SECTION 15: REGULATORY INFORMATION (continued)

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Contains more than 3 % of 2-(2-Butoxyethoxy) ethanol by weight. 1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight. 2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010. 3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows: 'Do not use in paint spraying equipment'. Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- -tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

Substances that contribute to the classification (SECTION 2):

· New declared substances

2-aminoethanol (141-43-5)

Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage.

H314: Causes severe skin burns and eye damage.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

- CONTINUED ON NEXT PAGE
Printing: 15/08/2022 Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24 Page 12/13

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

KiiltoClean Oy - Kiilto Pro C4 Max - 3104211,41013,41015,41019 3104211



SECTION 16: OTHER INFORMATION (continued)

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

STOT SE 3: H335 - May cause respiratory irritation.

Classification procedure:

Eye Dam. 1: Calculation method Skin Corr. 1: Calculation method **Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50

EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Printing: 15/08/2022 Date of compilation: 04/03/2016 Revised: 15/08/2022 Version: 24 Page 13/13