

## **Benefit**

- •High capacity: less maintenance
- Economical roll length
- •Good quality tissue
- •Embossed for extra bulk
- •Printed with nice grey leaf design that will enhance your washroom.











# **Product properties**

,	Article	System	Roll Length	Roll Width	Roll Diameter	Number of Sheets		Core Inner Diameter	Ply	Embossing	Colour
	120272	T1 - Jumbo toilet system	360 m	9.4 cm	26 cm	1800	20 cm	5.9 cm	2	Yes	White

## **Description**

The Tork jumbo system (T1) is suitable for high traffic locations.



# Shipping data

## Consumer unit

EAN	7322540472110
Pieces	1
Height	97 mm
Width	260 mm
Length	260 mm
Volume	6.6 dm3
Net weight	1137 g
Gross weight	1154 g

# Transport unit

EAN	7322540472127			
Pieces	6			
Consumer units	6			
Height	282 mm			
Width	260 mm			
Length	520 mm			
Volume	38.1 dm3			
Net weight	6.82 kg			
Gross weight	6.98 kg			



## **Environmental**

#### Content

Recycled fibres Chemicals

#### Material

### Recycled fibres

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

### Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

## Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view.

The used functional chemicals are:

Dry strength agent

Dye

Fixing agents

Fluorescent whitening agent

Glue

Softeners



The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = EU Ecolabel

This product is approved for the EU Ecolabel.

Date of issue 2014-08-29

Revision date 2014-10-16

SCA Hygiene Products AB, 405 03 Göteborg, Sweden

#### **Production**

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001and ISO 14001.

#### **Destruction**

This product is suitable to be taken care of in the normal sewage system of the community.

