

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name	:	Klercide Sporicidal Low Residue Peroxide
Product code	:	116153E
Use of the Substance/Mixture	:	Surface Disinfectant
Substance type:	:	Mixture
		For professional users only.
Product dilution information	•	No dilution information provided.
1.2 Relevant identified uses of	the	substance or mixture and uses advised against
Identified uses	:	Surface disinfectant. Manual process Surface disinfectant. Spray and rinse manual process
Recommended restrictions on use	:	Reserved for industrial and professional use.
1.3 Details of the supplier of the	e sa	fety data sheet
Company		Ecolab I td

Company	: Ecolab Ltd.
	PO Box 11; Winnington Avenue
	Northwich, Cheshire, United Kingdom CW8 4DX + 44 (0)1606 74488 ccs@ecolab.com

1.4 Emergency telephone number

Emergency telephone	:	+441618841235
number		+32-(0)3-575-5555 Trans-European

Date of Compilation/Revision : 26.01.2021 Version : 1.6

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2

H319

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms		
Signal Word	: Warning	
Hazard Statements	: H319	Causes serious eye irritation.
Precautionary Statements	: Prevention: P280e	Wear eye protection/face protection.

2.3 Other hazards

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	Classification REGULATION (EC) No 1272/2008	Concentration : [%]
Hydrogen peroxide	7722-84-1 231-765-0 01-2119485845-22	Nota B Oxidizing liquids Category 1; H271 Acute toxicity Category 4; H302 Acute toxicity Category 4; H332 Skin corrosion Category 1A; H314 Serious eye damage/eye irritation Category 1 8 - 100 % Serious eye damage/eye irritation Category 2A 5 - 8 % Oxidizing liquids Category 1 70 - 100 % Oxidizing liquids Category 2 50 - 70 % Skin corrosion/irritation Category 1A 70 - 100 % Skin corrosion/irritation Category 1B 50 - 70 % Skin corrosion/irritation Category 2 35 - 50 % Specific target organ toxicity - single exposure Category 3 H335 35 - 100 \%	>= 5 - < 8
For the full text of the H-S	Statements mentioned	in this Section, see Section 16.	

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

In case of eye contact

: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

Klercide Sporicidal Low R	esidue Peroxide
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.
4.2 Most important symptoms a	and effects, both acute and delayed
See Section 11 for more deta	iled information on health effects and symptoms.
4.3 Indication of immediate me	dical attention and special treatment needed
Treatment	: Treat symptomatically.
Section: 5. FIREFIGHTING MEA	SURES
5.1 Extinguishing media	
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising fror	n the substance or mixture
Specific hazards during firefighting	: Not flammable or combustible.
Hazardous combustion products	: Depending on combustion properties, decomposition products may include following materials: Not applicable.
5.3 Advice for firefighters	
Special protective equipment for firefighters	: Use personal protective equipment.
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	:	Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

6.2 Environmental precautions

Environmental precautions	: Do not allow contact with soil, surface or ground water.
---------------------------	--

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
		waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution product, wear full Personal Protective Equipment (PPE).	
Hygiene measures	Handle in accordance with good industrial hygiene and safet practice. Remove and wash contaminated clothing before re Wash face, hands and any exposed skin thoroughly after handling.	

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	:	0 °C to 25 °C

7.3 Specific end uses

Specific use(s)	: Surface disinfectant. Manual process
	Surface disinfectant. Spray and rinse manual process

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrogen peroxide	7722-84-1	TWA	1 ppm 1.4 mg/m3	UKCOSSTD
		STEL	2 ppm 2.8 mg/m3	UKCOSSTD

DNEL

Hydrogen peroxide	•••	End Use: Workers
		Exposure routes: Inhalation
		Potential health effects: Short-term - local

Value: 3 mg/m3
End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1.4 mg/m3
Value: 1.4 mg/m3

8.2 Exposure controls

Appropriate engineering controls				
Engineering measures	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.		
Individual protection measure	es			
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.		
Eye/face protection (EN 166)	:	Safety glasses with side-shields		
Hand protection (EN 374)	:	No special protective equipment required.		
Skin and body protection (EN 14605)	:	No special protective equipment required.		
Respiratory protection (EN 143, 14387)	:	None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.		
Environmental exposure con	tro	ls		

General advice : Consider the provision of containment around storage vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: colourless
Odour	: pungent
рН	: 5.5 - 6.5, 100 %
Flash point	: Not applicable.
Odour Threshold	: Not applicable and/or not determined for the mixture
Melting point/freezing point	: Not applicable and/or not determined for the mixture

Initial boiling point and boiling range	: Not applicable and/or not determined for the mixture
Evaporation rate	: Not applicable and/or not determined for the mixture
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture
Upper explosion limit	: Not applicable and/or not determined for the mixture
Lower explosion limit	: Not applicable and/or not determined for the mixture
Vapour pressure	: Not applicable and/or not determined for the mixture
Relative vapour density	: Not applicable and/or not determined for the mixture
Relative density	: 1.02 - 1.023
Water solubility	: soluble
Solubility in other solvents	: Not applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water	: Not applicable and/or not determined for the mixture
Auto-ignition temperature	: Not applicable and/or not determined for the mixture
Thermal decomposition	: Not applicable and/or not determined for the mixture
Viscosity, kinematic	: Not applicable and/or not determined for the mixture
Explosive properties	: Not applicable and/or not determined for the mixture
Oxidizing properties	: Yes

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Contamination may result in dangerous pressure increases - closed containers may rupture.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Not applicable.

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of exposure	:	Inhalation, Eye contact, Skin contact		
Product				
Acute oral toxicity	:	Acute toxicity estimate : > 2,000 mg/kg		
Acute inhalation toxicity	:	4 h Acute toxicity estimate : > 20 mg/l Test atmosphere: vapour		
Acute dermal toxicity	:	There is no data available for this product.		
Skin corrosion/irritation	:	There is no data available for this product.		
Serious eye damage/eye irritation	:	There is no data available for this product.		
Respiratory or skin sensitization	:	There is no data available for this product.		
Carcinogenicity	:	There is no data available for this product.		
Reproductive effects	:	There is no data available for this product.		
Germ cell mutagenicity	:	There is no data available for this product.		
Teratogenicity	:	There is no data available for this product.		
STOT - single exposure	:	There is no data available for this product.		
STOT - repeated exposure	:	There is no data available for this product.		
Aspiration toxicity	:	There is no data available for this product.		
Components				
Acute oral toxicity	:	Hydrogen peroxide LD50 rat: 486 mg/kg		
Components				
Acute inhalation toxicity	:	Hydrogen peroxide 4 h LC50 rat: 11 mg/l Test atmosphere: vapour		
Potential Health Effects				
Eyes	:	Causes serious eye irritation.		
Skin	:	Health injuries are not known or expected under normal use.		
Ingestion	:	Health injuries are not known or expected under normal use.		
Inhalation	:	Health injuries are not known or expected under normal use.		
Chronic Exposure	:	Health injuries are not known or expected under normal use.		
Experience with human exposure				

Eye contact	: F	Redness, Pain, Irritation
Skin contact	: 1	No symptoms known or expected.
Ingestion	: 1	No symptoms known or expected.
Inhalation	: 1	No symptoms known or expected.

Section: 12. ECOLOGICAL INFORMATION

12.1 Toxicity

: This product has no known ecotoxicological effects.
: no data available
: no data available
: no data available
: Hydrogen peroxide72 h EC50: 1.38 mg/l

12.2 Persistence and degradability

Product	
no data available	
Components Biodegradability	: Hydrogen peroxideResult: Not applicable - inorganic
12.3 Bioaccumulative potential	
no data available	
12.4 Mobility in soil	
no data available	
12.5 Results of PBT and vPvB as	ssessment
Product	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
Guidance for Waste Code selection	Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	

Air transport (IATA)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	

Sea transport (IMDG/IMO)

14.1 UN number : Not dangerous goods

14.2 UN proper shipping name	: Not dangerous goods
14.3 Transport hazard class(es)	: Not dangerous goods
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for user	: Not dangerous goods
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	: Not dangerous goods

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors**This product is regulated (containing reportable or/and restricted substances) by Regulation (EU) 2019/1148 (explosives precursors): all suspicious transactions, significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive : Not applicable. 2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations: The Chemicals (Hazard Information and Packaging for Supply)
Regulations.
The Control of Substances Hazardous to Health Regulations.
Health and Safety at Work Act.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Eye irritation 2, H319	Calculation method

Full text of H-Statements

H271	May cause fire or explosion; strong oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.

Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of

Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number -European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Annex: Exposure Scenarios

Exposure Scenario: Surface disinfectant. Manual process

Life Cycle Stage	:	Widespread	d use by professional workers
Product category	:	PC35	Washing and cleaning products (including solvent based products)

Contributing scenario controlling environmental exposure for:

Environmental release category	:	ERC8a	Wide dispersive indoor use of processing aids in open systems
Daily amount per site	:	7.5 kg	
Type of Sewage Treatment Plant	:	Municipal s	ewage treatment plant

Contributing scenario controlling worker exposure for:

Process category	:	PROC10	Roller application or brushing	
Exposure duration	:	480 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exhau	ust Ventilation is not required	
General ventilation		Ventilation r	ate per hour	1
Skin Protection	:	see section	8	
Respiratory Protection	:	see section	8	

Contributing scenario controlling worker exposure for:

Process category	:	PROC8a	Transfer of substance or preparation (charg discharging) from/ to vessels/ large contained dedicated facilities	
Exposure duration	:	60 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation	rate per hour	1
Skin Protection	:	see section	8	
Respiratory Protection	:	see section	8	

Exposure Scenario: Surface disinfectant. Spray and rinse manual process

Life Cycle Stage	:	Widespread	d use by professional workers
Product category	:	PC35	Washing and cleaning products (including solvent based products)

Contributing scenario controlling environmental exposure for:

Environmental release category	:	ERC8a	Wide dispersive indoor use of processing aids in open systems

Daily amount per site	:	7.5 kg			
Type of Sewage Treatment Plant	:	Municipal sewage treatment plant			
Contributing scenario contro	ollir	ng worker ex	posure for:		
Process category	:	PROC10	Roller application or brushing		
Exposure duration	:	480 min			
Operational conditions and risk management measures	:	Indoor			
		Local Exhau	ust Ventilation is not required		
General ventilation		Ventilation r	ate per hour	1	
Skin Protection	:	see section	8		
Respiratory Protection	:	see section	8		

Contributing scenario controlling worker exposure for:

Process category	:	PROC8a	Transfer of substance or preparation (charg discharging) from/ to vessels/ large contained dedicated facilities	
Exposure duration	:	60 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation	rate per hour	1
Skin Protection	:	see section	8	
Respiratory Protection	:	see section	8	
Contributing scenario contr	ollir	ng worker e>	posure for:	
Process category	:	PROC11	Non industrial spraying	
Exposure duration	:	60 min		
Operational conditions and risk management measures	:	Indoor		

Local Exhaust Ventilation is not requiredGeneral ventilationVentilation rate per hour1Skin Protection:see section 8Respiratory Protection:see section 8