# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product name : ANIOSYME SYNERGY WD PLUS

UFI : SC8X-1EYM-0F0Q-PUEJ

Product code : 3040000

Use of the

Substance/Mixture

Instrument cleaner

Substance type: : Mixture

For professional users only.

Product dilution information : No dilution information provided.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Medical devices . Semi-automatic process

Recommended restrictions

on use

: Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company : Laboratoires ANIOS

1 rue de l'Espoir

59260 Lezennes, France Tel. + 33 (0)3 20 67 67 67

Fax. + 33 (0)3 20 67 67 68

fds@anios.com

1.4 Emergency telephone number

Emergency telephone

number

: +32-(0)3-575-5555 Trans-european, German speaking, 24/7

or +49 32 212249407 German speaking, 24/7

Poison Information Centre

telephone number

: +49 (0)551 38318854

Date of Compilation/Revision : 06.04.2023 Version : 1.8

# **Section: 2. HAZARDS IDENTIFICATION**

## 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1 H290 Serious eye damage, Category 1 H318

117688E 1 / 14

Chronic aquatic toxicity, Category 3

H412

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal Word : Danger

**Hazard Statements** : H290 May be corrosive to metals.

> H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements** : Prevention:

> Avoid release to the environment. P273 P280e Wear eye protection/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water

for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label:

N,N-dimethyldecylamine N-oxide

**Additional Labelling:** 

mixtures

Special labelling of certain : Contains: subtilisin, May produce an allergic reaction.

#### 2.3 Other hazards

None known.

# Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2 Mixtures

# **Hazardous components**

Chemical Name	CAS-No.	Classification	Concentration
	EC-No.	REGULATION (EC) No 1272/2008	: [%]
	REACH No.		
N,N-dimethyldecylamine	2605-79-0	Acute toxicity Category 4; H302	>= 3 - < 5
N-oxide	220-020-5	Serious eye damage Category 1; H318	
	01-2119959297-22	Acute aquatic toxicity Category 1; H400	
		Chronic aquatic toxicity Category 2; H411	
subtilisin	9014-01-1	Skin irritation Category 2; H315	>= 0.1 - <
	232-752-2	Serious eye damage Category 1; H318	0.25
	01-2119480434-38	Respiratory sensitization Category 1;	
		H334	
		Specific target organ toxicity - single	
		exposure Category 3; H335	
		Acute toxicity Category 4; H302	
		Acute aquatic toxicity Category 1; H400	
		Chronic aquatic toxicity Category 2; H411	

117688E 2/14

		M = 1	
Substances with a workp	lace exposure limit:		
glycerin	56-81-5 200-289-5 01-2119471987-18	Not Classified;	>= 20 - < 25

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **Section: 4. FIRST AID MEASURES**

#### 4.1 Description of first aid measures

: Rinse immediately with plenty of water, also under the eyelids, for In case of eye contact

> at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention

if symptoms occur.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

## 4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## **Section: 5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Not flammable or combustible.

Hazardous combustion

products

: Depending on combustion properties, decomposition products

may include following materials:

Carbon oxides

nitrogen oxides (NOx)

## 5.3 Advice for firefighters

for firefighters

Special protective equipment : Use personal protective equipment.

Further information : Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations. In the event of

117688E 3/14

fire and/or explosion do not breathe fumes.

# **Section: 6. ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

# 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

## 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a

waterway.

## 6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

## Section: 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Advice on safe handling : Do not get in eyes, on skin, or on clothing. Use only with adequate

ventilation. Wash hands thoroughly after handling. Do not breathe spray, vapour. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective

Equipment (PPE).

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after

handling. Provide suitable facilities for quick drenching or flushing

of the eyes and body in case of contact or splash hazard.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Absorb spillage to prevent material damage. Keep out of reach of children. Keep container tightly closed. Keep only in original

packaging. Store in suitable labeled containers.

117688E 4 / 14

Storage temperature : 5 °C to 25 °C

Packaging material : Suitable material: Plastic material

Unsuitable material: Mild steel, Aluminium

7.3 Specific end uses

Specific use(s) : Medical devices . Semi-automatic process

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No	).	Value type (Form of exposure)	Control parameters	Basis
glycerin	56-81-5	,	AGW (Inhalable fraction)	200 mg/m3	TRGS 900
Further information	Υ	When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

# DNEL

Propylene glycol	:	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 168 mg/m3  End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects
		Value: 10 mg/m3  End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 50 mg/m3
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 10 mg/m3
		End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects 213 mg/kg
		End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 85 ppm

# **PNEC**

INLO		
Propylene glycol	:	Fresh water Value: 260 mg/l

117688E 5 / 14

Marine water Value: 26 mg/l

Intermittent use/release

Value: 183 mg/l

Fresh water sediment Value: 572 mg/kg

Marine sediment Value: 57.2 mg/kg

Sewage treatment plant Value: 20000 mg/l

Soil

Value: 50 mg/kg

#### 8.2 Exposure controls

# Appropriate engineering controls

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

#### Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after

handling. Provide suitable facilities for quick drenching or flushing

of the eyes and body in case of contact or splash hazard.

Eye/face protection (EN 166) : Safety goggles

Face-shield

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection

(EN 14605)

: No special protective equipment required.

Respiratory protection (EN

143, 14387)

: None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified

respiratory protection equipment meeting EU

requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods

or procedures of work organization.

#### **Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

117688E 6 / 14

Physical state : liquid

Colour : clear, colourless

Odour : slight

pH : 9.5 - 10.5, 100 %

Particle characteristics

Assessment : not applicable
Particle size : not applicable
Particle Size Distribution : not applicable
Dustiness : not applicable
Specific surface area : not applicable
Surface charge/Zeta : not applicable

potential

Shape : not applicable
Crystallinity : not applicable
Surface treatment : not applicable

/Coatings

point and boiling range

Flash point : 98 °C closed cup

Odour Threshold : Not applicable and/or not determined for the mixture

Melting point/freezing point : Not applicable and/or not determined for the mixture

Boiling point, initial boiling : Not applicable and/or not determined for the mixture

Evaporation rate : Not applicable and/or not determined for the mixture

Flammability : Not applicable and/or not determined for the mixture

Upper explosion limit : Not applicable and/or not determined for the mixture

Lower explosion limit : Not applicable and/or not determined for the mixture

Vapour pressure : Not applicable and/or not determined for the mixture

Relative vapour density : Not applicable and/or not determined for the mixture

Density and / or relative : 1.14 - 1.16

density

Water solubility : soluble

Solubility in other solvents : Not applicable and/or not determined for the mixture Partition coefficient: n- octanol/water (log value) : Not applicable and/or not determined for the mixture octanol/water (log value)

Auto-ignition temperature : Not applicable and/or not determined for the mixture

Thermal decomposition : Not applicable and/or not determined for the mixture

Viscosity, kinematic : Not applicable and/or not determined for the mixture

Explosive properties : Not applicable and/or not determined for the mixture

Oxidizing properties : The substance or mixture is not classified as oxidizing.

#### 9.2 Other information

Not applicable and/or not determined for the mixture

117688E 7 / 14

## Section: 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

## 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

None known.

## 10.5 Incompatible materials

None known.

# 10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx)

# **Section: 11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

# **Product**

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg

: There is no data available for this product. Acute inhalation toxicity

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

117688E 8/14

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

Acute oral toxicity : N,N-dimethyldecylamine N-oxide LD50 rat: 600 mg/kg

subtilisin LD50 rat: 1,800 mg/kg

glycerin LD50 rat: 18,300 mg/kg

Components

Acute dermal toxicity : glycerin LD50 rabbit: 23,000 mg/kg

**Potential Health Effects** 

Eyes : Causes serious eye damage.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure** 

Eye contact : Redness, Pain, Corrosion

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

11.2 Information on other hazards

Further information : no data available

**Section: 12. ECOLOGICAL INFORMATION** 

12.1 Toxicity

Environmental Effects : Harmful to aquatic life with long lasting effects.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

117688E 9 / 14

Components

Toxicity to fish : N,N-dimethyldecylamine N-oxide

96 h LC50 Danio rerio (zebra fish): 2.4 mg/l

Test substance: Information given is based on data obtained from

similar substances.

subtilisin

96 h LC50 Oncorhynchus mykiss (rainbow trout): 8.2 mg/l

glycerin

96 h LC50 Fish: 855 mg/l

Components

Toxicity to daphnia and other : N,N-dimethyldecylamine N-oxide

aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): 2.63 mg/l

Test substance: Information given is based on data obtained from

similar substances.

subtilisin

48 h EC50 Daphnia magna (Water flea): 0.868 mg/l

Components

Toxicity to algae : N,N-dimethyldecylamine N-oxide

72 h EC50 Pseudokirchneriella subcapitata (green algae): 0.159

Test substance: Information given is based on data obtained from

similar substances.

subtilisin

72 h EC50 Pseudokirchneriella subcapitata (green algae): 1.44

mg/l

## 12.2 Persistence and degradability

**Product** 

Biodegradability : The surfactants contained in the product are biodegradable

according to the requirements of the detergent regulation

648/2004/EC

Components

Biodegradability : N,N-dimethyldecylamine N-oxide

Result: Readily biodegradable.

subtilisin

Result: Readily biodegradable.

glycerin

Result: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

117688E 10/14

#### 12.5 Results of PBT and vPvB assessment

#### **Product**

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

#### 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

#### 12.7 Other adverse effects

no data available

## Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

Product : Do not contaminate storm water drains, natural waterways or soil

with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken

to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local,

state, and federal regulations.

Guidance for Waste Code

selection

: Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to

determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC)

and local regulations.

# **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

# Land transport (ADR/ADN/RID)

14.1 UN number or ID : 3267

number

14.2 UN proper shipping : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

name

117688E 11 / 14

(alanine, n,n-bis(carboxymethyl)-, trisodium salt)

14.3 Transport hazard : 8

class(es)

14.4 Packing group : III14.5 Environmental hazards : No14.6 Special precautions for : None

user

Air transport (IATA)

14.1 UN number or ID : 3267

number

14.2 UN proper shipping : Corrosive liquid, basic, organic, n.o.s.

name

(alanine, n,n-bis(carboxymethyl)-, trisodium salt)

: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

14.3 Transport hazard : 8

class(es)

14.4 Packing group : III14.5 Environmental hazards : No14.6 Special precautions for : None

user

Sea transport (IMDG/IMO)

14.1 UN number or ID : 3267

number

14.2 UN proper shipping

name

(alanine, n,n-bis(carboxymethyl)-, trisodium salt)

14.3 Transport hazard :

class(es)

14.4 Packing group : III14.5 Environmental hazards : No14.6 Special precautions for : None

user

14.7 Maritime transport in

bulk according to IMO

instruments

: Not applicable.

# **Section: 15. REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents : less than 5 %: Non-ionic surfactants Regulation EC 648/2004 Other constituents: Enzymes

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

Not applicable.

#### **National Regulations**

#### Take note of Dir 94/33/EC on the protection of young people at work.

Hazard class for water : WGK 1

Classification according to AwSV, Annex 1

117688E 12 / 14

German storage class : 10

## 15.2 Chemical Safety Assessment

Information from the chemical safety assessment of substances present in the product is included in the appropriate sections of this safety data sheet, whenever necessary.

## **Section: 16. OTHER INFORMATION**

#### Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Corrosive to metals 1, H290	Based on product data or assessment
Serious eye damage 1, H318	Calculation method
Chronic aquatic toxicity 3, H412	Calculation method

#### **Full text of H-Statements**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan

117688E 13 / 14

Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Annex: Exposure Scenarios** 

117688E 14 / 14