

SAFETY DATA SHEET

RV salernishreinsir sterk

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier ▼Trade name RV salernishreinsir sterk Unique formula identifier (UFI) 5YS2-10VN-400A-5N2J 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture PC35 Washing and cleaning products Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address Rekstravörur Réttarhálsi 2 IS-110 Reykjavík Iceland Tel.: +354 520 6666 Fax: +354 520 6665 www.rv.is E-mail sala@rv.is Revision 11/08/2023 **SDS Version** 3.0 Date of previous version 02/08/2023 (2.0) 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Skin Corr. 1; H314, Causes severe skin burns and eye damage. Eye Dam. 1; H318, Causes serious eye damage.
2.2. Label elements Hazard pictogram(s)



Signal word Danger Hazard statement(s) Causes severe skin burns and eye damage. (H314)



Precautionary statement(s)

General

Prevention

Do not breathe vapour/mist. (P260)

Wear face protection/protective gloves/protective clothing. (P280)

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

Storage

Disposal

Dispose of contents/container in accordance with local regulation (P501)

Hazardous substances

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Additional labelling

UFI: 5YS2-10VN-400A-5N2J

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Citric acid, monohydrate	CAS No.: 5949-29-1 EC No.: 611-842-9 UK-REACH: Index No.:	10-15%	Eye Irrit. 2, H319	
Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega- hydroxy-, branched	CAS No.: 69011-36-5 EC No.: 500-241-6 UK-REACH: Index No.:	1-3%	Acute Tox. 4, H302 (ATE: 501.00 mg/kg Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.05 %)	ı) [19]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

· Non-ionic surfactants

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an



unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous



earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product. Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

No specific requirements

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	93.8 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	263 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	6.53 mg/m ³
Long term – Systemic effects - Workers	Inhalation	37 mg/m ³
Long term – Systemic effects - General population	Oral	2.5 mg/kg bw/day

PNEC

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Route of exposure:	Duration of Exposure:	PNEC:
Activated Sludge Plant	Single	>10.000 mg/l
Freshwater		4.36 µg/L
Freshwater sediment		119.4 µg/kg
Intermittent release (freshwater)		5.44 µg/L
Intermittent release (marine water)		544 ng/L
Marine water		436 ng/L
Marine water sediment		11.94 µg/kg
Sewage treatment plant		4.35 mg/L
Soil		21.3 µg/kg

8.2. Exposure controls

Control is unnecessary if the product is used as intended.



General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

8.3. Individual protection measures, such as personal protective equipment

Generally

Wash contaminated clothing before reuse. Use only UKCA marked protective equipment.

Respiratory Equipment

Туре	Class	Colour	Standards	
No special when used as intended.				
Skin protection				
Recommended	Type/Category	Standards		
Dedicated work clothing should be worn.	-	-		R
Hand protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Neoprene (Neoprene)	0.68	> 480	EN374-2, EN374-3, EN388	Mn

Eye protection

Туре	Standards	
Face shield alternatively safety glasses with side shields.	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form
Liquid
Colour
Blue
Odour
Pleasant
Odour threshold (ppm)
Testing not relevant or not possible due to the nature of the product.
рН



1,9 Density (g/cm ³) 1.05 Viscosity Testing not relevant or not possible due to the nature of the product.
Phase changes
Melting point (°C) Testing not relevant or not possible due to the nature of the product.
Boiling point (°C) Testing not relevant or not possible due to the nature of the product.
Vapour pressure Testing not relevant or not possible due to the nature of the product.
Vapour density Testing not relevant or not possible due to the nature of the product.
Decomposition temperature (°C) Testing not relevant or not possible due to the nature of the product.
Evaporation rate (n-butylacetate = 100)
Data on fire and explosion hazards Flash point (°C)
Testing not relevant or not possible due to the nature of the product. Ignition (°C)
Testing not relevant or not possible due to the nature of the product. Auto flammability (°C)
Testing not relevant or not possible due to the nature of the product.
Explosion limits (% v/v) Testing not relevant or not possible due to the nature of the product.
Explosive properties Testing not relevant or not possible due to the nature of the product.
Oxidizing properties Testing not relevant or not possible due to the nature of the product.
Solubility Solubility in water
Completely soluble n-octanol/water coefficient
Testing not relevant or not possible due to the nature of the product.
Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product. 9.2. Other information
SECTION 10: Stability and reactivity
10.1. Reactivity No data available.
10.2. Chemical stability
The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. Possibility of hazardous reactions
None known. 10.4. Conditions to avoid
None known. 10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. 10.6. Hazardous decomposition products Thermal decomposition may produce corrosive vapours.



SECTION 11: Toxicological information

11.1. Information on toxicological effects

11.1. Information on to:	xicological effects
Acute toxicity Product/substance Species:	Citric acid, monohydrate
Route of exposure: Test:	Oral LD50
Result:	5400 mg/kg ·
Product/substance Species: Route of exposure: Test: Result:	Citric acid, monohydrate Rat Dermal LD50 >2000 mg/kg ·
Product/substance Species: Route of exposure: Test: Result:	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched Rat Oral LD50 500-2000 mg/kg ·
Skin corrosion/irritation Causes severe skin b Serious eye damage/irri Causes serious eye d	urns and eye damage. itation
Respiratory sensitisation	5
Skin sensitisation Based on available da	ata, the classification criteria are not met.
Germ cell mutagenicity Based on available da	ata, the classification criteria are not met.
Carcinogenicity Based on available da	ata, the classification criteria are not met.
Reproductive toxicity Based on available da	ata, the classification criteria are not met.
STOT-single exposure Based on available da	ata, the classification criteria are not met.
STOT-repeated exposur Based on available da	e ata, the classification criteria are not met.
Aspiration hazard Based on available da	ata, the classification criteria are not met.
may produce adverse contact and contact v Other information	ects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols e effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal with the eye cause irreversible effects.
None known.	
SECTION 12: Ecological	information

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	Citric acid, monohydrate
Species:	Fish
Duration:	48 hours
Test:	LC50



Result:	440 mg/l ·
Product/substance	Citric acid, monohydrate
Species:	Algae
Duration:	8 days
Test:	NOEC
Result:	425 mg/l ·
Product/substance	Citric acid, monohydrate
Species:	Daphnia
Duration:	24 hours
Test:	LC50
Result:	1535 mgL ·
Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	1-10 mg/l ·
Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	1-10 mg/l ·
Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Species:	Daphnia 48 hours
Duration: Test:	EC50
Result:	1-10 mg/l ·
	-
12.2. Persistence and degra	
Product/substance	Citric acid, monohydrate
Biodegradable:	Yes
Test method:	OECD 301 B
Result:	97%
Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Biodegradable:	Yes
Test method:	OECD 301 E
Result:	90%
12.3. Bioaccumulative pote	ntial
Product/substance	Citric acid, monohydrate
Test method:	
Potential bioaccumulation:	No
LogPow:	-0,2000
BCF:	0.5
Other information:	
Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Test method:	r orgeony rize entimenting, alpha endecyr ollega nydrony , branelleu
Potential bioaccumulation:	No
LogPow:	2,7700
BCF:	98
Other information:	
12.4. Mobility in soil	
No data available.	
12.5. Results of PBT and vP	vB assessment
12.3. RESULTS OF POT AND VP	VD 05555111C111



This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Other adverse effects None known.

SECTION 13: Disposal considerations

Waste treatment methods

Product is covered by the regulations on hazardous waste. HP 8 – Corrosive Dispose of contents/container to an approved waste disposal plant. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. EWC code 20 01 14* Acids Waste group H: Waste with low energy content

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Citric acid)	Transport hazard class: 8 Label: 8 Classification code: C1	III	No	Limited quantities: 5 L Tunnel restriction code: 3 (E) See below for additional information.
IMDG	3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Citric acid)	Transport hazard class: 8 Label: 8 Classification code: C1	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Citric acid)	Transport hazard class: 8 Label: 8 Classification code: C1	III	No	See below for additional information.

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.



14.6. Special precautions for user Not applicable.

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances Not applicable.

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

- H302, Harmful if swallowed.
- H318, Causes serious eye damage.

H319, Causes serious eye irritation.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

- CAS = Chemical Abstracts Service
- CE = Conformité Européenne (European conformity)
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association



IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

▼ The safety data sheet is validated by

Victoria Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en