

Page 1 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

ECOLUTION FOROL STICKS

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Universal cleaner

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

DR.SCHNELL GmbH & Co. KGaA

Taunusstr. 19 80807 München Tel.: 089/350608-0 Fax: 089/350608-47

Email: info@dr-schnell.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (DR.SCHNELL)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)
Hazard class Hazard category Hazard statement

Eye Irrit. 2 H319-Causes serious eye irritation.

Skin Irrit. 2 H315-Causes skin irritation.

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS



H319-Causes serious eye irritation. H315-Causes skin irritation.

P280-Wear protective gloves / eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314-Get medical advice / attention if you feel unwell.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

| Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14- | |
|---|----------------------------|
| 16 (even numbered)-alkene, sodium salts | |
| Registration number (REACH) | 01-2119513401-57-XXXX |
| Index | |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 931-534-0 |
| CAS | (68439-57-6) |
| content % | 20-<38 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M- | Skin Irrit. 2, H315 |
| factors | Eye Dam. 1, H318 |
| Specific Concentration Limits and ATE | Skin Irrit. 2, H315: >=5 % |
| | Eye Dam. 1, H318: >=38 % |
| | Eye Irrit. 2, H319: >=5 % |

| Potassium carbonate | |
|---|-----------------------|
| Registration number (REACH) | 01-2119532646-36-XXXX |
| Index | |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 209-529-3 |
| CAS | 584-08-7 |
| content % | 0,3-<2,5 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M- | Skin Irrit. 2, H315 |
| factors | Eye Irrit. 2, H319 |
| | STOT SE 3, H335 |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product. For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.



Page 3 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Eve contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

eyes, reddened

Watering eyes

reddening of the skin

Dermatitis (skin inflammation)

Coughing

Irritation of the respiratory tract

Irritation of the mouth and throat

diarrhoea

Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures



Page 4 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

Contact with water - danger of sliding.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid build up of dust.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store at room temperature.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries.

depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters



Page 5 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

| Area of application | Exposure route / | Effect on health | Descripto | Value | Unit | Note |
|---------------------|--------------------------|---------------------|-----------|---------|----------|------|
| | Environmental | | r | | | |
| | compartment | | | | | |
| | Environment - freshwater | | PNEC | 0,024 | mg/l | |
| | Environment - marine | | PNEC | 0,002 | mg/l | |
| | Environment - water, | | PNEC | 0,02 | mg/l | |
| | sporadic (intermittent) | | | | | |
| | release | | | | | |
| | Environment - sediment, | | PNEC | 0,767 | mg/kg dw | |
| | freshwater | | | | | |
| | Environment - sediment, | | PNEC | 0,077 | mg/kg dw | |
| | marine | | | | | |
| | Environment - soil | | PNEC | 1,21 | mg/kg dw | |
| | Environment - sewage | | PNEC | 4 | mg/l | |
| | treatment plant | | | | | |
| Consumer | Human - dermal | Long term, systemic | DNEL | 1295 | mg/kg | |
| | | effects | | | bw/day | |
| Consumer | Human - inhalation | Long term, systemic | DNEL | 45,04 | mg/m3 | |
| | | effects | | | | |
| Consumer | Human - oral | Long term, systemic | DNEL | 12,95 | mg/kg | |
| | | effects | | | bw/day | |
| Workers / employees | Human - dermal | Long term, systemic | DNEL | 2158,33 | mg/kg | |
| | | effects | | | bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic | DNEL | 152,2 | mg/m3 | |
| | | effects | | | | |

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

If applicable

Protective gloves in butyl rubber (EN ISO 374).

Protective nitrile gloves (EN ISO 374).

Protective PVC gloves (EN ISO 374).

Minimum layer thickness in mm:

0,5

Permeation time (penetration time) in minutes:

480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:



. (B

Page 6 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

If the general dust-limit is exceeded, breathing masks with fine-dust filters are necessary (EN 143), code colour white.

If applicable, filter P2 (EN 143), code colour white

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Solid, powder

Colour: Blue

Odour: Characteristic

Melting point/freezing point:

There is no information available on this parameter.

Boiling point or initial boiling point and boiling range:

There is no information available on this parameter.

Flammability: There is no information available on this parameter.

Lower explosion limit:

Upper explosion limit:

Does not apply to solids.

Does not apply to solids.

Flash point:

Does not apply to solids.

Auto-ignition temperature:

Does not apply to solids.

Decomposition temperature: There is no information available on this parameter.

pH: 11,0 (1 %)

Kinematic viscosity: There is no information available on this parameter.

Solubility: Soluble

Partition coefficient n-octanol/water (log value): Does not apply to mixtures.

Vapour pressure: There is no information available on this parameter.

Density and/or relative density:

Relative vapour density:

n.a.

Does not apply to solids.

Particle characteristics:

There is no information available on this parameter.

9.2 Other information

No information available at present.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

Avoid contact with strong acids.

10.6 Hazardous decomposition products



Page 7 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|----------------------------------|----------|-------|------|----------|-------------|--------|
| Acute toxicity, by oral route: | | | | | | n.d.a. |
| Acute toxicity, by dermal | | | | | | n.d.a. |
| route: | | | | | | |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye | | | | | | n.d.a. |
| damage/irritation: | | | | | | |
| Respiratory or skin | | | | | | n.d.a. |
| sensitisation: | | | | | | |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - | | | | | | n.d.a. |
| single exposure (STOT-SE): | | | | | | |
| Specific target organ toxicity - | | | | | | n.d.a. |
| repeated exposure (STOT- | | | | | | |
| RE): | | | | | | |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|--|----------|-------|---------|------------|---|-------------------|
| Acute toxicity, by oral route: | LD50 | >2000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | 6300 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Acute toxicity, by inhalation: | LC50 | >52 | mg/l/4h | Rat | OECD 403 (Acute Inhalation Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Skin Irrit. 2 |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Dam. 1 |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | Not sensitizising |
| Germ cell mutagenicity: | | | | | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | | OECD 473 (In Vitro Mammalian Chromosome Aberration Test) | Negative |
| Carcinogenicity: | | | | | | Negative |
| Reproductive toxicity: | NOAEL | 2 | mg/kg | Mouse | OECD 414 (Prenatal Developmental Toxicity Study) | |
| Aspiration hazard: | | | | | | No |
| Specific target organ toxicity - repeated exposure (STOT- RE), oral: | NOAEL | 259 | mg/kg | Rat | | 2a |

Potassium carbonate



Page 8 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|---|----------|-------|-------|------------|----------------|--|
| Acute toxicity, by oral route: | LD50 | >2000 | mg/kg | Rat | | |
| Skin corrosion/irritation: | | | | | | Irritant |
| Serious eye | | | | | | Irritant |
| damage/irritation: | | | | | | |
| Respiratory or skin | | | | Guinea pig | OECD 406 (Skin | Not sensitizising |
| sensitisation: | | | | | Sensitisation) | |
| Symptoms: | | | | | | respiratory distress, coughing, mucous membrane irritation, nausea and vomiting. |
| Specific target organ toxicity - single exposure (STOT-SE), inhalative: | | | | | | Irritation of the respiratory tract |

11.2. Information on other hazards

| ECOLUTION FOROL STICKS | | | | | | | | | |
|------------------------|----------|-------|------|----------|-------------|-----------------|--|--|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes | | | |
| Endocrine disrupting | | | | | | Does not apply | | | |
| properties: | | | | | | to mixtures. | | | |
| Other information: | | | | | | No other | | | |
| | | | | | | relevant | | | |
| | | | | | | information | | | |
| | | | | | | available on | | | |
| | | | | | | adverse effects | | | |
| | | | | | | on health. | | | |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| ECOLUTION FOROL STICKS | | | | | | | | | | |
|--------------------------|----------|------|-------|------|----------|-------------|--------|--|--|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes | | | |
| 12.1. Toxicity to fish: | | | | | | | n.d.a. | | | |
| 12.1. Toxicity to | | | | | | | n.d.a. | | | |
| daphnia: | | | | | | | | | | |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. | | | |



Page 9 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007 Valid from: 01.02.2023

PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

| 12.2. Persistence and | | | | | The |
|-------------------------|-----|--|----|--|------------------|
| degradability: | | | | | surfactant(s) |
| degradability. | | | | | contained in |
| | | | | | |
| | | | | | this mixture |
| | | | | | complies(compl |
| | | | | | y) with the |
| | | | | | biodegradability |
| | | | | | criteria as laid |
| | | | | | down in |
| | | | | | Regulation |
| | | | | | (EC) |
| | | | | | No.648/2004 |
| | | | | | |
| | | | | | on detergents. |
| | | | | | Data to support |
| | | | | | this assertion |
| | | | | | are held at the |
| | | | | | disposal of the |
| | | | | | competent |
| | | | | | authorities of |
| | | | | | the Member |
| | | | | | States and will |
| | | | | | be made |
| | | | | | available to |
| | | | | | them, at their |
| | | | | | direct request |
| | | | | | or at the |
| | | | | | request of a |
| | | | | | detergent |
| | | | | | manufacturer. |
| 12.3. Bioaccumulative | | | | | n.d.a. |
| | | | | | II.u.a. |
| potential: | | | | | |
| 12.4. Mobility in soil: | | | | | n.d.a. |
| 12.5. Results of PBT | | | | | n.d.a. |
| and vPvB assessment | | | | | |
| 12.6. Endocrine | | | | | Does not apply |
| disrupting properties: | | | | | to mixtures. |
| 12.7. Other adverse | | | | | No information |
| effects: | | | | | available on |
| | | | | | other adverse |
| | | | | | effects on the |
| | | | | | environment. |
| Other information: | | | | | DOC- |
| | | | | | elimination |
| | | | | | degree(complex |
| | | | | | ing organic |
| | | | | | substance)>= |
| | | | | | 80%/28d: Yes |
| Other information: | AOV | | 0/ | | |
| Other information: | AOX | | % | | According to |
| | | | | | the recipe, |
| | | | | | contains no |
| | | | | | AOX. |
| | | | | | ! |

| Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts | | | | | | | | | | |
|---|----------|------|-------|------|------------------|--|-------|--|--|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes | | | |
| Toxicity to bacteria: | IC50 | 3h | 230 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | | | | |



Œ

Page 10 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

| 12.1. Toxicity to fish: | LC50 | 96h | 4,2 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute | |
|--|-----------|-----|-------|------|---------------------------|--|---|
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 6,3 | mg/l | Daphnia magna | Toxicity Test) OECD 211 (Daphnia magna Reproduction | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 4,53 | mg/l | Ceriodaphnia spec. | Test) OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | 5,2 | mg/l | Skeletonema costatum | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | 3,2 | mg/l | Skeletonema costatum | ISO 10253 | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | 3,2 | mg/l | Phaeodactylum tricornutum | ISO 10253 | |
| 12.2. Persistence and degradability: | | 28d | 92 | % | | OECD 306 (Biodegradability in Seawater) | Readily biodegradable |
| 12.2. Persistence and degradability: | | 28d | 81-94 | % | | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Readily biodegradable |
| 12.3. Bioaccumulative potential: | BCF | | 70,8 | | | 1 001/ | |
| 12.3. Bioaccumulative potential: | Log Pow | | -1,3 | | | | 20°C |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Toxicity to bacteria: | EC10 | 3h | 40 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |
| Water solubility: | | | 292 | g/l | | ,, | Soluble20°C |

| Potassium carbonate | | | | | | | | | |
|-------------------------|----------|------|-------|------|----------|----------------|-------|--|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes | | |
| 12.1. Toxicity to fish: | LC50 | 72h | 200 | mg/l | | | | | |
| 12.1. Toxicity to fish: | LC50 | | 200 | mg/l | | DIN 38412 T.15 | | | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.



(GB)

Page 11 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 02 plastic packaging

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicableTunnel restriction code:Not applicableClassification code:Not applicableLQ:Not applicableTransport category:Not applicable

Transport by sea (IMDG-code)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicableMarine Pollutant:Not applicableEmS:Not applicable

Transport by air (IATA)

14.1. UN number or ID number:

Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

REGULATION (EC) No 648/2004

30 % and more anionic surfactants less than 5 % non-ionic surfactants 0 %



Page 12 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

perfumes

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

3, 6, 15

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation | Evaluation method used |
|--|--|
| (EC) No. 1272/2008 (CLP) | |
| Eye Irrit. 2, H319 | Classification according to calculation procedure. |
| Skin Irrit. 2, H315 | Classification according to calculation procedure. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Eye Irrit. — Eye irritation

Skin Irrit. — Skin irritation

Eye Dam. — Serious eye damage

STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)



- GB

Page 13 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level
DOC Dissolved organic carbon

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, EμCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera

EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number

gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLIDInternational Uniform Chemical Information Database

IUPAC International Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not available

n.c. not checked n.d.a. no data available

NIOSHNational Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)



Page 14 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0008

Replacing version dated / version: 14.07.2022 / 0007

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION FOROL STICKS

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.