

Page 1 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

### **ECOLUTION MILIZID STICKS**

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Bathroom cleaner Descaling agent

#### Uses advised against:

No information available at present.

### 1.3 Details of the supplier of the safety data sheet

DR.SCHNELL GmbH & Co. KGaA

Taunusstr. 19 80807 München Tel.: 089/350608-0 Fax: 089/350608-47 Email: info@dr-schnell.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

### 1.4 Emergency telephone number

**Emergency information services / official advisory body:** 

---

#### Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (DR.SCHNELL)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)
Hazard class Hazard category Hazard statement

Eye Irrit. 2 H319-Causes serious eye irritation.

Skin Irrit. 2 H315-Causes skin irritation.

Aquatic Chronic 3 H412-Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS



H319-Causes serious eye irritation. H315-Causes skin irritation. H412-Harmful to aquatic life with long lasting effects.

P273-Avoid release to the environment. P280-Wear protective gloves / eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314-Get medical advice / attention if you feel unwell.

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

n.a.

#### 3.2 Mixtures

OIL MIXTURE	
Sulphamidic acid	
Registration number (REACH)	01-2119846728-23-XXXX
Index	016-026-00-0
EINECS, ELINCS, NLP, REACH-IT List-No.	226-218-8
CAS	5329-14-6
content %	50-<75
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Irrit. 2, H315
factors	Eye Irrit. 2, H319
	Aquatic Chronic 3, H412

Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-	
16 (even numbered)-alkene, sodium salts	
Registration number (REACH)	01-2119513401-57-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	931-534-0
CAS	(68439-57-6)
content %	20-<30
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Irrit. 2, H315
factors	Eye Dam. 1, H318
Specific Concentration Limits and ATE	Skin Irrit. 2, H315: >=5 %
	Eye Dam. 1, H318: >=38 %
	Eye Irrit. 2, H319: >=5 %

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!



Page 3 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Supply person with fresh air and consult doctor according to symptoms.

#### **Skin contact**

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

#### **Eye contact**

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Inaestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

eyes, reddened

Watering eyes

reddening of the skin

Dermatitis (skin inflammation)

Coughing

Irritation of the respiratory tract

Irritation of the mouth and throat

diarrhoea

Vomiting

### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

# Suitable extinguishing media Adapt to the nature and extent of fire.

Adapt to the nature and extent of life.

Water jet spray/foam/CO2/dry extinguisher

### Unsuitable extinguishing media

None known

#### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of sulphur

Oxides of nitrogen

Toxic gases

#### 5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

#### **SECTION 6: Accidental release measures**



GB)

Page 4 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS

## 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

Contact with water - danger of sliding.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

#### **6.2 Environmental precautions**

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

Flush residue using copious water.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

#### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

## 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid build up of dust.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

## 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Do not store with alkalis.

Do not use acid sensitive materials.

Store at room temperature.

Store in a dry place.

#### 7.3 Specific end use(s)

No information available at present.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries.

depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

#### **SECTION 8: Exposure controls/personal protection**



Page 5 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS

## 8.1 Control parameters

Sulphamidic acid						
Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
	Environmental		r			
	compartment					
	Environment - freshwater		PNEC	1,8	mg/l	
	Environment - marine		PNEC	0,18	mg/l	
	Environment - water,		PNEC	0,48	mg/l	
	sporadic (intermittent)					
	release					
	Environment - sewage		PNEC	20	mg/l	
	treatment plant					
	Environment - sediment,		PNEC	8,36	mg/kg dw	
	freshwater					
	Environment - sediment,		PNEC	0,84	mg/kg dw	
	marine					
	Environment - soil		PNEC	5	mg/kg dw	
Consumer	Human - oral	Long term, systemic	DNEL	5	mg/kg	
		effects			bw/day	
Consumer	Human - inhalation	Long term, systemic	DNEL	17,4	mg/m3	
		effects				
Consumer	Human - dermal	Long term, systemic	DNEL	5	mg/kg	
		effects			bw/day	
Workers / employees	Human - inhalation	Long term, systemic	DNEL	70,5	mg/m3	
		effects				
Workers / employees	Human - dermal	Long term, systemic	DNEL	10	mg/kg	
		effects			bw/day	

Area of application	Exposure route / Environmental compartment	nmental		Value	Unit	Note
	Environment - freshwater		PNEC	0,024	mg/l	
	Environment - marine		PNEC	0,002	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,02	mg/l	
	Environment - sediment, freshwater		PNEC	0,767	mg/kg dw	
	Environment - sediment, marine		PNEC	0,077	mg/kg dw	
	Environment - soil		PNEC	1,21	mg/kg dw	
	Environment - sewage treatment plant		PNEC	4	mg/l	
Consumer	Human - dermal	Long term, systemic effects	DNEL	1295	mg/kg bw/day	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	45,04	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	12,95	mg/kg bw/day	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	2158,33	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	152,2	mg/m3	

## 8.2 Exposure controls



. (B

Page 6 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

## 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

If applicable

Protective gloves in butyl rubber (EN ISO 374).

Protective nitrile gloves (EN ISO 374).

Protective PVC gloves (EN ISO 374).

Minimum layer thickness in mm:

0,5

Permeation time (penetration time) in minutes:

480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

If the general dust-limit is exceeded, breathing masks with fine-dust filters are necessary (EN 143), code colour white.

If applicable, filter P2 (EN 143), code colour white

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

#### 8.2.3 Environmental exposure controls

No information available at present.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state: Solid, powder Colour: Red

Odour: Characteristic

Melting point/freezing point:

There is no information available on this parameter.

Boiling point or initial boiling point and boiling range:

There is no information available on this parameter.



pH:

Solubility:

Page 7 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS

Flammability: There is no information available on this parameter.

Lower explosion limit:Does not apply to solids.Upper explosion limit:Does not apply to solids.Flash point:Does not apply to solids.Auto-ignition temperature:Does not apply to solids.

Decomposition temperature:

There is no information available on this parameter.

1,5 (1 %)

Kinematic viscosity: There is no information available on this parameter.

Soluble

Partition coefficient n-octanol/water (log value):

Vapour pressure:

Does not apply to mixtures.

There is no information available on this parameter.

Density and/or relative density: n.a.

Relative vapour density: Does not apply to solids.

Particle characteristics: There is no information available on this parameter.

#### 9.2 Other information

No information available at present.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product has not been tested.

#### 10.2 Chemical stability

Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

#### 10.4 Conditions to avoid

None known

### 10.5 Incompatible materials

Avoid contact with strong alkalis.

Avoid contact with strong oxidizing agents.

Avoid contact with acid sensitive materials.

### 10.6 Hazardous decomposition products

No decomposition when used as directed.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

ECOLUTION MILIZID STICKS										
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes				
Acute toxicity, by oral route:	ATE	>2000	mg/kg			calculated value				
Acute toxicity, by dermal						n.d.a.				
route:										
Acute toxicity, by inhalation:						n.d.a.				
Skin corrosion/irritation:						n.d.a.				
Serious eye						n.d.a.				
damage/irritation:										
Respiratory or skin						n.d.a.				
sensitisation:										
Germ cell mutagenicity:						n.d.a.				
Carcinogenicity:						n.d.a.				
Reproductive toxicity:						n.d.a.				
Specific target organ toxicity -						n.d.a.				
single exposure (STOT-SE):										
Specific target organ toxicity -						n.d.a.				
repeated exposure (STOT-										
RE):										
Aspiration hazard:						n.d.a.				



Page 8 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006 Valid from: 01.02.2023

PDF print date: 01.02.2023 **ECOLUTION MILIZID STICKS** 

Symptoms:			n.d.a.
-----------	--	--	--------

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Irritant(IUCLID)
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative(IUCLI D)
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Germ cell mutagenicity:					OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative
Reproductive toxicity (Developmental toxicity):	NOAEL	200	mg/kg bw/d	Rat	OECD 414 (Prenatal Developmental Toxicity Study)	Negative
Specific target organ toxicity - repeated exposure (STOT-RE):	NOAEL	1000	mg/kg	Rat		(oral, 90 h)
Symptoms:						respiratory distress, coughing, mucous membrane irritation

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat	OECD 401 (Acute	
					Oral Toxicity)	
Acute toxicity, by dermal	LD50	6300	mg/kg	Rabbit	OECD 402 (Acute	
route:					Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	>52	mg/l/4h	Rat	OECD 403 (Acute	
					Inhalation Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Skin Irrit. 2
					Dermal	
					Irritation/Corrosion)	
Serious eye				Rabbit	OECD 405 (Acute	Eye Dam. 1
damage/irritation:					Eye	
					Irritation/Corrosion)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not sensitizising
sensitisation:					Sensitisation)	
Germ cell mutagenicity:					OECD 471 (Bacterial	Negative
					Reverse Mutation	
					Test)	
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative
					Mammalian	
					Chromosome	
					Aberration Test)	
Carcinogenicity:					<u> </u>	Negative



Page 9 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS

Reproductive toxicity:	NOAEL	2	mg/kg	Mouse	OECD 414 (Prenatal Developmental Toxicity Study)	
Aspiration hazard:						No
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAEL	259	mg/kg	Rat		2a

## 11.2. Information on other hazards

<b>ECOLUTION MILIZID STI</b>	ECOLUTION MILIZID STICKS										
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes					
Endocrine disrupting						Does not apply					
properties:						to mixtures.					
Other information:						No other					
						relevant					
						information					
						available on					
						adverse effects					
						on health.					

## **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							The
degradability:							surfactant(s)
							contained in
							this mixture
							complies(com
							y) with the
							biodegradabil
							criteria as laid
							down in
							Regulation
							(EC)
							No.648/2004
							on detergents
							Data to suppo
							this assertion
							are held at the
							disposal of the
							competent
							authorities of
							the Member
							States and wi
							be made
							available to
							them, at their
							direct request
							or at the
							request of a
							detergent
							manufacturer.
12.3. Bioaccumulative							n.d.a.
potential:							



Page 10 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006 Valid from: 01.02.2023

PDF print date: 01.02.2023 **ECOLUTION MILIZID STICKS** 

12.4. Mobility in soil:				n.d.a.
12.5. Results of PBT				n.d.a.
and vPvB assessment				
12.6. Endocrine				Does not apply
disrupting properties:				to mixtures.
12.7. Other adverse				No information
effects:				available on
				other adverse
				effects on the
				environment.
Other information:				DOC-
				elimination
				degree(complex
				ing organic
				substance)>=
				80%/28d: Yes
Other information:	AOX	%		According to
				the recipe,
				contains no
				AOX.

Sulphamidic acid							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to bacteria:	EC50	3h	>200	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
12.1. Toxicity to algae:	ErC50	72h	48	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	19	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to fish:	NOEC/NOEL	34d	>=60	mg/l	Brachydanio rerio	OECD 210 (Fish, Early-Life Stage Toxicity Test)	
12.1. Toxicity to fish:	LC50	96h	70,3	mg/l	Pimephales promelas	OEĆD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	71,6	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae: 12.2. Persistence and degradability:	IC50	72h	>29	mg/l	Chlorella vulgaris	·	Not biodegradable Not relevant fo inorganic substances.
12.3. Bioaccumulative potential:	Log Pow		-4,34				
Water solubility:			213	g/l			20°C

Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes



Page 11 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS

Toxicity to bacteria:	IC50	3h	230	mg/l	activated sludge	OECD 209	
Toxicity to bacteria.	1050	311	230	mg/i	activated studge		
						(Activated	
						Sludge,	
						Respiration	
						Inhibition Test	
						(Carbon and	
						Àmmonium	
						Oxidation))	
12.1. Toxicity to fish:	LC50	96h	4,2	mg/l	Brachydanio rerio	OECD 203	
12.11. TOXICITY TO HOTE.	1000	3011	7,2	1119/1	Brachydaine rene	(Fish, Acute	
10.1 T ::: :	NOTONIOTI	04.1	0.0	//	<u> </u>	Toxicity Test)	
12.1. Toxicity to	NOEC/NOEL	21d	6,3	mg/l	Daphnia magna	OECD 211	
daphnia:						(Daphnia magna	
						Reproduction	
						Test)	
12.1. Toxicity to	EC50	48h	4,53	mg/l	Ceriodaphnia	OECD 202	
daphnia:			, , , ,		spec.	(Daphnia sp.	
						Acute	
						Immobilisation	
10.1 T :::	5050	701		//		Test)	
12.1. Toxicity to algae:	EC50	72h	5,2	mg/l	Skeletonema	OECD 201	
					costatum	(Alga, Growth	
						Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	3,2	mg/l	Skeletonema	ISO 10253	
					costatum		
12.1. Toxicity to algae:	NOEC/NOEL	72h	3,2	mg/l	Phaeodactylum	ISO 10253	
, ,			,		tricornutum		
12.2. Persistence and		28d	92	%		OECD 306	Readily
degradability:		200	32	/0		(Biodegradability	biodegradable
degradability.							biodegradable
10.0 D		00.1	04.04	0/		in Seawater)	D 13
12.2. Persistence and		28d	81-94	%		OECD 301 B	Readily
degradability:						(Ready	biodegradable
						Biodegradability -	
						Co2 Evolution	
						Test)	
12.3. Bioaccumulative	BCF		70,8			,	
potential:			, , ,				
12.3. Bioaccumulative	Log Pow		-1,3				20°C
potential:	239 . 011		1,0				-0 0
12.5. Results of PBT				+			No PBT
and vPvB assessment							substance, No
							vPvB substanc
Toxicity to bacteria:	EC10	3h	40	mg/l	activated sludge	OECD 209	
						(Activated	
						Sludge,	
						Respiration	
						Inhibition Test	
						(Carbon and	
						Ammonium	
11						Oxidation))	0 1 11 222
Water solubility:			292	g/l			Soluble20°C

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)



Page 12 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

## For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 02 plastic packaging

## **SECTION 14: Transport information**

#### **General statements**

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: 2967

14.2. UN proper shipping name:

UN 2967 SULPHAMIC ACID, MIXTURE

14.3. Transport hazard class(es):
8
14.4. Packing group:
III

14.5. Environmental hazards:

Not applicable

Tunnel restriction code: E
Classification code: C2
LQ: 5 kg
Transport category: 3

Transport by sea (IMDG-code)

14.1. UN number or ID number: 2967

14.2. UN proper shipping name:

UN 2967 SULPHAMIC ACID, MIXTURE

14.3. Transport hazard class(es):
8
14.4. Packing group:
III

14.5. Environmental hazards:

Not applicable

Marine Pollutant:

EmS:

Not applicable

F-A, S-B

Transport by air (IATA)

14.1. UN number or ID number: 2967

14.2. UN proper shipping name: UN 2967 Sulphamic acid mixture

14.3. Transport hazard class(es):

14.4. Packing group:

14.4. Packing group:14.5. Environmental hazards:Not applicable

## 14.6. Special precautions for user

Persons employed in transporting dangerous goods must be trained.

All persons involved in transporting must observe safety regulations.

Precautions must be taken to prevent damage.

#### 14.7. Maritime transport in bulk according to IMO instruments

Freighted as packaged goods rather than in bulk, therefore not applicable.

Minimum amount regulations have not been taken into account.

Danger code and packing code on request.

Comply with special provisions.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with trade association/occupational health regulations.









Page 13 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS

Directive 2010/75/EU (VOC):

0.1 %

#### REGULATION (EC) No 648/2004

15 % or over but less than 30 % anionic surfactants less than 5 % non-ionic surfactants

perfumes

National requirements/regulations on safety and health protection must be applied when using work equipment.

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

#### **SECTION 16: Other information**

Revised sections:

3, 6, 11, 12

Employee training in handling dangerous goods is required.

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Eye Irrit. 2, H319	Classification according to calculation procedure.
Skin Irrit. 2, H315	Classification according to calculation procedure.
Aguatic Chronic 3, H412	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Eye Irrit. — Eye irritation

Skin Irrit. — Skin irritation

 $\label{eq:Aquatic Chronic - Hazardous to the aquatic environment - chronic} Aquatic Chronic - Hazardous to the aquatic environment - chronic$ 

Eye Dam. — Serious eye damage

## Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

### Any abbreviations and acronyms used in this document:



Page 14 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement

concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, EμCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera

EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number

gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

**IUCLIDInternational Uniform Chemical Information Database** 

IUPAC International Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable

n.av. not available

n.c. not checked

n.d.a. no data available

NIOSHNational Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level



(GB)

Page 15 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 01.02.2023 / 0007

Replacing version dated / version: 14.07.2022 / 0006

Valid from: 01.02.2023 PDF print date: 01.02.2023 ECOLUTION MILIZID STICKS

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

# Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.