Nilfisk One Series - designed with today's living in mind

The Nilfisk One range has been designed with today's living in mind. It's compact for easy storage without compromising on performance, manoeuvrability or style.

Living spaces today are becoming smaller and this means space is more precious; Nilfisk have designed the One Series with this thought in mind. The smaller design means easy storage in any living situation, along with a specially designed storage belt that enables the hose to be held in place when wrapped around the vacuum.

You'll also spend less time cleaning with a machine that provides all the performance of dust pick up that most would expect to be achieved by only larger vacuum cleaners. You can effortlessly adjust the motor speed to meet your specific cleaning task, and with handy on-board accessories, easy manoeuvrability and a dust bag full indicator showing you when to change the bag, cleaning could not be made easier.

As you would expect, the performance and energy ratings from the new Nilfisk One products are second to none:

- EPA 10 through to HEPA 13 filters giving the clean exhaust air
- 'B' rating dust pick up on carpet and 'A' rating on hard flooring
- NIFISK C

Picture shown may not represent model quoted

- 'C' or 'A' rating on emission
- 'A' or 'A++' rating in energy usage with a 750 watt or 450 watt motor and minimum 500 hours lifetime
- On top of all that you can choose a lot of different colors that match your décor.

The Nilfisk One series of vacuum cleaners is another example of quality engineering and modern features that Nilfisk are renowned for.

- Storability No problems getting this small vacuum into a storage solution. Just wrap the hose around the machine and away it goes into storage.
- Small & Handy High maneuverability and easy access to confided spaces.
- Cleaning performance Dust pickup on carpet a 'B' rating and dust pick up on hard flooring an 'A' rating.
- Nilfisk quality Strong suction and excellent cleaning result with an EPA or HEPA filter
- Very good energy ratings for its size

The Nilfisk One is built with you in mind. All models are fitted with our neat storability solution and come with Energy "A" or 'A++' ratings. The Nilfisk One is a small & handy vacuum cleaner and is therefore perfect for small places and confined spaces. To make it even easier to use, we have also fitted the Nilfisk One with click fit in the nozzle.

Are you living in a smaller apartment or have a need for a second vacuum cleaner, this is the machine for you!

Standard equipment

	Included accessories	Ref. no.	Min. required	Nilfisk One Blue Parquet EU	Nilfisk One Clean Air EU	Nilfisk One Clean Air UK
Hose and Connection						
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•
$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$	SUCTION HOSE COMPLETE	107414329	0	•	•	•
Hard Floor No	ozzle	1		1	1	



	Included accessories	Ref. no.	Min. required	Nilfisk One Blue Parquet EU	Nilfisk One Clean Air EU	Nilfisk One Clean Air UK			
2	HARD FLOOR NOZZLE W. CLICK F	128350251	0						
Combination	Combination Nozzle								
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0						
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0						
Nozzle - Vacu	Jum								
	COMBI NOZZLE B03 ONE	107414326	0	•	•	•			
2	HARD FLOOR CLICK F	30050402	0	•	•	•			
	Mini turbo nozzle	107414061	0						
4	TURBO NOZZLE CLICK F	30050403	0						
HEPA Filter									
	EPA FILTER E10	78601000	0	•					
	HEPA FILTER H13 ONE	107414332	0		•	•			
Brush									
	BRUSH KIT ONE	107414330	0	•	•	•			
Accessory									



Included accessories	Ref. no.	Min. required	Nilfisk One Blue Parquet EU	Nilfisk One Clean Air EU	Nilfisk One Clean Air UK
STORABILITY STRAP	107414333	0	•	•	•

Standard equipment

	Included accessories	Ref. no.	Min. required	Nilfisk One Reach EU	Nilfisk One Prime EU	Nilfisk One Dark Blue EU
Hose and Co	nnection					
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•
Ş	SUCTION HOSE COMPLETE	107414329	0	•	•	•
Hard Floor No	ozzle					
1	HARD FLOOR NOZZLE W. CLICK F	128350251	0			
Combination	Nozzle					
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0			
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0			
Nozzle - Vacu	Jum				1	
	COMBI NOZZLE B03 ONE	107414326	0	•	•	•
4	HARD FLOOR CLICK F	30050402	0	•	•	
	Mini turbo nozzle	107414061	0			



	Included accessories	Ref. no.	Min. required	Nilfisk One Reach EU	Nilfisk One Prime EU	Nilfisk One Dark Blue EU
4	TURBO NOZZLE CLICK F	30050403	0		•	
HEPA Filter						
	EPA FILTER E10	78601000	0	•		•
	HEPA FILTER H13 ONE	107414332	0		•	
Brush						
	BRUSH KIT ONE	107414330	0	٠	•	•
Accessory						
	STORABILITY STRAP	107414333	0	•	•	•

Standard equipment

	Included accessories		Min. required	Nilfisk One Dark Red Parquet EU	ONE MBB10P05A EU	ONE WB10P05A EU			
Hose and Cor	Hose and Connection								
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•			
\bigcirc	SUCTION HOSE COMPLETE	107414329	0	•	•	•			
Hard Floor No	ozzle								
1	HARD FLOOR NOZZLE W. CLICK F	128350251	0						
Combination	Nozzle								
2	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0						



All information provided in this document is subject to change without prior notice

	Included accessories	Ref. no.	Min. required	Nilfisk One Dark Red Parquet EU	ONE MBB10P05A EU	ONE WB10P05A EU			
	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0		•	٠			
Nozzle - Vacu	Nozzle - Vacuum								
	COMBI NOZZLE B03 ONE	107414326	0	•					
4	HARD FLOOR CLICK F	30050402	0						
	Mini turbo nozzle	107414061	0						
4	TURBO NOZZLE CLICK F	30050403	0						
HEPA Filter									
	EPA FILTER E10	78601000	0	•	•	•			
	HEPA FILTER H13 ONE	107414332	0						
Brush									
	BRUSH KIT ONE	107414330	0	•	•	•			
Accessory									
I	STORABILITY STRAP	107414333	0	•	•	•			



Standard equipment

	Included accessories	Ref. no.	Min. required	ONE BB10P05A EU	ONE BB10P05A AUS/NZ	ONE BLB10P05A EU
Hose and Co	nnection					
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•
$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$	SUCTION HOSE COMPLETE	107414329	0	•	•	•
Hard Floor No	ozzle					
1	HARD FLOOR NOZZLE W. CLICK F	128350251	0	•	•	•
Combination	Nozzle					
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0			
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0	•	•	•
Nozzle - Vacu	mu					
	COMBI NOZZLE B03 ONE	107414326	0			
2	HARD FLOOR CLICK F	30050402	0			
	Mini turbo nozzle	107414061	0			
4	TURBO NOZZLE CLICK F	30050403	0			
HEPA Filter						
	EPA FILTER E10	78601000	0	•	•	•



	Included accessories	Ref. no.	Min. required	ONE BB10P05A EU	ONE BB10P05A AUS/NZ	ONE BLB10P05A EU
	HEPA FILTER H13 ONE	107414332	0			
Brush						
	BRUSH KIT ONE	107414330	0	•	•	•
Accessory						
	STORABILITY STRAP	107414333	0	•	•	•

Standard equipment

	Included accessories	Ref. no.	Min. required	ONE BLB10P05A	ONE SWPC13P05A EU	ONE SWPC13P05A AUS/NZ	
Hose and Connection							
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•	
$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$	SUCTION HOSE COMPLETE	107414329	0	•	•	•	
Hard Floor No	ozzle						
1	HARD FLOOR NOZZLE W. CLICK F	128350251	0	•	•	•	
Combination	Nozzle						
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0				
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0	•	•	•	
Nozzle - Vacu	um						
	COMBI NOZZLE B03 ONE	107414326	0				



	Included accessories	Ref. no.	Min. required	ONE BLB10P05A	ONE SWPC13P05A EU	ONE SWPC13P05A AUS/NZ
4	HARD FLOOR CLICK F	30050402	0			
	Mini turbo nozzle	107414061	0			
	TURBO NOZZLE CLICK F	30050403	0			
HEPA Filter		1				
	EPA FILTER E10	78601000	0	•		
	HEPA FILTER H13 ONE	107414332	0		•	•
Brush					1	
	BRUSH KIT ONE	107414330	0	•	•	•
Accessory						
I	STORABILITY STRAP	107414333	0	•	•	•

• Standard equipment

	Included accessories	Ref. no.	Min. required	ONE CHPC13P08A EU	ONE DWPC13P08A EU	ONE DWPC13P08A AUS/NZ	
Hose and Co	Hose and Connection						
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•	
$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$	SUCTION HOSE COMPLETE	107414329	0	•	•	•	
Hard Floor No	ozzle	1	1	1	1		



Image: PA FILTER E10 78601000 0 Image: Pa FILTER E10		Included accessories	Ref. no.	Min. required	ONE CHPC13P08A EU	ONE DWPC13P08A EU	ONE DWPC13P08A AUS/NZ
ACCESSORY HB15 COMBI NOZZLE W CLICK 128389013 0	4	HARD FLOOR NOZZLE W. CLICK F	128350251	0	•	•	•
Image: Second	Combination	Nozzle					
Notzet - Verture Indext of the second se		ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0			
Image: Second	>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0	•	•	•
Image: Second	Nozzle - Vacu	Jum					
Image: Second		COMBI NOZZLE B03 ONE	107414326	0			
Image: Second	2	HARD FLOOR CLICK F	30050402	0			
Image: Second		Mini turbo nozzle	107414061	0		•	•
Image: PA FILTER E10 78601000 0 Image: Pa FILTER E10	4	TURBO NOZZLE CLICK F	30050403	0			
Image: Series Image: Series<	HEPA Filter						
Brush Image: Constraint of the second seco		EPA FILTER E10	78601000	0			
		HEPA FILTER H13 ONE	107414332	0	•	•	•
BRUSH KIT ONE 107414330 0 • • •	Brush						
		BRUSH KIT ONE	107414330	0	•	•	•
Accessory	Accessory						



Included accessories		Ref. no.	Min. required	ONE CHPC13P08A EU	ONE DWPC13P08A EU	ONE DWPC13P08A AUS/NZ
I	STORABILITY STRAP	107414333	0	•	•	•

Standard equipment

	Included accessories	Ref. no.	Min. required	ONE DBB10P05A- HB15 EU	ONE BGB10E05A2 EU	ONE DRB10E05A2 EU		
Hose and Co	Hose and Connection							
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•		
\bigcirc	SUCTION HOSE COMPLETE	107414329	0	•	•	•		
Hard Floor No	ozzle							
4	HARD FLOOR NOZZLE W. CLICK F	128350251	0			•		
Combination	Nozzle	•			•			
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0	•				
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0		•	•		
Nozzle - Vacu	Jum	1	1		1			
1	COMBI NOZZLE B03 ONE	107414326	0					
4	HARD FLOOR CLICK F	30050402	0					
	Mini turbo nozzle	107414061	0					



	Included accessories	Ref. no.	Min. required	ONE DBB10P05A- HB15 EU	ONE BGB10E05A2 EU	ONE DRB10E05A2 EU
4	TURBO NOZZLE CLICK F	30050403	0			
HEPA Filter						
	EPA FILTER E10	78601000	0	•	•	•
	HEPA FILTER H13 ONE	107414332	0			
Brush		1	1		1	
	BRUSH KIT ONE	107414330	0	•	•	•
Accessory						
	STORABILITY STRAP	107414333	0	•	•	•

Standard equipment

Included accessories		Ref. no.	Min. required	ONE WB10P05A- HB15 SINGAPORE	ONE WB10P05A AUS/NZ	ONE DBB10P05A AUS/NZ
Hose and Cor	nnection					
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•
\bigcirc	SUCTION HOSE COMPLETE	107414329	0	•	•	•
Hard Floor No	ozzle					
1	HARD FLOOR NOZZLE W. CLICK F	128350251	0			
Combination Nozzle						
2	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0	•	•	•



	Included accessories	Ref. no.	Min. required	ONE WB10P05A- HB15 SINGAPORE	ONE WB10P05A AUS/NZ	ONE DBB10P05A AUS/NZ
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0			
Nozzle - Vacu	lum					
1	COMBI NOZZLE B03 ONE	107414326	0			
4	HARD FLOOR CLICK F	30050402	0			
	Mini turbo nozzle	107414061	0			
4	TURBO NOZZLE CLICK F	30050403	0			
HEPA Filter			1			
	EPA FILTER E10	78601000	0	•	•	•
	HEPA FILTER H13 ONE	107414332	0			
Brush						
	BRUSH KIT ONE	107414330	0	•	•	•
Accessory						
	STORABILITY STRAP	107414333	0	•	•	•



Standard equipment

	Included accessories	Ref. no.	Min. required	ONE WB10P05A- HB15 EU	
Hose and Co	nnection	, 			
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	
$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$	SUCTION HOSE COMPLETE	107414329	0	•	
Hard Floor No	ozzle	1	1		
4	HARD FLOOR NOZZLE W. CLICK F	128350251	0		
Combination	Nozzle	,			
>	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0	•	
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0		
Nozzle - Vacu	Jum				
	COMBI NOZZLE B03 ONE	107414326	0		
2	HARD FLOOR CLICK F	30050402	0		
	Mini turbo nozzle	107414061	0		
4	TURBO NOZZLE CLICK F	30050403	0		
HEPA Filter					
	EPA FILTER E10	78601000	0	•	



	Included accessories		Ref. no.	Min. required	ONE WB10P05A- HB15 EU
	HEPA FILTER H13 ONE		107414332	0	
Brush					
	BRUSH KIT ONE		107414330	0	•
Accessory				1	
I	STORABILITY STRAP		107414333	0	•
Model		Nilfisk One Blue Parquet EU	Nilfisk One Clea EU	ın Air Nilfis	k One Clean Air UK
Ref. no.		18451185	18451190		18451191
PRODUCT FI	EATURES				
Dust bag (1 p	cs)	•	•		•
Bag-full indica	ator	•	•		•
Filter bag		•	•		•
Variable spee	d control	•	•		•
Cable rewind		•	•		•
Click connecti		•	•		•
Onboard acce		•	•		•
Easy-to-carry	handle	•	•		•
Storability		•	•		•
Model		Nilfisk One Reach EU	Nilfisk One Pri EU	me Ni	fisk One Dark Blue EU
Ref. no.		18451193	18451194		107416511
PRODUCT FI	EATURES				
Dust bag (1 p	cs)	•	•		•
Bag-full indica	ator	•	•		•
Filter bag		•	•		•
Variable spee	d control	•	•		•
Cable rewind		•	•		•
Click connect		•	•		•
Onboard acce		•	•		•
Easy-to-carry	handle	•	•		•



All information provided in this document is subject to change without prior notice

Model	Nilfisk One Reach EU	Nilfisk One Prime EU	Nilfisk One Dark Blue EU
Ref. no.	18451193	18451194	107416511
PRODUCT FEATURES			
Storability	•	•	•
Model	Nilfisk One Dark Red Parquet EU	ONE MBB10P05A EU	ONE WB10P05A EU
Ref. no.	107416513	128350580	128350581
PRODUCT FEATURES			
Dust bag (1 pcs)	•	•	•
Bag-full indicator	•	•	•
Filter bag	•	•	•
Variable speed control	•	•	•
Cable rewind	•	•	•
Click connection, bend end	•	•	•
Onboard accessories	•	•	•
Easy-to-carry handle	•	•	•
Storability	•	•	•
Model	ONE BB10P05A EU	ONE BB10P05A AUS/NZ	ONE BLB10P05A EU
Ref. no.	128350583	128350584	128350585
PRODUCT FEATURES			
Dust bag (1 pcs)	•	•	•
Bag-full indicator	•	•	•
Filter bag	•	•	•
Variable speed control	•	•	•
Cable rewind	•	•	•
Click connection, bend end	•	•	•
Onboard accessories	•	•	•
Easy-to-carry handle	•	•	•
Ctorobility	•	•	



Storability

•

•

Model	ONE BLB10P05A	ONE SWPC13P05A EU	ONE SWPC13P05A AUS/NZ
Ref. no.	128350586	128350587	128350589
PRODUCT FEATURES			
Dust bag (1 pcs)	•	•	•
Bag-full indicator	•	•	•
Filter bag	•	•	•
Variable speed control	•	•	•
Cable rewind	•	•	•
Click connection, bend end	•	•	•
Onboard accessories	•	•	•
Easy-to-carry handle	•	•	•
Storability	•	•	•
Model	ONE CHPC13P08A EU	ONE DWPC13P08A EU	ONE DWPC13P08A AUS/NZ
Ref. no.	128350590	128350591	128350592
PRODUCT FEATURES			
Dust bag (1 pcs)	•	•	•
Bag-full indicator	•	•	•
Filter bag	•	•	•
Variable speed control	•	•	•
Cable rewind	•	•	•
Click connection, bend end	•	•	•
Onboard accessories	•	•	•
Easy-to-carry handle	•	•	•
Storability	•	•	•
Model	ONE DBB10P05A- HB15 EU	ONE BGB10E05A2 EU	ONE DRB10E05A2 EU
Ref. no.	128350593	128350594	128350595
PRODUCT FEATURES			
Dust bag (1 pcs)	•	•	•
Bag-full indicator	•	•	•
Filter bag	•	•	•
Variable speed control	•	•	•
Cable rewind	•	•	•
Click connection, bend end	•	•	•
Onboard accessories	•	•	•
Easy-to-carry handle	•	•	•



Model	ONE DBB10P05A- HB15 EU	ONE BGB10E05A2 EU	ONE DRB10E05A2 EU
Ref. no.	128350593	128350594	128350595
PRODUCT FEATURES			
Storability	•	•	•
Model	ONE WB10P05A- HB15 SINGAPORE	ONE WB10P05A AUS/NZ	ONE DBB10P05A AUS/NZ
Ref. no.	128350382	128390100	128390101
PRODUCT FEATURES			
Dust bag (1 pcs)	•	•	•
Bag-full indicator	•	•	•
Filter bag	•	•	•
Variable speed control	•	•	•
Cable rewind	•	•	•
Click connection, bend end	•	•	•
Onboard accessories	•	•	•
Easy-to-carry handle	•	•	•
Storability	•	•	•
Model			ONE WB10P05A- HB15 EU
Ref. no.			128390102
PRODUCT FEATURES			
Dust bag (1 pcs)			•
Bag-full indicator			•
Filter bag			•
Variable speed control			•
Cable rewind			•
Click connection, bend end			•
Onboard accessories			•
Easy-to-carry handle			•
Storability			•



Technical specifications	Nilfisk One Blue Parquet EU	Nilfisk One Clean Air EU	Nilfisk One Clean Air UK
Energy Label	Α	Α	Α
	Link	Link	Link
Energy efficiency class	А	А	А
Annual energy consumption (kWh/year)	27,8	27,8	27,8
Dust pick up on carpet	С	С	С
Dust pick up on hard floor	А	А	А
Dust re-emission class	С	А	А
Sound power level dB(A) IEC/EN 60335-2-69	74	74	74
Colour	Blue	Silver	Silver
Volt/frequency (V/Hz)	220-240/50- -60	220-240/50- -60	220-240/50- -60
Rated power (W)	700	700	700
Max. power (W)	800	800	800
Suction power motor/end of tube (W)	/217	/217	/217
Airflow with hose (I/sec.)	30	30	30
Vacuum (kPa)	15	15	15
Cable length (m)	5	5	5
Dust bag capacity (I)	2,1	2,1	2,1
Length x width x height (cm)	38x28x27	38x28x27	38x28x27
Weight (kg)	4,5	4,5	4,5
Dust Filter	EPA 10	EPA 13	EPA 13
Technical specifications	Nilfisk One Reach EU	Nilfisk One Prime EU	Nilfisk One Dark Blue EU
Energy Label	Α	Α	Α
	Link	Link	Link
Energy efficiency class	А	А	A
Annual energy consumption (kWh/year)	27,8	27,8	27,8
Dust pick up on carpet	С	С	С
Dust pick up on hard floor	A	A	A
Dust re-emission class	С	A	С
Sound power level dB(A) IEC/EN 60335-2-69	74	74	74
Colour	Champagne	Black Metallic	Dark Blue
Volt/frequency (V/Hz)	220-240/50- -60	220-240/50- -60	220-240/50- -60
Rated power (W)	700	700	700
Max. power (W)	800	800	800
Suction power motor/end of tube (W)	/217	/217	/217



Airdow with hose (ifsec.)303030Vacoum (kPa)151515Cable length (m)885Dats leage capacity (i)2.12.12.1Length x width x height (cm)38.28.2738.28.2738.28.27Weight (kg)EDA 22EDA 22EDA 23EDA 23Technical specificationsEDA 23EDA 24EDA 24Party ElifeEDA 24EDA 25EDA 25EDA 25Annual energy consumption (kVMv/gar)2.82.42.4Dat place capacity (i)2.82.42.4Dust place capacity (i)2.82.42.4Dust place capacity (i)2.82.42.4Dust place capacity (i)2.83.42.4Dust place capacity (i)2.82.42.4Dust place capacity (i)2.82.42.4Dust place capacity (i)2.83.43.4Dust place capacity (i)2.82.42.4Dust place capacity (i)2.83.43.4Dust place capacity (i)2.83.43.4Dust place capacity (i)3.43.43.4Dust place capacity (i)3.44.43.4Dust place capacity (i)3.47.53.5 <th>Technical specifications</th> <th>Nilfisk One Reach EU</th> <th>Nilfisk One Prime EU</th> <th>Nilfisk One Dark Blue EU</th>	Technical specifications	Nilfisk One Reach EU	Nilfisk One Prime EU	Nilfisk One Dark Blue EU
Cable length (1)8885Dust bag capacity (1)2.12.12.12.1Length x width x height (cm)38x28x2738x28x2738x28x27Weight (kg)4.64.64.54.5Technical specificationsEnd 12End 12End 12End 12Technical specificationsImage and 10 and 100	Airflow with hose (I/sec.)	30	30	30
Dust bag capacity (i) 2.1 2.1 2.1 2.1 Length x width x height (cm) 38x28x27 38x28x27 38x28x27 Weight (kg) 4.6 4.6 4.5 Power Eilter EDA 13 EDA 13 EDA 13 Technical specifications Niffisk One parquet EU Niffisk One Parquet EU </td <td>Vacuum (kPa)</td> <td>15</td> <td>15</td> <td>15</td>	Vacuum (kPa)	15	15	15
Length x width x height (cm)38x28x2738x28x7	Cable length (m)	8	8	5
Weight (kg)4.64.64.5Fund EllowEDA 13EDA 143EDA 143Technical specificationsNMSR Areg parquet EllNMSR Areg parquet EllNMSR Areg Parquet EllEnergy LabelImage: Annual energy consumption (kWh/year)Image: Annual energy consumption (kW h/year)Image: Annual energy e	Dust bag capacity (I)	2,1	2,1	2,1
Fund EllorEDA 19EDA 20EDA 40Technical specificationsNifisk On parquete 10Nifisk On parque	Length x width x height (cm)	38x28x27	38x28x27	38x28x27
Hernical specificationsNonline on Subsect	Weight (kg)	4,6	4,6	4,5
Technical specificationsMB 10 POSAWB 10 POSAEnergy LabelImage and the parameter of the parameter o	Dust Eilter	EDA 12	EDA 12	EDA 10
Energy LabelLinkLinkLinkLinkEnergy efficiency classAAAAnnual energy consumption (kWh/year)27,82424Dust pick up on carpetCBBDust pick up on hard floorAAADust pick up on hard floorCCCSound power level dB(A) IEC/EN 60335-2-69747777ColourDark RedMignight BlueWhiteVolt/frequency (V/Hz)220-240/0522-240/5622-240/56Rated power (W)700750750Suction power motor/end of tube (W)217280/185280/185Ariflow with hose (Isec.)3035/2735/27Vacuum (KPa)151919Cable length (m)555Dust bag capacity (I)212.12.1Length x width x height (cm)382827382827382827	Technical specifications	Dark Red	MBB10P05A	WB10P05A
LinkLinkLinkLinkLinkEnergy efficiency classAAAnnual energy consumption (kWh/year)27.82424Dust pick up on carpetCBBDust pick up on hard floorAAADust pick up on hard floorCCCSound power level dB(A) IEC/EN 60335-2-69747777ColourDark RedMighight BillerWhiteVolt/frequency (V/Hz)20-240/5020-240/5020-240/50Rated power (W)700750750Suction power motorlend of tube (W)217280/185280/185Airflow with hose (I/sec.)3135/2735/27Vacuum (kPa)15191919Cable length (m)5555Dust bag capacity (I)21.121.121.121.1Link with xheight (cm)382827382827382827382827	Energy Lebel	Α	Α	Α
Annual energy consumption (kWh/year)27,82424Dust pick up on carpetCBBDust pick up on hard floorAAADust pick up on hard floorCCCDust re-emission classCCCSound power level dB(A) IEC/EN 60335-2-69747777ColourDark RedMidnight BlueWhiteVolt/frequency (V/Hz)20-240/50020-240/50020-240/500Rated power (W)700750750Max. power (W)700750750Suction power motor/end of tube (W)/217280/185280/185Airflow with hose (//sec.)3035/2735/27Vacuum (kPa)151919Cable length (m)555Dust bag capacity (I)2.12.12.1Length x width x height (cm)38x282738x282738x2827	Energy Label	Link	Link	Link
Dust pick up on carpetCBBDust pick up on hard floorAAADust pick up on hard floorCCCDust re-emission classCCCSound power level dB(A) IEC/EN 60335-2-69747777ColourDark RedMidnight BlueWhiteVoti/frequency (V/Hz)Dark Red20-240/050220-240/050Rated power (W)700750750Max. power (W)700750750Suction power motor/end of tube (W)/217280/185280/185Airflow with hose (I/sec.)3035/2735/27Vacuum (kPa)15191919Cable length (m)5555Dust bag capacity (I)2.12.12.12.1Length x with x height (com)454.54.54.5	Energy efficiency class	А	А	А
Dust pick up on hard floor A A A Dust pick up on hard floor C <	Annual energy consumption (kWh/year)	27,8	24	24
Dust re-emission classCCCSound power level dB(A) IEC/EN 60335-2-69747777ColourDark RedMidnight BlueWhiteVolt/frequency (V/Hz)20-240/5020-240/5020-240/50Rated power (W)700750750Max. power (W)800750750Suction power motor/end of tube (W)280/185280/185Airflow with hose (I/sec.)3035/2735/27Vacuum (kPa)151919Cable length (m)555Dust bag capacity (I)21.121.121.1Length x width x height (com)454.54.5	Dust pick up on carpet	С	В	В
Sound power level dB(A) IEC/EN 60335-2-69747777ColourDark RedMidnight BlueWhiteVolt/frequency (V/Hz)20-24005020-240/5020-240/50Rated power (W)700750750Max. power (W)800750750Suction power motor/end of tube (W)2117280/185280/185Airflow with hose (I/sec.)3035/2735/27Vacuum (kPa)151919Cable length (m)555Dust bag capacity (I)2.12.12.1Length x with x height (cm)382827382827382827Weight (kg)4.54.54.54.5	Dust pick up on hard floor	А	А	А
ColourDark RedMidnight BlueWhiteVolt/frequency (V/Hz)20-240/0520-240/0520-240/05Rated power (W)700750750Max. power (W)800750750Suction power motor/end of tube (W)280/185280/185Airflow with hose (I/sec.)31280/185Vacuum (kPa)151919Cable length (m)555Dust bag capacity (I)281/25281/25Keight (Kg)45.45.45.	Dust re-emission class	С	С	С
Colour Dark Red Blue Write Volt/frequency (V/Hz) 220-240/50-6 220-240/50-6 220-240/50-6 220-240/50-6 Rated power (W) 700 750 750 Max. power (W) 800 750 750 Suction power motor/end of tube (W) /217 280/185 280/185 Airflow with hose (I/sec.) 30 35/27 35/27 Vacuum (kPa) 15 19 19 Cable length (m) 5 5 5 Dust bag capacity (I) 2.1 2.1 2.1 Length x width x height (cm) 38x28x27 38x28x27 38x28x27 Weight (kg) 4,5 4.5 4.5	Sound power level dB(A) IEC/EN 60335-2-69	74	77	77
Rated power (W) 700 750 750 Max. power (W) 800 750 750 Suction power motor/end of tube (W) /217 280/185 280/185 Airflow with hose (I/sec.) 30 35/27 35/27 Vacuum (kPa) 15 19 19 Cable length (m) 5 5 5 Dust bag capacity (I) 2.1 2.1 2.1 Length x width x height (cm) 38x28x27 38x28x27 38x28x27 Weight (kg) 4,5 4.5 4.5	Colour	Dark Red		White
Max. power (W)800750750Suction power motor/end of tube (W)/217280/185280/185Airflow with hose (I/sec.)3035/2735/27Vacuum (kPa)151919Cable length (m)555Dust bag capacity (I)2,12,12,1Length x width x height (cm)38x28x2738x28x2738x28x27Weight (kg)4,54,54,5	Volt/frequency (V/Hz)		220-240/50-6	220-240/50-6
Suction power motor/end of tube (W) /217 280/185 280/185 Airflow with hose (I/sec.) 30 35/27 35/27 Vacuum (kPa) 15 19 19 Cable length (m) 5 5 5 Dust bag capacity (I) 2.1 2.1 2.1 Length x width x height (cm) 38x28x27 38x28x27 38x28x27 Weight (kg) 4.5 4.5 4.5	Rated power (W)	700	750	750
Airflow with hose (l/sec.)3035/2735/27Vacuum (kPa)151919Cable length (m)555Dust bag capacity (l)2,12.12.1Length x width x height (cm)38x28x2738x28x2738x28x27Weight (kg)4,54.54.5	Max. power (W)	800	750	750
Vacuum (kPa) 15 19 19 Cable length (m) 5 5 5 Dust bag capacity (l) 2,1 2,1 2,1 Length x width x height (cm) 38x28x27 38x28x27 38x28x27 Weight (kg) 4,5 4,5 4,5	Suction power motor/end of tube (W)	/217	280/185	280/185
Cable length (m) 5 5 Dust bag capacity (l) 2,1 2.1 Length x width x height (cm) 38x28x27 38x28x27 38x28x27 Weight (kg) 4,5 4.5 4.5	Airflow with hose (I/sec.)	30	35/27	35/27
Dust bag capacity (l) 2,1 2.1 Length x width x height (cm) 38x28x27 38x28x27 38x28x27 Weight (kg) 4,5 4.5 4.5	Vacuum (kPa)	15	19	19
Length x width x height (cm) 38x28x27 38x28x27 38x28x27 Weight (kg) 4,5 4.5 4.5	Cable length (m)	5	5	5
Weight (kg) 4,5 4.5 4.5	Dust bag capacity (I)	2,1	2.1	2.1
	Length x width x height (cm)	38x28x27	38x28x27	38x28x27
Dust Filter EPA 10 EPA 10 EPA 10	Weight (kg)	4,5	4.5	4.5
	Dust Filter	EPA 10	EPA 10	EPA 10



Anall energy consumption (NVM)year)AAADust pick up on carpetBBBDust pick up on hard floorABBDust pick up on hard floorABADust re-emission classCCCSound power level dB(A) IEC/EN 80335-2-69777777ColourBlueDark BlueBlackBlackVol/frequency (VHz)220-2408054220-2408054220-2408054Rated power (W)220-2408054220-2408054220-2408054Max. power (W)280/185280/185280/185Aktion with hose (Vac.)380/2738/2738/27Suction power motoriend of tube (W)280/185280/185280/185Aktion with hose (Vac.)38/2838/2838/28Dust big capacity (I)2.12.12.12.1Length x with hose (Vac.)38/2838/2838/2838/28Dust big capacity (I)2.42.12.12.1Length x with hose (Vac.)38/2838/2838/2838/28Dust Big capacity (I)2.42.12.12.1Length x with hose (Vac.)38/2838/2838/2838/28Dust Big capacity (I)2.12.12.12.1Length x with hose (Vac.)38/2838/2838/2838/28Dust Big capacity (I)2.42.12.12.1Length x with hose (Vac.)38/284.54.54.5Dust Big capacity (I)<	Technical specifications	ONE BB10P05A EU	ONE BB10P05A AUS/NZ	ONE BLB10P05A EU
LinkLinkEnergy efficiency classAAAAnnal energy consumption (Whi/year)BBBDust pick up on hard floorABADust pick up on hard floorCCCSourd power level dB(A) IEC/EIN 60335-2:49CCCOlour200 200000770770770OlourCCCCColourCCCCVoltfrequency (V/Hz)C20-240000200-240000200-240000200-240000Colour750750750750750Suction power motoriend of tube (W)CCCCVacuum (PA)750750750750750Suction power motoriend of tube (W)200 105555Dust bag capacity (I)2121212121Caple hardt fuction38-282738-282738-282738-2827Dust Faller212121212121Length x with x beight (cm)38-282738-282738-282738-2827Dust FallerEnergy efficiency classAAAAAnnal energy consumption (Whi/year)AAAADust pick pon hard floorAAAADust pick pon hard floorAAAADust pick pon hard floorAAAADust pick pon hard floorCAAA <t< td=""><td>Energy Label</td><td>Α</td><td>Α</td><td>Α</td></t<>	Energy Label	Α	Α	Α
Anual energy consumption (kWhyser)24242424Dust pick up on carpetBBBDust pick up on hard floorABADust pick up on hard floorCCCSoud power level dB(A) ELCEN 60335-2-69777777ColourBlueDat R BlueBlackVoltfrequency (VHz)220-24056220-24056220-24056250Rated power (W)750750750750Suction power motor/end of tube (W)250250260168Auflew with hose (Usec.)3527350351Vacuum (KPa)19191919Cable length (m)555Dust blag capacity (I)21212121Length with x height (cm)4264264545Dust FilterEPA 10EPA 10EPA 10EPA 10EPA 10Part plateFilter 1021212121Length and platency (Length Schulder 10)24244444Annual energy consumption (kWhyear)24242424Dust pick up on carpetAAAAADust pick up on carpetAA		Link		Link
Dust pick up on earpetBBBDust pick up on hard floorABADust pick up on hard floorCCCSourd power level dB(A) IEC/EN 80335-269777777ColourBueDark BlueBlackVolt/frequency (V/Hz)202-40406750750750Rated power (W)750750750750202-40405Suction power motor/end of tube (W)280/185280/185280/185280/185280/185Ariflow with hose (isse.)3527352735273527Yacuu (RPa)1919191919Cable length (m)5555Dust bag capacity (I)2.12.12.12.12.1Length x width x height (cm)38:282738:282738:282738:2827Puerly LabelEPA 10EPA 10EPA 10EPA 10EPA 10Lengt Label neight (cm)244.54.54.5Dust FilterEPA 10EPA 10EPA 10EPA 10EPA 10Lengt LabelCAAAAnnual energy consumption (kWh/year)242424Dust pick up on hard floorAAADust pick up on capetAAADust pick up on capetAAACourEASilver With EAADust pick up on capetAAADust pick up on capetAAA<	Energy efficiency class	А	А	А
Dust pick up on hard floorABADust re-emission classCCCSound power level dB(A) IEC/EN 60335-2-69777777ColourBlueDark BlueBlackVoltfrequency (V/Hz)220-240050220-240050220-240050Rated power (W)750750750Max. power (W)760750750Suction power motor/end of tube (W)280/185280/185280/185Aurlion with hose (I/sec.)35/2735/2735/27Vacuum (kPa)191919Cable leight (m)555Dust bag capacity (I)2.12.12.1Length x with x height (cm)38/28/2738/28/2738/28/27Neight (kg)4.54.54.5Dust FilterEPA 10EPA 10EPA 10Energy LabelAAADust pick up on hand floorAAAAnnual energy consumption (kWhiyear)AAADust pick up on careptBBBADust pick up on careptAAADust pick up on hand floorAAADust pick up on careptBSilver/WiteColourAAAColourCAAColourBSilver/WiteColourCAADust pick up on careptCAADust pick up on careptCAAC	Annual energy consumption (kWh/year)	24	26	24
Dustreemission classCCCCSound power level dB(A) IEC/EN 60335-2-6977777777ColourBlueDark BlueBlackVolt/frequency (V/Hz)220-24050220-24050220-24050220-24050Rate power (W)750750750750Max. power (W)260 /160280 /160280 /160280 /160Suction power motorlend of tube (W)280 /160392739273927Vacuum (kPa)19191919Cable length (m)555Dust bag capacity (I)2.12.12.12.1Length x width x height (cm)382823828x273828x27Vacuum (kPa)64.54.55Dust FilterEPA 10EPA 10EPA 10EPA 10Technical specificationsCA.AAAnnual energy consumption (kWhyear)24242424Dust pick up on rapetAAAASoutip power (W)202-24005AAASub power (N)202-24003750750750ColourBBBBBDust pick up on rapetAAAASub power (N)AAAASub power (N)C750750750ColourBSiver-WiteAASub power (N)AAAASub power (N)C<	Dust pick up on carpet	В	В	В
Sound power level dB(A) IEC/EN 60335-2-497777777777ColourBlueDark BlueDark Blue <t< td=""><td>Dust pick up on hard floor</td><td>А</td><td>В</td><td>А</td></t<>	Dust pick up on hard floor	А	В	А
ColourBlueDark BlueBlackVolt/fequency (V/Hz)220-240/50 8220-240/50 8220-240/50 8Rated power (W)750750750Max. power (W)750750250 10Suction power motorlend of tube (W)200/18 1200/18 1200/18 1Airlow with hose (risec.)350 235/27 135/27 1Yacum (KPa)19191910Cable length (m)212.12.12.1Length x with height (cm)328/28 2738/28 2738/28 27Veight (kg)4.54.54.54.5Dust FilterEPA 10EPA 10EPA 10EPA 10Technical specificationsAmount of the second s	Dust re-emission class	С	С	С
Volt/requency (V/1z)202-04/05 %2	Sound power level dB(A) IEC/EN 60335-2-69	77	77	77
Rated power (W) 750 750 750 Max, power (W) 750 750 750 Suction power motor/end of tube (W) 280/185 280/185 280/185 Airflow with hose (I/sec.) 35/27 35/27 35/27 Vacuum (kPa) 19 19 19 Cable length (m) 5 5 5 Dust bag capacity (I) 2.1 2.1 2.1 Length x width x height (cm) 38x28x27 38x28x27 38x28x27 Weight (kg) 4.5 4.5 4.5 Dust Filter EPA 10 EPA 10 EPA 10 Funchical specifications Some_on Some_on Some_on Full Label A A A Annual energy consumption (WMv/year) 2.4 2.4 2.4 Dust pick up on hard floor A A A Dust pick up on hard floor A A A Dust pick up on hard floor A A A Dust pick up on hard floor A A<	Colour	Blue	Dark Blue	Black
Nax, power Motoriend of tube (W)750750750750Suction power motoriend of tube (W)280/185280/185280/185Airflow with hose (Isec.)35/2735/2735/27Vacuur (KPa)191919Cable length (m)555Dust bag capacity (1)2.12.12.1Length x width x height (cm)38x28x2738x28x2738x28x27Veight (kg)4.54.54.54.5Dust FilterEPA 10EPA 10EPA 10EPA 10Technical specificationsSone LinkSone LinkSone LinkSone LinkAnnual energy consumption (kWh/year)242424Dust price up on carpetAnAADust price up on carpetAnAASound power level dB(A) IEC/EN 60335-269777575ColourBackSilver/With210-240/50420-240/504Valfrequency (V/Hz)220-240/50420-240/50420-240/504And power (W)750750750750Kack power (W)750750750750 <td< td=""><td>Volt/frequency (V/Hz)</td><td>220-240/50-6</td><td>220-240/50-6</td><td>220-240/50-6</td></td<>	Volt/frequency (V/Hz)	220-240/50-6	220-240/50-6	220-240/50-6
Suction power motor/end of tube (W) 280/185 280/185 280/185 Airflow with hose (I/sec.) 35/27 35/27 35/27 Vacuum (KPa) 19 9 9 Cable length (m) 5 5 5 Dust bag capacity (I) 2.1 2.1 2.1 2.1 Length x width x height (cm) 36x28x27 38x28x27 38x28x27 Weight (Kg) 4.5 4.5 4.5 Dust Filter EPA 10 EPA 10 EPA 10 Technical specifications ONE BLB 100POR Annual Annual Annual energy consumption (kWhyear) 24 24 24 Dust pick uo on carpet B B B Dust pick uo on carpet A A A Dust pick uo on carpet A A A Dust pick uo on carpet Black B B Outprick uo nardet floor A A A Dust pick uo on carpet Black A A Outprick uo nardet floor	Rated power (W)	750	750	750
Airlow with hose (l/sec.)35/2735/2735/2735/27Vacuum (kPa)191919Cable length (m)555Dust bag capacity (i)2.12.12.1Length x with x height (cm)38x28x2738x28x27Weight (kg)4.54.54.5Dust FilterEPA 10EPA 10EPA 10Technical specificationsONE LinkONE LinkAnnual LinkAnnual energy consumption (kWh/year)2424Dust pick up on carpetAAADust pick up on carpetBBBDust pick up on carpetAAAQuart pick up on carpetAAASound power level dB(A) IEC/EN 60335-2-69TTTColourBiserSilver/Wit20-2405020-24050Valfrequency (V/Hz)20-24050TTAction power (W)750TTKated power (W)750TTKated power (W)750750TKated power (W)750750T <td>Max. power (W)</td> <td>750</td> <td>750</td> <td>750</td>	Max. power (W)	750	750	750
Yacuur (kPa)191919Cable length (m)555Dust bag capacity (i)2.12.12.1Length x width x height (cm)38x8x2738x8x2738x28x27Weight (kg)4.54.54.5Dust FilterEPA 10EPA 10EPA 10chenical specificationsSonger, and and an antipart of the second s	Suction power motor/end of tube (W)	280/185	280/185	280/185
Cable length (m)55Dust bag capacity (f)2.12.12.1Length x width x height (cm)38x28x2738x28x2738x28x27Weight (kg)4.54.54.54.5Dust FilterEPA 10EPA 10EPA 10EPA 10Technical specificationsSones for state	Airflow with hose (I/sec.)	35/27	35/27	35/27
Dust bag capacity (i)2.12.12.1Length x width x height (cm)38x28x2738x28x27Weight (kg)4.54.54.5Dust FilterEPA 10EPA 10EPA 10technical specificationsONE so USE SOLARNONE so USE SOLARNONE so USE SOLARtechnical specificationsAAAAnnual energy consumption (kWh/year)AAADust re-emission classAAADust re-emission classAAASound power level dB(A) IEC/EN 60335-269TTTColourBackIser-WhiteSoler-WhiteVolffrequency (VHz)20-24050620-24050620-240506Read power (W)T50T50T50Souto power metor/end of tube (W)280/180280/180280/180Souto power metor/end of tube (W)280/180280/180280/180Souto power metor/end of tube (W)Souto power metor/end of tube (W)Souto power level (Souto Power metor/end of tube (W)Souto Power level (Souto Pow	Vacuum (kPa)	19	19	19
Length x width x height (cm)38x28x2738x28x2738x28x27Weight (kg)4.54.54.5Dust FilterEPA 10EPA 10EPA 10Technical specificationsONE SUPC 13P. SALXSXONE SUPC 13P. SALXSXONE SUPC 13P. SALXSXEnergy LabelAAAAnnual energy consumption (kWh/year)AAADust pick up on carpetBBBDust pick up on hard floorAAADust pick up on hard floorAAASound power level dB(A) IEC/EN 60335-2-69TTT5ColourBackSilver/WhiteVolt/frequency (V/Hz)200-240/5620-240/5620-240/56Read power (W)T5T5T5Kated power (W)T5T5T5Suton power metor/end of tube (W)280/180280/180280/170	Cable length (m)	5	5	5
Neight (kg)4.54.54.5Dust FilterEPA 10EPA 10EPA 10chencial specificationsSone BiblioonsSone Sole Sole SoleSone Sole Sole Sole Sole SoleSone Sole Sole Sole Sole SoleEnergy Efficiency classAAAAnnual energy consumption (kWh/year)AAADust pick up on carpetBBBDust pick up on larget filter Sound power lawsAAADust pick up on carpetAAADust pick up on same filter Sound power lawsAAASound power lawsAAAASound power lawsAAAAColourBackSilter/WithSilter/WithSilter/WithNatificaquency (V/Hz)Sound Silter ActionTosTosRead power (W)TosTosTosTosKac power (W)TosTosTosTosSuttor power notorie of tube (W)Silter ActionTosTosSuttor power notorie of tube (W)Silter ActionSilter ActionTosSuttor power notorie of tube (W)Silter ActionSilter ActionSilter ActionSuttor power notorie of tube (W)Silter ActionSilter ActionSilter ActionSilter ActionSuttor power notorie of tube (W)Silter ActionSilter ActionSilter ActionSilter ActionSuttor power notorie of tube	Dust bag capacity (I)	2.1	2.1	2.1
Dust FilterEPA 10EPA 10EPA 10Dust FilterONE BLB10P05AONE SWPC13PONE SWPC1A	Length x width x height (cm)	38x28x27	38x28x27	38x28x27
Inchnical specificationsSONE of Speci	Weight (kg)	4.5	4.5	4.5
Technical specificationsONE of Super 13P- 05A EUSWPC 13P- 05A EUFind public functionsFind public functions	Dust Filter	EPA 10	EPA 10	EPA 10
LinkLinkLinkEnergy efficiency classAAAnnual energy consumption (kWh/year)2424Dust pick up on carpetBBDust pick up on hard floorAADust pick up on hard floorAASound power level dB(A) IEC/EN 60335-2697775ColourBackSilver/WhiteVolt/frequency (V/Hz)220-240/5620-240/56Rated power (W)750750Max. power (W)750750Suction power netor (Method)280.18280.170	Technical specifications		SWPC13P-	SWPC13P- 05A AUS/
Annal energy consumption (kWh/year)242424Dust pick up on carpetBBBDust pick up on hard floorAAADust re-emission classCAASound power level dB(A) IEC/EN 60335-2-69777575ClourBlackSilver/WhiteVolt/frequency (V/Hz)220-2400520-24005020-240050Rated power (W)750750750Max. power (W)750750750Suction power notor/end fuber (M)280180280170280170	Energy Label	A Link	A Link	Α
Dust pick up on carpetBBBDust pick up on hard floorAAADust pick up on hard floorCAADust re-emission classCAASound power level dB(A) IEC/EN 60335-2-69777575ColourBlackSilver/WhiteSilver/WhiteVolt/frequency (V/Hz)220-240,50620-240,50620-240,506Rated power (W)750750750Max. power (W)750750750Suction power notorient of the (W)280,186280,170280,170	Energy efficiency class	А	А	А
Dust pick up on hard floorAADust pick up on hard floorAADust re-emission classCAASound power level dB(A) IEC/EN 60335-269777575ColourBlackSilver/WhiteSilver/WhiteVolt/frequency (V/Hz)220-240/5020-240/5020-240/50Rated power (W)750750750Max. power (W)750750750Suction power notor of tube (W)280/170280/170	Annual energy consumption (kWh/year)	24	24	24
Dust re-emission classCAASound power level dB(A) IEC/EN 60335-2-69777575ColourBlackSilver/WhiteSilver/WhiteVolt/frequency (V/Hz)220-240/504220-240/504220-240/504Rated power (W)750750750Max. power (W)750750750Suction power notor/end of tube (W)280/180280/170	Dust pick up on carpet	В	В	В
Sound power level dB(A) IEC/EN 60335-2-69777575ColourBlackSilver/WithSilver/WithVolt/frequency (V/Hz)220-240/50220-240/50220-240/50Rated power (W)750750750Max. power (W)750750750Suction power double (W)280/180280/170	Dust pick up on hard floor	А	А	А
ColourBlackSilver/WhiteVolt/frequency (V/Hz)220-240/50220-240/50220-240/50Rated power (W)750750750Max. power (W)750750750Suction power of tube (W)280/180280/170280/170	Dust re-emission class	С	А	А
Volt/frequency (V/Hz) 220-240/506 220-240/506 220-240/506 Rated power (W) 750 750 750 Max. power (W) 750 750 750 Suction power motor/end of tube (W) 280/170 280/170	Sound power level dB(A) IEC/EN 60335-2-69	77	75	75
Rated power (W) 750 750 750 Max. power (W) 750 750 750 Suction power motor/end of tube (W) 280/185 280/170 280/170	Colour	Black	Silver/White	Silver/White
Max. power (W) 750 750 750 Suction power motor/end of tube (W) 280/185 280/170 280/170	Volt/frequency (V/Hz)	220-240/50-6	220-240/50-6	220-240/50-6
Suction power motor/end of tube (W) 280/185 280/170 280/170	Rated power (W)	750	750	750
	Max. power (W)	750	750	750
Airflow with hose (I/sec.) 35/27 35/25 35/25	Suction power motor/end of tube (W)	280/185	280/170	280/170
	Airflow with hose (I/sec.)	35/27	35/25	35/25



All information provided in this document is subject to change without prior notice

Technical specifications	ONE BLB10P05A	ONE SWPC13P- 05A EU	ONE SWPC13P- 05A AUS/ NZ
Vacuum (kPa)	19	19	19
Cable length (m)	5	5	5
Dust bag capacity (I)	2.1	2.1	2.1
Length x width x height (cm)	38x28x27	38x28x27	38x28x27
Weight (kg)	4.5	4.5	4.5
Technical specifications	ONE CHPC13P08A EU	ONE DWPC13P- 08A EU	ONE DWPC13P- 08A AUS/ NZ
Energy Label	A Link	A Link	Α
Energy efficiency class	A	А	А
Annual energy consumption (kWh/year)	24	24	24
Dust pick up on carpet	В	В	В
Dust pick up on hard floor	А	А	А
Dust re-emission class	А	А	А
Sound power level dB(A) IEC/EN 60335-2-69	75	75	75
Colour	Champagne	Dark/White	Dark/White
Volt/frequency (V/Hz)	220-240/50-6	220-240/50-6	220-240/50-6
Rated power (W)	750	750	750
Max. power (W)	750	750	750
Suction power motor/end of tube (W)	280/170	280/170	280/170
Airflow with hose (I/sec.)	35/25	35/25	35/25
Vacuum (kPa)	19	19	19
Cable length (m)	5	5	5
Dust bag capacity (I)	2.1	2.1	2.1
Length x width x height (cm)	38x28x27	38x28x27	38x28x27
Weight (kg)	4.5	4.5	4.5
Dust Filter	EPA 13	EPA 13	EPA 13
Technical specifications	ONE DBB10P05A- HB15 EU	ONE BGB10E05A2 EU	ONE DRB10E05A2 EU
Energy Label	A Link	A++ Link	A++ Link
Energy efficiency class	А	A++	A++
Annual energy consumption (kWh/year)	26	15.8	15.8
Dust pick up on carpet	В	В	В
Dust pick up on hard floor	В	В	В



Technical specifications	ONE DBB10P05A- HB15 EU	ONE BGB10E05A2 EU	ONE DRB10E05A2 EU
Dust re-emission class	С	С	С
Sound power level dB(A) IEC/EN 60335-2-69	77	74	74
Colour	Dark Blue	Bright Green	Dark Red
Volt/frequency (V/Hz)	220-240/50-6	220-240/50-6	220-240/50-6
Rated power (W)	750	450	450
Max. power (W)	750	450	450
Suction power motor/end of tube (W)	280/185	165/115	165/115
Airflow with hose (I/sec.)	35/27	29/22.5	29/22.5
Vacuum (kPa)	19	14.5	14.5
Cable length (m)	5	5	5
Dust bag capacity (I)	2.1	2.1	2.1
Length x width x height (cm)	38x28x27	38x28x27	38x28x27
Weight (kg)	4.5	4.5	4.5
Technical specifications	ONE WB10P05A- HB15 SINGAPORE	ONE WB10P05A AUS/NZ	ONE DBB10P05A AUS/NZ
Energy Label	Α	Α	Α
Energy efficiency class	А	А	А
Annual energy consumption (kWh/year)	24	26	26
Dust pick up on carpet	В	В	В
Dust pick up on hard floor	А	В	В
Dust re-emission class	С	С	С
Sound power level dB(A) IEC/EN 60335-2-69	77	77	77
Colour	Midnight Blue	White	Dark Blue
Volt/frequency (V/Hz)	220-240/50-6	220-240/50-6	220-240/50-6
Rated power (W)	750	750	750
Max. power (W)	750	750	750
Suction power motor/end of tube (W)	280/185	280/185	280/185
Airflow with hose (I/sec.)	35/27	35/27	35/27
Vacuum (kPa)	19	19	19
Cable length (m)	5	5	5
Dust bag capacity (I)	2.1	2.1	2.1
Length x width x height (cm)	38x28x27	38x28x27	38x28x27
Weight (kg)	4.5	4.5	4.5
Dust Filter	EPA 10	EPA 10	EPA 10



Energy LabelAEnergy efficiency classAAnnual energy consumption (kWh/year)26Dust pick up on carpetBDust pick up on hard floorBDust re-emission classCSound power level dB(A) IEC/EN 60335-2-6977ColourWhiteVolt/frequency (V/Hz)220-240/50-6Rated power (W)750Suction power motor/end of tube (W)280/185Airflow with hose (//sec.)35/27Vacuum (kPa)19Cable length (m)5Dust ag capacity (l)2.1Length x width x height (cm)3822827Weight (kg)4.5Dust FilterEPA 10	Technical specifications	ONE WB10P05A- HB15 EU
Anual energy consumption (kWh/year)26Dust pick up on carpetBDust pick up on hard floorBDust re-emission classCSound power level dB(A) IEC/EN 60335-2-6977ColourWhiteVolt/frequency (V/Hz)220-24050-6Rated power (W)750Max. power (W)750Suction power motor/end of tube (W)35/27Vacuum (kPa)19Cable length (m)5Dust bag capacity (I)2.1Length x width x height (cm)3828227Weight (kg)4.5	Energy Label	
Dust pick up on carpetBDust pick up on hard floorBDust re-emission classCSound power level dB(A) IEC/EN 60335-2-6977ColourWhiteVolt/frequency (V/Hz)220-240/50-6Rated power (W)750Rated power (W)750Suction power motor/end of tube (W)280/185Airflow with hose (I/sec.)35/27Vacuum (kPa)19Cable length (m)5Dust bag capacity (I)2.1Length x width x height (cm)38x28x27Weight (kg)4.5	Energy efficiency class	А
Dust pick up on hard floorBDust re-emission classCSound power level dB(A) IEC/EN 60335-2-6977ColourWhiteVolt/frequency (V/Hz)220-240/50-6Rated power (W)750Rated power (W)750Suction power motor/end of tube (W)280/185Airflow with hose (/sec.)35/27Vacuum (kPa)19Cable length (m)5Dust bag capacity (I)2.1Length x width x height (cm)382827Weight (kg)4.5	Annual energy consumption (kWh/year)	26
Dust re-emission classCSound power level dB(A) IEC/EN 60335-2-6977ColourWhiteVolt/frequency (V/Hz)220-240/30-6Rated power (W)750Rated power (W)750Suction power motor/end of tube (W)280/185Suction power motor/end of tube (W)280/185Airflow with hose (/sec.)35/27Vacuum (kPa)19Cable length (m)5Dust bag capacity (I)2.1Length x width x height (cm)38x28x27Weight (kg)4.5	Dust pick up on carpet	В
Sound power level dB(A) IEC/EN 60335-2-6977ColourWhiteVolt/frequency (V/Hz)220-240/50-6Rated power (W)750Max. power (W)750Suction power motor/end of tube (W)280/185Airflow with hose (I/sec.)35/27Vacuum (kPa)19Cable length (m)5Dust bag capacity (I)2.1Length x width x height (cm)38x28x27Weight (kg)4.5	Dust pick up on hard floor	В
ColourWhiteVolt/frequency (V/Hz)220-240/50-6Rated power (W)750Max. power (W)750Suction power motor/end of tube (W)280/185Airflow with hose (I/sec.)280/185Vacuum (kPa)35/27Cable length (m)5Dust bag capacity (I)2.1Length x width x height (cm)38x28x27Weight (kg)4.5	Dust re-emission class	С
Vot/frequency (V/Hz)220-240/50-6Rated power (W)750Max. power (W)750Suction power motor/end of tube (W)280/185Airflow with hose (I/sec.)35/27Vacuum (kPa)19Cable length (m)5Dust bag capacity (I)21Length x width x height (cm)38x28x27Weight (kg)4.5	Sound power level dB(A) IEC/EN 60335-2-69	77
Rated power (W)750Max. power (W)750Suction power motor/end of tube (W)280/185Airflow with hose (I/sec.)35/27Vacuum (kPa)19Cable length (m)5Dust bag capacity (I)2.1Length x width x height (cm)38x28x27Weight (kg)4.5	Colour	White
Max. power (W)750Suction power motor/end of tube (W)280/185Airflow with hose (I/sec.)35/27Vacuum (kPa)19Cable length (m)5Dust bag capacity (I)2.1Length x width x height (cm)38x28x27Weight (kg)4.5	Volt/frequency (V/Hz)	220-240/50-6
Suction power motor/end of tube (W)280/185Airflow with hose (I/sec.)35/27Vacuum (kPa)19Cable length (m)5Dust bag capacity (I)2.1Length x width x height (cm)38x28x27Weight (kg)4.5	Rated power (W)	750
Airflow with hose (l/sec.)35/27Vacuum (kPa)19Cable length (m)5Dust bag capacity (l)2.1Length x width x height (cm)38x28x27Weight (kg)4.5	Max. power (W)	750
Vacuum (kPa)19Cable length (m)5Dust bag capacity (l)2.1Length x width x height (cm)38x28x27Weight (kg)4.5	Suction power motor/end of tube (W)	280/185
Cable length (m)5Dust bag capacity (l)2.1Length x width x height (cm)38x28x27Weight (kg)4.5	Airflow with hose (I/sec.)	35/27
Dust bag capacity (I)2.1Length x width x height (cm)38x28x27Weight (kg)4.5	Vacuum (kPa)	19
Length x width x height (cm)38x28x27Weight (kg)4.5	Cable length (m)	5
Weight (kg) 4.5	Dust bag capacity (I)	2.1
	Length x width x height (cm)	38x28x27
Dust Filter EPA 10	Weight (kg)	4.5
	Dust Filter	EPA 10

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	Nilfisk One Blue Parquet EU	Nilfisk One Clean Air EU	Nilfisk One Clean Air UK
Nozzle - Vacu	um					
4	C Nozzle Eco Bravo Elite	107413006	0	0	0	0
J.	C Nozzle Eco Power	107413007	0	0	0	0
	COMBI NOZZLE B03 ONE	107414326	0	•	•	•
4	HARD FLOOR CLICK F	30050402	0	•	•	•



	Accessories	Ref. no.	Min. required	Nilfisk One Blue Parquet EU	Nilfisk One Clean Air EU	Nilfisk One Clean Air UK	
	Mini turbo nozzle	107414061	0	0	0	0	
4	TURBO NOZZLE CLICK F	30050403	0	0	0	0	
HEPA Filter							
	EPA FILTER E10	78601000	0	•	0	0	
	HEPA FILTER H13 ONE	107414332	0	0	•	•	
Dust Bag and	Filter						
	DUST BAG 5 PCS COMPACT GO COUPE	78602600	0	0	0	0	
Hose and Cor	nection		1				
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•	
$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$	SUCTION HOSE COMPLETE	107414329	0	•	•	•	
Brush		1	1		1		
	BRUSH KIT ONE	107414330	0	•	•	•	
Accessory							
	STORABILITY STRAP	107414333	0	•	•	•	
Combination	Combination Nozzle						
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0	O	O	O	



	Accessories	Ref. no.	Min. required	Nilfisk One Blue Parquet EU	Nilfisk One Clean Air EU	Nilfisk One Clean Air UK
	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0	0	0	0
Hard Floor No	ozzle					
2	HARD FLOOR NOZZLE D330 TURN AND CLEAN	128389181	0	0	0	0
4	HARD FLOOR NOZZLE W. CLICK F	128350251	0	0	0	0

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	Nilfisk One Reach EU	Nilfisk One Prime EU	Nilfisk One Dark Blue EU
Nozzle - Vacu	Jum					
4	C Nozzle Eco Bravo Elite	107413006	0	0	0	0
4	C Nozzle Eco Power	107413007	0	0	0	0
	COMBI NOZZLE B03 ONE	107414326	0	•	•	•
4	HARD FLOOR CLICK F	30050402	0	•	•	0
	Mini turbo nozzle	107414061	0	0	0	0
4	TURBO NOZZLE CLICK F	30050403	0	0	•	0
HEPA Filter						
	EPA FILTER E10	78601000	0	•	0	•



	Accessories	Ref. no.	Min. required	Nilfisk One Reach EU	Nilfisk One Prime EU	Nilfisk One Dark Blue EU	
	HEPA FILTER H13 ONE	107414332	0	0	•	0	
Dust Bag and	Filter						
	DUST BAG 5 PCS COMPACT GO COUPE	78602600	0	0	0	0	
Hose and Cor	nnection						
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•	
$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$	SUCTION HOSE COMPLETE	107414329	0	•	•	•	
Brush							
	BRUSH KIT ONE	107414330	0	•	•	•	
Accessory							
	STORABILITY STRAP	107414333	0	•	•	•	
Combination	Nozzle						
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0	0	0	0	
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0	0	0	0	
Hard Floor No	Hard Floor Nozzle						
7	HARD FLOOR NOZZLE D330 TURN AND CLEAN	128389181	0	0	0	0	
1	HARD FLOOR NOZZLE W. CLICK F	128350251	0	0	o	0	



ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	Nilfisk One Dark Red Parquet EU	ONE MBB10P05A EU	ONE WB10P05A EU	
Nozzle - Vacu	Jum						
4	C Nozzle Eco Bravo Elite	107413006	0	0	0	0	
4	C Nozzle Eco Power	107413007	0	0	0	0	
1	COMBI NOZZLE B03 ONE	107414326	0	•	0	0	
4	HARD FLOOR CLICK F	30050402	0	0	0	0	
	Mini turbo nozzle	107414061	0	0	0	0	
4	TURBO NOZZLE CLICK F	30050403	0	0	0	0	
HEPA Filter							
	EPA FILTER E10	78601000	0	•	•	•	
	HEPA FILTER H13 ONE	107414332	0	0			
Dust Bag and	Filter						
	DUST BAG 5 PCS COMPACT GO COUPE	78602600	0	0	0	0	
Hose and Cor	Hose and Connection						
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•	



	Accessories	Ref. no.	Min. required	Nilfisk One Dark Red Parquet EU	ONE MBB10P05A EU	ONE WB10P05A EU
\bigcirc	SUCTION HOSE COMPLETE	107414329	0	•	•	•
Brush						
	BRUSH KIT ONE	107414330	0	•	•	•
Accessory						
	STORABILITY STRAP	107414333	0	•	•	•
Combination	Nozzle				1	
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0	0	0	0
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0	0	•	•
Hard Floor No	ozzle					
7	HARD FLOOR NOZZLE D330 TURN AND CLEAN	128389181	0	0	0	0
1	HARD FLOOR NOZZLE W. CLICK F	128350251	0	O	0	O

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	ONE BB10P05A EU	ONE BB10P05A AUS/NZ	ONE BLB10P05A EU	
Nozzle - Vacu	Nozzle - Vacuum						
4	C Nozzle Eco Bravo Elite	107413006	0	0	0	0	
4	C Nozzle Eco Power	107413007	0	0	0	O	



	Accessories	Ref. no.	Min. required	ONE BB10P05A EU	ONE BB10P05A AUS/NZ	ONE BLB10P05A EU	
	COMBI NOZZLE B03 ONE	107414326	0	0	0	0	
4	HARD FLOOR CLICK F	30050402	0	0	0	0	
	Mini turbo nozzle	107414061	0	0	O	0	
4	TURBO NOZZLE CLICK F	30050403	0	0	0	0	
HEPA Filter							
	EPA FILTER E10	78601000	0	•	•	•	
	HEPA FILTER H13 ONE	107414332	0				
Dust Bag and	Filter						
	DUST BAG 5 PCS COMPACT GO COUPE	78602600	0	0	0	0	
Hose and Co	nnection						
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•	
$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$	SUCTION HOSE COMPLETE	107414329	0	•	•	•	
Brush	Brush						
	BRUSH KIT ONE	107414330	0	•	•	•	
Accessory							



	Accessories	Ref. no.	Min. required	ONE BB10P05A EU	ONE BB10P05A AUS/NZ	ONE BLB10P05A EU
I	STORABILITY STRAP	107414333	0	•	•	•
Combination	Nozzle					
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0	0	0	0
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0	•	•	•
Hard Floor No	ozzle					
2	HARD FLOOR NOZZLE D330 TURN AND CLEAN	128389181	0	0	0	0
4	HARD FLOOR NOZZLE W. CLICK F	128350251	0	•	•	•

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	ONE BLB10P05A	ONE SWPC13P05A EU	ONE SWPC13P05A AUS/NZ		
Nozzle - Vac	Nozzle - Vacuum							
4	C Nozzle Eco Bravo Elite	107413006	0	0	0	0		
4	C Nozzle Eco Power	107413007	0	0	0	0		
	COMBI NOZZLE B03 ONE	107414326	0	0	0	0		
4	HARD FLOOR CLICK F	30050402	0	0	0	0		
	Mini turbo nozzle	107414061	0	0	0	O		



All information provided in this document is subject to change without prior notice

	Accessories	Ref. no.	Min. required	ONE BLB10P05A	ONE SWPC13P05A EU	ONE SWPC13P05A AUS/NZ	
4	TURBO NOZZLE CLICK F	30050403	0	0	0	0	
HEPA Filter			11		1		
	EPA FILTER E10	78601000	0	•			
	HEPA FILTER H13 ONE	107414332	0		•	•	
Dust Bag and	Filter	·					
	DUST BAG 5 PCS COMPACT GO COUPE	78602600	0	0	0	0	
Hose and Cor	nnection						
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•	
$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$	SUCTION HOSE COMPLETE	107414329	0	•	•	•	
Brush							
	BRUSH KIT ONE	107414330	0	٠	•	•	
Accessory							
	STORABILITY STRAP	107414333	0	٠	•	•	
Combination	Combination Nozzle						
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0	0	0	0	
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0	•	•	•	



	Accessories	Ref. no.	Min. required	ONE BLB10P05A	ONE SWPC13P05A EU	ONE SWPC13P05A AUS/NZ
Hard Floor Nozzle						
7	HARD FLOOR NOZZLE D330 TURN AND CLEAN	128389181	0	0	0	0
4	HARD FLOOR NOZZLE W. CLICK F	128350251	0	•	•	•

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	ONE CHPC13P08A EU	ONE DWPC13P08A EU	ONE DWPC13P08A AUS/NZ
Nozzle - Vacu	um					
4	C Nozzle Eco Bravo Elite	107413006	0	0	0	0
4	C Nozzle Eco Power	107413007	0	0	0	0
	COMBI NOZZLE B03 ONE	107414326	0	0	0	0
4	HARD FLOOR CLICK F	30050402	0	0	0	0
	Mini turbo nozzle	107414061	0	0	•	•
4	TURBO NOZZLE CLICK F	30050403	0	0	0	O
HEPA Filter						
	EPA FILTER E10	78601000	0			
	HEPA FILTER H13 ONE	107414332	0	•	•	•



	Accessories	Ref. no.	Min. required	ONE CHPC13P08A EU	ONE DWPC13P08A EU	ONE DWPC13P08A AUS/NZ
Dust Bag and	Filter					
	DUST BAG 5 PCS COMPACT GO COUPE	78602600	0	0	0	0
Hose and Cor	nnection					
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•
\bigcirc	SUCTION HOSE COMPLETE	107414329	0	•	•	•
Brush						
	BRUSH KIT ONE	107414330	0	•	•	•
Accessory						
	STORABILITY STRAP	107414333	0	•	•	•
Combination	Nozzle		1		1	
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0	0	0	0
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0	•	•	•
Hard Floor No	ozzle					
7	HARD FLOOR NOZZLE D330 TURN AND CLEAN	128389181	0	0	0	0
4	HARD FLOOR NOZZLE W. CLICK F	128350251	0	•	•	•



ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	ONE DBB10P05A- HB15 EU	ONE BGB10E05A2 EU	ONE DRB10E05A2 EU	
Nozzle - Vacu	num						
4	C Nozzle Eco Bravo Elite	107413006	0	0	0	0	
4	C Nozzle Eco Power	107413007	0	0	0	0	
	COMBI NOZZLE B03 ONE	107414326	0	0	0	0	
4	HARD FLOOR CLICK F	30050402	0	0	0	0	
	Mini turbo nozzle	107414061	0	0	0	0	
4	TURBO NOZZLE CLICK F	30050403	0	0	0	0	
HEPA Filter							
	EPA FILTER E10	78601000	0	•	•	•	
	HEPA FILTER H13 ONE	107414332	0				
Dust Bag and	Filter						
	DUST BAG 5 PCS COMPACT GO COUPE	78602600	0	0	0	0	
Hose and Cor	Hose and Connection						
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•	



	Accessories	Ref. no.	Min. required	ONE DBB10P05A- HB15 EU	ONE BGB10E05A2 EU	ONE DRB10E05A2 EU
\bigcirc	SUCTION HOSE COMPLETE	107414329	0	•	•	•
Brush			1			
	BRUSH KIT ONE	107414330	0	•	•	•
Accessory						
	STORABILITY STRAP	107414333	0	•	•	•
Combination I	Nozzle					
}	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0	•	0	0
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0	0	•	•
Hard Floor No	zzle					
2	HARD FLOOR NOZZLE D330 TURN AND CLEAN	128389181	0	0	0	0
مل	HARD FLOOR NOZZLE W. CLICK F	128350251	0	0	0	•

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	ONE WB10P05A- HB15 SINGAPORE	ONE WB10P05A AUS/NZ	ONE DBB10P05A AUS/NZ	
Nozzle - Vac	Nozzle - Vacuum						
4	C Nozzle Eco Bravo Elite	107413006	0	0	0	0	
4	C Nozzle Eco Power	107413007	0	0	0	0	



	Accessories	Ref. no.	Min. required	ONE WB10P05A- HB15 SINGAPORE	ONE WB10P05A AUS/NZ	ONE DBB10P05A AUS/NZ
	COMBI NOZZLE B03 ONE	107414326	0	0	0	0
4	HARD FLOOR CLICK F	30050402	0	0	0	0
	Mini turbo nozzle	107414061	0	0	0	0
4	TURBO NOZZLE CLICK F	30050403	0	0	0	0
HEPA Filter						
	EPA FILTER E10	78601000	0	•	•	•
	HEPA FILTER H13 ONE	107414332	0			
Dust Bag and	Filter					
	DUST BAG 5 PCS COMPACT GO COUPE	78602600	0	0	0	0
Hose and Cor	nnection					
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•	•	•
\bigcirc	SUCTION HOSE COMPLETE	107414329	0	•	•	٠
Brush						
	BRUSH KIT ONE	107414330	0	•	•	•
Accessory						



Accessories		Ref. no.	Min. required	ONE WB10P05A- HB15 SINGAPORE	ONE WB10P05A AUS/NZ	ONE DBB10P05A AUS/NZ
Ī	STORABILITY STRAP	107414333	0	•	•	•
Combination	Nozzle					
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0	•	•	•
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0	0	0	0
Hard Floor Nozzle						
2	HARD FLOOR NOZZLE D330 TURN AND CLEAN	128389181	0	0	0	0
4	HARD FLOOR NOZZLE W. CLICK F	128350251	0	0	0	0

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	ONE WB10P05A- HB15 EU
Nozzle - Vacu	mu			
4	C Nozzle Eco Bravo Elite	107413006	0	o
4	C Nozzle Eco Power	107413007	0	o
	COMBI NOZZLE B03 ONE	107414326	0	0
4	HARD FLOOR CLICK F	30050402	0	0
	Mini turbo nozzle	107414061	0	O



	Accessories	Ref. no.	Min. required	ONE WB10P05A- HB15 EU
4	TURBO NOZZLE CLICK F	30050403	0	0
HEPA Filter				
	EPA FILTER E10	78601000	0	•
	HEPA FILTER H13 ONE	107414332	0	
Dust Bag and	Filter	'		
	DUST BAG 5 PCS COMPACT GO COUPE	78602600	0	0
Hose and Cor	nnection			
	METAL TUBE WITH CLICK FUNCTION	107414328	0	•
\bigcirc	SUCTION HOSE COMPLETE	107414329	0	•
Brush				
	BRUSH KIT ONE	107414330	0	•
Accessory				
	STORABILITY STRAP	107414333	0	•
Combination Nozzle				
	ACCESSORY HB15 COMBI NOZZLE W CLICK	128389013	0	•
>	ACCESSORY HB38 COMBI NOZZLE W CLICK	128389011	0	0



All information provided in this document is subject to change without prior notice

	Accessories	Ref. no.	Min. required	ONE WB10P05A- HB15 EU
Hard Floor Nozzle				
2	HARD FLOOR NOZZLE D330 TURN AND CLEAN	128389181	0	o
4	HARD FLOOR NOZZLE W. CLICK F	128350251	0	0

