

Kiilto Pro Fresh Mint Air Freshener

Replaces date: 09/05/2019

Revision date: 06/06/2023 Version: 2.0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Kiilto Pro Fresh Mint Air Freshener

Unique Formula Identifier (UFI): CJ1G-P5S1-J006-V1XU

Article no

Article no	Description
742-12	500 ml (Fresh Mint)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses:	Air freshener		
	For professional users only.		

1.3. Details of the supplier of the safety data sheet

Supplier	
Company:	KiiltoClean AB
Address:	Industrigatan 23
Zip code:	SE-233 51
City:	Svedala
Country:	SWEDEN
E-mail:	info.klc.se@kiilto.com
Phone:	+46 (0)40-680 15 40
Homepage:	www.kiilto.se

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)). The emergency telephone is open 24 hours.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification:	Flam. Liq. 3;H226 Eye Irrit. 2;H319
Most serious harmful effects:	Flammable liquid and vanour. Causes serious eve irritation



Kiilto Pro Fresh Mint Air Freshener

Replaces date: 09/05/2019

Revision date: 06/06/2023 Version: 2.0.0

2.2. Label elements

Pictograms



· · · · ·	
Signal word:	Warning
Hazard Statements	
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
Precautionary statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container as hazardous waste. Rinsed container can be sorted as plastic.
Supplemental information	

Supplemental information

Spray 1-2 times pointing away from you.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
Ethanol	64-17-5 200-578-6 01-2119457610-43-xxxx	40 - 50 %	15	Flam. Liq. 2;H225 Eye Irrit. 2;H319 C ≥ 50%: Eye Irrit. 2;H319
propan-2-ol	67-63-0 200-661-7 01-2119457558-25-xxxx	5 - 10 %		Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336
PARFUM		1 - 3 %		
2-methylpropan-2-ol	75-65-0 200-889-7	< 0.1 %		Flam. Liq. 2;H225 Eye Irrit. 2;H319 Acute Tox. 4;H332 STOT SE 3;H335

Please see section 16 for the full text of H- / EUH-phrases.

15 = REACH-registered with a different classification than in Regulation 1272/2008 Appendix VI.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	ek fresh air. Seek medical advice in case of persistent discomfort.	
Ingestion:	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of discomfort.	



Kiilto Pro Fresh Mint Air Freshener

Replaces date: 09/05/2019

Revision date: 06/06/2023 Version: 2.0.0

Skin contact:	Wash skin with soap and water. Seek medical advice in case of persistent discomfort.		
Eye contact:	Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.		
General:	When obtaining medical advice, show the safety data sheet or label.		

4.2. Most important symptoms and effects, both acute and delayed

Direct eye contact can cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No special immediate treatment required. Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:	Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool non-ignited stock.
Unsuitable extinguishing media:	Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stop leak if this can be done without risk. Provide adequate ventilation. Smoking and naked flames prohibited. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment. Wear safety goggles if there is a risk of eye splash.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

6.2. Environmental precautions

Do not discharge large quantities of concentrated spills and residue into drains.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent, non-combustible material and transfer to suitable waste containers. Wipe up minor spills with a cloth. Provide good ventilation.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Kiilto Pro Fresh Mint Air Freshener

Replaces date: 09/05/2019

Revision date: 06/06/2023 Version: 2.0.0

Use the product under well-ventilated conditions. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment. Smoking and naked flames prohibited. Wash hands before breaks, before using restroom facilities, and at the end of work. Running water and eye wash equipment must be available.

7.2. Conditions for safe storage, including any incompatibilities

Store safely and keep out of reach of children. Keep in tightly closed original packaging. Storage temperature: 0-30 °C.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m³	fiber/cm3	Remarks	Comments
ethanol	8h	1000	1920			
propan-2-ol	15m	500	1250			
propan-2-ol	8h	400	999			
2- methylpropan- 2-ol	8h	100	308			
2- methylpropan- 2-ol	15m	150	462			

Measuring methods:

Compliance with the stated occupational exposure limits may be checked by occupational hygiene measurements.

Legal basis:

EH40/2005 Workplace exposure limits. Last amended January 2020.

PNEC

Ethanol, cas-no 64-17-5				
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (intermittent releases)	2,75 mg/l			
(water)	0,79 mg/l			
PNEC aqua (intermittent releases)	2,75 mg/l			
PNEC sediment (freshwater)	3,6 mg/kg			
PNEC sediment (marine water)	2,9 mg/kg			
PNEC STP (wastewater- treatment facilities)	580 mg/l			
PNEC soil	0,63 mg/kg			
PNEC aqua (freshwater)	0,96 mg/l			

DNEL - workers

Ethanol, cas-no 64-17-5						
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note	



Kiilto Pro Fresh Mint Air Freshener

Replaces date: 09/05/2019

Revision date: 06/06/2023

			Version: 2.0.0
Inhalation DNEL (acute/short-term exposure - local effects)	1900 mg/m³		
Dermal DNEL (long- term exposure - systemic effects)	343 mg/kg bw/day		
Inhalation DNEL (long-term exposure - systemic effects)	950 mg/m³		

DNEL - general population

Ethanol, cas-no 64-17-5							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Dermal DNEL (long- term exposure - systemic effects)	206 mg/kg bw/day						
Oral DNEL (long- term exposure - systemic effects)	87 mg/kg bw/day						
Inhalation DNEL (long-term exposure - systemic effects)	114 mg/m³						
Inhalation DNEL (acute/short-term exposure - local effects)	950 mg/m³						

8.2. Exposure controls

Appropriate engineering Wear the personal protective equipment specified below. controls:

Personal protective equipment,
eye/face protection:Not required for normal expected usage.Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN
166.

Personal protective equipment, Not required. skin protection:

Personal protective equipment, Not required for normal expected usage. **hand protection:**

Personal protective equipment, Not required for normal expected usage. **respiratory protection:**

Environmental exposure Ensure compliance with local regulations for emissions. **controls:**

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Value/unit			
Liquid				
Clear				
Alcohol Perfumed odour				
Soluble in the following: Water.	Soluble in the following: Water.			
Value/unit	Remarks			
No data				
	Clear Alcohol Perfumed odour Soluble in the following: Water.			



Kiilto Pro Fresh Mint Air Freshener

Replaces date: 09/05/2019

Revision date: 06/06/2023

		Version: 2.0.0
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	~ 80 °C	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	~ 24 °C	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	4 - 9	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octonol/water	No data	
Vapour pressure	No data	
Density	0,900-0,920 g/ml	
Relative density	No data	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Parameter	Value/unit	Remarks	
Explosive properties		Vapours may form explosive mixtures with air.	
Oxidising properties		N/A	

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Strong oxidisers. Explosive mixtures may form with air when heated/exposed to fire.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources.

10.5. Incompatible materials

Strong oxidisers.

10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



Kiilto Pro Fresh Mint Air Freshener

Replaces date: 09/05/2019

Revision date: 06/06/2023 Version: 2.0.0

Acute toxicity - oral

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source			
Rat	LD50		> 2000 mg/kg		OECD TG 401	Supplier			
propan-2-ol, cas-no 67-63-0									
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source			
Rat	LD50		> 2000 mg/kg			Supplier			

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source			
Rabbit	LD50		> 2000 mg/kg		OECD TG 402	Supplier			
propan-2-ol, cas-no 67-63-0									
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source			
Rabbit	LD50		> 2000 mg/kg			Supplier			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse		4 h	> 20 mg/l			Supplier

propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50	8 h	> 20 mg/l			Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source			
Rabbit	Irritation				OECD TG 404	Supplier			
propan-2-ol, cas-no 67-63-0									
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source			
Rabbit				Non-irritating		Supplier			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Serious eye damage/eye irritation

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source			
Rabbit				Moderate eye irritation	OECD TG 405	Supplier			
propan-2-ol, cas-no 67-63-0									
Organiam	Toot Turno		Value	Conclusion	Toot mothod	Course			

OrganismTest TypeExposure timeValueConclusionTest methodSourceRabbitIrritatingIrritatingSupplier

Irritating to eyes. Causes a burning sensation and tearing.

Respiratory sensitisation or skin sensitisation

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source			
Copyright © 1995 - 2023 DGOffice B.V., Made with CHESS in www.DGDoc.net 7 / 11									



Kiilto Pro Fresh Mint Air Freshener

Replaces date: 09/0	5/2019				Revi	sion date: 06/06/2023 Version: 2.0.0
Guinea Pig				Not sensitizing	OECD TG 406	Supplier
propan-2-ol, ca	as-no 67-63-0					
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea Pig	Buehler-Test			Not sensitizing		Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Germ cell mutagenicity:	The product does not have to be classified. Test data are not available.
Carcinogenic properties:	The product does not have to be classified. Test data are not available.
Reproductive toxicity:	The product does not have to be classified. Test data are not available.
Single STOT exposure:	The product does not have to be classified. Test data are not available.
Repeated STOT exposure:	The product does not have to be classified. Test data are not available.
Aspiration hazard:	The product does not have to be classified. Test data are not available.
11.2. Information on other h	azards
Endocrine disrupting properties:	None known.
Other toxicological effects:	The product releases organic solvent vapours which may cause lethargy and dizziness. The product does not have to be classified. Test data are not available.

SECTION 12: Ecological information

12.1. Toxicity

Ethanol, cas-no 64-17-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Leuciscus idus melanotus	48 h		> 100 mg/l			Supplier
Algea or other acquatic plants	Chlorella pyrenoidosa			5000 mg/l			Supplier
Crustacea	Daphnia magna	24 h		> 100 mg/l			Supplier
Bacteria	Pseudomonas putida	16 h		6500 mg/l			Supplier

propan-2-ol, cas-no 67-63-0

• • •		-					
Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Leuciscus idus melanotus	48 h	LC50	> 100 mg/l			Supplier
Crustacea	magna	48 h	EC50	> 100 mg/l			Supplier
Algea or other acquatic plants	Scenedesmus subspicatus	72 h		> 100 mg/l			Supplier

12.2. Persistence and degradability

Expected to be biodegradable. Test data are not available.

12.3. Bioaccumulative potential

No bioaccumulation expected. Test data are not available.

12.4. Mobility in soil

Kiilto Pro Fresh Mint Air Freshener

Replaces date: 09/05/2019

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid unnecessary release to the environment. Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Wiping cloths with organic solvents: EWC code: 15 02 02 Absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances.

Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local wasteremoval scheme.

Category of waste: 16 03 05* organic wastes containing hazardous substances

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	1987	14.4. Packing group:	III
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol) (propan-2-ol)	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	3		
Hazard label(s):	3		
Hazard identification number:	30	Tunnel restriction code:	D/E
Inland water ways transport	(ADN)		
14.1. UN number or ID number:	1987	14.4. Packing group:	111
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol) (propan-2-ol)	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	3		
Hazard label(s):	3		
Transport in tank vessels:	Not applicable.		
Sea transport (IMDG)			
14.1. UN number or ID number: 14.2. UN proper shipping name:	1987 ALCOHOLS, N.O.S. (Ethanol) (propan-2-ol)	14.4. Packing group: 14.5. Environmental hazards:	III The product is not a Marine Pollutant (MP).



Version: 2.0.0

Revision date: 06/06/2023



		Data Sheet	
	Killto Pro Fresh	n Mint Air Freshener	
Replaces date: 09/05/2019			Revision date: 06/06/202 Version: 2.0.
14.3. Transport hazard class(es):	3	Environmental Hazardous Substance Name(s):	
Hazard label(s):	3		
EmS:	F-E, S-D	IMDG Code segregation group:	- None -
Air transport (ICAO-TI / IATA	-DGR)		
14.1. UN number or ID number:	1987	14.4. Packing group:	III
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Ethanol) (propan-2-ol)	14.5. Environmental hazards:	
14.3. Transport hazard class(es):	3		
Hazard label(s):	3		
14.6. Special precautions for	user		
None.			
14.7. Maritime transport in b	ulk according to IMO ir	nstruments	
Not applicable.			

Other Information:

May be transported in limited quantities if placed in outer packaging according to ADR 3.4, when max. 5 liter/inner packaging and max. 30 kg total gross mass. Shrink- or stretch wrapped trays may be used and shall not exceed 20 kg total gross mass/tray. May be transported in limited quantities if placed in outer packaging according to IMDG 3.4, when max. 5 liter/inner packaging and max. 30 kg total gross mass. Shrink- or stretch wrapped trays may be used and shall not exceed 20 kg total gross mass. Shrink- or stretch wrapped trays may be used and shall not exceed 20 kg total gross mass.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Hazardous Waste (England and Wales) Regulations 2005 with amendments. European Agreement concerning the International Carriage of Dangerous Goods by Road. Directive 2012/18/EU (Seveso), P5c FLAMMABLE LIQUIDS: Column 2: 5000 t, Column 3: 50000 t.	Special Provisions:	European Agreement concerning the International Carriage of Dangerous Goods by Road. Directive 2012/18/EU (Seveso), P5c FLAMMABLE LIQUIDS: Column 2: 5000 t, Column 3:	
--	---------------------	---	--

15.2. Chemical Safety Assessment

```
Other Information:
```

Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
2.0.0	06/06/2023	KiiltoClean A/S (SKP)	2020/878
1.1.0	09/05/2019	KiiltoClean A/S (SKP)	1.3, 2, 11 + 16
1.0.0	06/03/2019	CCS Hygien A/S (SKP)	New

Abbreviations:

DNEL: Derived No Effect Level PNEC: Predicted No Effect Concentration STOT: Specific Target Organ Toxicity

PBT: Persistent, Bioaccumulative and Toxic



Safety Data Sheet Kiilto Pro Fresh Mint Air Freshener Replaces date: 09/05/2019 Revision date: 06/06/2023 Version: 2.0.0 vPvB: Very Persistent and Very Bioaccumulative References to literature and ECHA reg. sub.: ECHA database for information on registered substances. data sources: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP). REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). COMMISSION REGULATION (EU) 2020/878 (SDS). Other Information: Shelf life: 36 months. Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition. Date: 06/06/2023 **Classification method:** Calculation based on the hazards of the known components. Test data. List of relevant H-statements H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H319 Causes serious eve irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. SDS is prepared by Company: KiiltoClean A/S

Address:	Frederik Plums Vej 2
Zip code:	5610
City:	Assens
Country:	DENMARK
E-mail:	info.dk@kiilto.com
Phone:	+45 64712112
Fax:	+45 64712125
Homepage:	www.kiilto.dk

Country:

GB