

Kiilto Pro Spring Garden Air Freshener

Replaces date: 22/05/2019 Revision date: 22/05/2023

Version: 3.0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Kiilto Pro Spring Garden Air Freshener

Unique Formula Identifier (UFI): 85AG-95SR-500P-1679

Article no

Article no	Description
741-12	500 ml (Spring Garden)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Air freshener

For professional users only.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: KiiltoClean AB
Address: Industrigatan 23
Zip code: SE-233 51
City: Svedala
Country: SWEDEN

E-mail: info.klc.se@kiilto.com
Phone: +46 (0)40-680 15 40
Homepage: www.kiilto.se

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)). The emergency telephone is open 24 hours.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: Flam. Liq. 3;H226

Eye Irrit. 2;H319

Most serious harmful effects: Flammable liquid and vapour. Causes serious eye irritation.



Kiilto Pro Spring Garden Air Freshener

Replaces date: 22/05/2019 Revision date: 22/05/2023

Version: 3.0.0

2.2. Label elements

Pictograms



Signal word: Warning

Hazard Statements

H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container as hazardous waste. Rinsed container can be sorted as

plastic.

Supplemental information

Spray 1-2 times pointing away from you.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
Ethanol	64-17-5 200-578-6 01-2119457610-43-xxxx	40 - 50 %	15	Flam. Liq. 2;H225 Eye Irrit. 2;H319 C ≥ 50%: Eye Irrit. 2;H319
propan-2-ol	67-63-0 200-661-7 01-2119457558-25-xxxx	5 - 10 %		Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336
PARFUM		0.1 - 1 %		
2-methylpropan-2-ol	75-65-0 200-889-7	< 0.1 %		Flam. Liq. 2;H225 Eye Irrit. 2;H319 Acute Tox. 4;H332 STOT SE 3;H335

Please see section 16 for the full text of H- / EUH-phrases.

15 = REACH-registered with a different classification than in Regulation 1272/2008 Appendix VI

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of discomfort.



Kiilto Pro Spring Garden Air Freshener

Replaces date: 22/05/2019 Revision date: 22/05/2023

Version: 3.0.0

Skin contact: Wash skin with soap and water. Seek medical advice in case of persistent discomfort.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes.

Open eye wide. Remove any contact lenses. Seek medical advice.

General: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Direct eye contact can cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No special immediate treatment required. Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool

non-ignited stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stop leak if this can be done without risk. Provide adequate ventilation. Smoking and

naked flames prohibited. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment. Wear safety goggles if there is a risk of

eye splash.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

6.2. Environmental precautions

Do not discharge large quantities of concentrated spills and residue into drains.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent, non-combustible material and transfer to suitable waste containers. Wipe up minor spills with a cloth. Provide good ventilation.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

Other Information: Minor spillage from single containers is not expected to cause accumulation of vapours in

explosive concentrations.

SECTION 7: Handling and storage



Kiilto Pro Spring Garden Air Freshener

Replaces date: 22/05/2019 Revision date: 22/05/2023

Version: 3.0.0

7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment. Smoking and naked flames prohibited. Wash hands before breaks, before using restroom facilities, and at the end of work. Running water and eye wash equipment must be available.

7.2. Conditions for safe storage, including any incompatibilities

Store safely and keep out of reach of children. Keep in tightly closed original packaging. Storage temperature: 0-30 °C.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

occupational exposure inne									
Substance name	Time period	ppm	mg/m³	fiber/cm3	Remarks	Comments			
ethanol	8h	1000	1920						
propan-2-ol	15m	500	1250						
propan-2-ol	8h	400	999						
2- methylpropan- 2-ol	8h	100	308						
2- methylpropan- 2-ol	15m	150	462						

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational

hygiene measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

water)

PNEC				
Ethanol, cas-no 64-17-5				
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (intermittent releases)	2,75 mg/l			
PNEC aqua (marine water)	0,79 mg/l			
PNEC aqua (intermittent releases)	2,75 mg/l			
PNEC sediment (freshwater)	3,6 mg/kg			
PNEC sediment (marine water)	2,9 mg/kg			
PNEC STP (wastewater- treatment facilities)	580 mg/l			
PNEC soil	0,63 mg/kg			
PNEC aqua (freshwater)	0,96 mg/l			
propan-2-ol, cas-no 67-6	3-0			
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	140,9 mg/l			
PNEC aqua (marine water)	140,9 mg/l			



Killto Pro Spring Garden Air Freshener							
Replaces date: 22/05/2019				Revision date: 22/05/2023 Version: 3.0.0			
PNEC aqua (intermittent releases)							
PNEC STP (wastewater-treatment facilities)	2251 mg/l						
PNEC soil	552 mg/kg dw						
PNEC soil	28 mg/kg						

DNEL - workers

Ethanol, cas-no 64-17-5							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Inhalation DNEL (acute/short-term exposure - local effects)	1900 mg/m³						
Dermal DNEL (long- term exposure - systemic effects)	343 mg/kg bw/day						
Inhalation DNEL (long-term exposure - systemic effects)	950 mg/m³						
propan-2-ol, cas-no 6	67-63-0						
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Dermal DNEL (long- term exposure - systemic effects)	888 mg/kg bw/day						
Inhalation DNEL (long-term exposure - systemic effects)	500 mg/m³						

DNEL - general population

Ethanol, cas-no 64-17-5							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Dermal DNEL (long- term exposure - systemic effects)	206 mg/kg bw/day						
Oral DNEL (long- term exposure - systemic effects)	87 mg/kg bw/day						
Inhalation DNEL (long-term exposure - systemic effects)	114 mg/m³						
Inhalation DNEL (acute/short-term exposure - local effects)	950 mg/m³						
propan-2-ol, cas-no 6	67-63-0						
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Dermal DNEL (long- term exposure - systemic effects)	319 mg/kg bw/day						
Oral DNEL (long- term exposure - systemic effects)	26 mg/kg bw/day						



Kiilto Pro Spring Garden Air Freshener

Revision date: 22/05/2023 Replaces date: 22/05/2019

Version: 3.0.0

Inhalation DNEL (long-term exposure 89 mg/m³ systemic effects)

8.2. Exposure controls

Appropriate engineering

Wear the personal protective equipment specified below.

controls:

Personal protective equipment, Not required for normal expected usage.

eye/face protection:

Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN

Personal protective equipment, Not required.

skin protection:

Personal protective equipment, Not required for normal expected usage.

hand protection:

Personal protective equipment, Not required for normal expected usage.

respiratory protection:

Environmental exposure

Ensure compliance with local regulations for emissions.

controls:

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Liquid
Colour	Clear
Odour	Alcohol Perfumed odour
Solubility	Soluble in the following: Water.

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	~ -114 °C	Ethanol @ 101325 Pa
Freezing point	~ -114 °C	Ethanol @ 101325 Pa
Initial boiling point and boiling range	~ 80 °C	
Flammability (solid, gas)		Not applicable, see flashpoint.
Flammability limits	No data	
Explosion limits	3.3 - 19 vol%	Ethanol @ 20 °C
Flash Point	~ 24 °C	As supplied
Auto-ignition temperature	~ 425 °C	Ethanol @ 101325 Pa
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	6 - 9	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octonol/water	No data	
Vapour pressure	~ 5.9 kPa	Ethanol @ 20 °C
Density	No data	
Relative density	0.8 - 0.9	Ethanol
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information



Kiilto Pro Spring Garden Air Freshener

Replaces date: 22/05/2019 Revision date: 22/05/2023

Version: 3.0.0

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Strong oxidisers.

Explosive mixtures may form with air when heated/exposed to fire.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources.

10.5. Incompatible materials

Strong oxidisers.

10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg		OECD TG 401	Supplier

propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg			Supplier

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 2000 mg/kg		OECD TG 402	Supplier

propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 2000 mg/kg			Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse		4 h	> 20 mg/l			Supplier

propan-2-ol, cas-no 67-63-0

Organism Test Type Exposure time Value Conclusion Test method Source	
--	--



Kiilto Pro Spring Garden Air Freshener

Replaces date: 22/05/2019

Revision date: 22/05/2023

Version: 3.0.0

Rat | LC50 | 8 h | > 20 mg/l | Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	Irritation				OECD TG 404	Supplier

propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Non-irritating		Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Serious eye damage/eye irritation

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Moderate eye irritation	OECD TG 405	Supplier

propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Irritating		Supplier

Irritating to eyes. Causes a burning sensation and tearing.

Respiratory sensitisation or skin sensitisation

Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea Pig				Not sensitizing	OECD TG 406	Supplier

propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea Pig	Buehler-Test			Not sensitizing		Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available.

Single STOT exposure: The product does not have to be classified. Test data are not available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

11.2. Information on other hazards

Endocrine disrupting

properties:

None known.

Other toxicological effects: The product releases organic solvent vapours which may cause lethargy and dizziness.

The product does not have to be classified. Test data are not available.

SECTION 12: Ecological information

12.1. Toxicity



Kiilto Pro Spring Garden Air Freshener

Replaces date: 22/05/2019 Revision date: 22/05/2023

Version: 3.0.0

Ethanol, cas-no 64-17-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Leuciscus idus melanotus	48 h		> 100 mg/l			Supplier
Algea or other acquatic plants				5000 mg/l			Supplier
Crustacea	Daphnia magna	24 h		> 100 mg/l			Supplier
Bacteria	Pseudomonas putida	16 h		6500 mg/l			Supplier

propan-2-ol, cas-no 67-63-0

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Leuciscus idus melanotus	48 h	LC50	> 100 mg/l			Supplier
	magna	48 h	EC50	> 100 mg/l			Supplier
Algea or other acquatic plants	Scenedesmus subspicatus	72 h		> 100 mg/l			Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

Expected to be biodegradable. Test data are not available.

12.3. Bioaccumulative potential

No bioaccumulation expected. Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid unnecessary release to the environment. Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Wiping cloths with organic solvents: EWC code: 15 02 02 Absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances.

Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local wasteremoval scheme.

Category of waste: 16 03 05* organic wastes containing hazardous substances



Kiilto Pro Spring Garden Air Freshener

Replaces date: 22/05/2019 Revision date: 22/05/2023

Version: 3.0.0

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: 1987

14.2. UN proper shipping

name:

(propan-2-ol)

3

3

14.3. Transport hazard

class(es):

Hazard label(s): 3 Hazard identification number: 30

Inland water ways transport (ADN)

14.1. UN number or ID number: 1987

14.2. UN proper shipping name:

ALCOHOLS, N.O.S. (Ethanol)

ALCOHOLS, N.O.S.

ALCOHOLS, N.O.S.

(Ethanol)

(propan-2-ol)

14.3. Transport hazard

class(es):

Hazard label(s): Not applicable.

Transport in tank vessels:

Sea transport (IMDG)

14.1. UN number or ID number: 1987

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

Hazard label(s):

FmS:

F-E, S-D

(Ethanol) (propan-2-ol)

3

name:

14.3. Transport hazard class(es):

Hazard label(s):

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other Information: May be transported in limited quantities if placed in outer packaging according to ADR 3.4,

when max. 5 liter/inner packaging and max. 30 kg total gross mass. Shrink- or stretch

wrapped trays may be used and shall not exceed 20 kg total gross mass/tray.

May be transported in limited quantities if placed in outer packaging according to IMDG 3.4, when max. 5 liter/inner packaging and max. 30 kg total gross mass. Shrink- or stretch

wrapped trays may be used and shall not exceed 20 kg total gross mass/tray.

14.4. Packing group:

hazards:

14.5. Environmental The product should not be labelled as an

environmental hazard (symbol: fish and tree).

Tunnel restriction code: D/E

14.4. Packing group:

hazards:

14.5. Environmental The product should not be labelled as an

environmental hazard

(symbol: fish and tree).

14.4. Packing group:

14.5. Environmental

hazards:

The product is not a Marine

Pollutant (MP).

Environmental Hazardous

Substance Name(s):

IMDG Code segregation

14.4. Packing group:

group:

- None -

Ш

Air transport (ICAO-TI / IATA-DGR)

14.1. UN number or ID number: 1987

14.2. UN proper shipping

(Ethanol)

(propan-2-ol)

3

3

ALCOHOLS, N.O.S. 14.5. Environmental hazards.



Kiilto Pro Spring Garden Air Freshener

Replaces date: 22/05/2019 Revision date: 22/05/2023

Version: 3.0.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances

and mixtures (CLP).

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and

Restriction of Chemicals (REACH).

COMMISSION REGULATION (EU) 2020/878 (SDS).

Directive 2012/18/EU (Seveso), P5c FLAMMABLE LIQUIDS: Column 2: 5000 t, Column 3:

50000 t.

European Agreement concerning the International Carriage of Dangerous Goods by Road.

The Hazardous Waste (England and Wales) Regulations 2005 with amendments.

Council Directive (EC) on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or

are breastfeeding.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
3.0.0	22/05/2023	KiiltoClean A/S (SKP)	2020/878 + Name
2.0.0	22/05/2019	KiiltoClean A/S (SKP)	1.3, 2, 4, 6, 8, 9, 11, 12, 14, 16
1.0.0	10/01/2017	CCS Hygien A/S	New

Abbreviations: DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration STOT: Specific Target Organ Toxicity PBT: Persistent, Bioaccumulative and Toxic vPvB: Very Persistent and Very Bioaccumulative

Other Information: Shelf life: 36 months. Additional information can be obtained by contacting

info.klc.se@kiilto.com or by telephone +46 (0)40 680 15 40.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Date: 22/05/2023

Classification method: Calculation based on the hazards of the known components. Test data.

List of relevant H-statements

H225 Highly flammable liquid and vapour.
 H226 Flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.

H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.



Kiilto Pro Spring Garden Air Freshener

Replaces date: 22/05/2019 Revision date: 22/05/2023

Version: 3.0.0

SDS is prepared by

Company: KiiltoClean A/S
Address: Frederik Plums Vej 2

 Zip code:
 5610

 City:
 Assens

 Country:
 DENMARK

 E-mail:
 info.dk@kiilto.com

 Phone:
 +45 64712112

 Fax:
 +45 64712125

 Homepage:
 www.kiilto.dk

Country: GB