

SAFETY DATA SHEET

Natriumhypochlorit 15%

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Natriumhypochlorit 15% Other names / Synonyms

Sodium hypochlorite

Unique formula identifier (UFI)

FDH7-PEV1-HS1F-4PCU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Industrial purposes

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company and address

S. Sørensen I/S Tigervej 11 DK-7700 Thisted Denmark +45 97922622 www.s-sorensen.dk

E-mail

s.sorensen@s-sorensen.dk Revision

4/25/2023

SDS Version 1.0

1.

1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service) See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Met. Corr. 1; H290, May be corrosive to metals. Skin Corr. 1B; H314, Causes severe skin burns and eye damage. Eye Dam. 1; H318, Causes serious eye damage. Aquatic Acute 1; H400, Very toxic to aquatic life. Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects. 2.2. Label elements

Hazard pictogram(s)



Signal word Danger Hazard statement(s) May be corrosive to metals. (H290) Causes severe skin burns and eye damage. (H314) Very toxic to aquatic life with long lasting effects. (H410)



Precautionary statements General Prevention Avoid release to the environment. (P273) Do not breathe vapour/mist. (P260) Wear eye protection/protective gloves/protective clothing. (P280) Response IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF INHALED: Remove person to fresh air and keep comfortable for breathing. (P304+P340) Immediately call a POISON CENTER/doctor. (P310) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) Collect spillage. (P391) Storage Disposal Dispose of contents/container in accordance with local regulation. (P501) Hazardous substances sodium hypochlorite, solution ... % Cl active sodium hydroxide Additional labelling UFI: FDH7-PEV1-HS1F-4PCU 2.3. Other hazards Additional warnings This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. SECTION 3: Composition/information on ingredients

3.1. Substances Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
sodium hypochlorite, solution % Cl active	CAS No.: 7681-52-9 EC No.: 231-668-3 REACH: 01-2119488154-34-XXXX Index No.: 017-011-00-1	10-20%	EUH031 Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
sodium hydroxide CAS No.: 1310-73-2 EC No.: 215-185-5 REACH: 1-2119457892-27-XXXX Index No.: 011-002-00-6		0,5-1%	Met. Corr. 1, H290 Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Corr. 1A, H314 Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Irrit. 2, H319 (SCL: 0.50 %)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: First aid measures

4.1. Description of first aid measures General information



In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds

Some metal oxides

Oxygen, hypochlorous acid, chlorine.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 45 90 60 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous



earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents. 6.4. Reference to other sections See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures. SECTION 7: Handling and storage 7.1. Precautions for safe handling It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment. Avoid direct contact with the product. Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection. 7.2. Conditions for safe storage, including any incompatibilities Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store in a container with a resistant inner liner. Recommended storage material Keep only in original packaging. Storage temperature Dry, cool and well ventilated Protect from heat and direct sunlight Incompatible materials Strong acids, alkali metals, metal powders, oxidizing materials and amines. Contact with metals can result in decomposition with the formation of oxygen. Strong acids **Reducing agents** Metal 7.3. Specific end use(s) This product should only be used for applications quoted in section 1.2. SECTION 8: Exposure controls/personal protection 8.1. Control parameters sodium hydroxide Short term exposure limit (15 minutes) (mg/m³): 2 Annotations: L = The limit is a ceiling value that at no time may be exceeded.

Statutory order 202 on exposure limits for substances and mixtures (21/02/2023)

DNEL

sodium hydroxide

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1 mg/m³
Long term – Local effects - Workers	Inhalation	1 mg/m³
sodium hypochlorite, solution % Cl active		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1.55 mg/m³
Long term – Local effects - Workers	Inhalation	1.55 mg/m³
Long term – Systemic effects - General population	Inhalation	1.55 mg/m³
Long term – Systemic effects - Workers	Inhalation	1.55 mg/m³
Short term – Local effects - General population	Inhalation	3.1 mg/m ³
Short term – Local effects - Workers	Inhalation	3.1 mg/m ³
Short term – Systemic effects - General population	Inhalation	3.1 mg/m ³



Short term – Systemic effects - Workers	Inhalation	3.1 mg/m ³
Long term – Systemic effects - General population	Oral	260 µg/kgbw/day

PNEC

sodium hypochlorite, solution ... % Cl active

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		210 ng/L
Intermittent release (freshwater)		260 ng/L
Marine water		42 ng/L
Predators		11.1 mg/kg
Sewage treatment plant		4.69 mg/L

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Work situation	Туре	Class	Colour	Standards	
When there is risk of formation of mist/aerosol	В	Class 3 (High capacity)	Gray	EN14387	

Skin protection

Recommended	Type/Category	Standard	S	
Protective suit	-	-		R
Dedicated work clothing should be worn.	-	-		R
land protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.4	> 480	EN374-2, EN374-3, EN388	

Eye protection



Туре	Standards	
	ses with side EN166	
shields.		
SECTION 9: Phy	vsical and chemical properties	
9.1. Information	n on basic physical and chemical properties	
Physical state	2	
Liquid Colour		
Yellowish		
Odour / Odou	ur threshold ngent, Chlorine	
рН	igent, Chionne	
-		
pH in solution 12 (%)	1	
Density (g/cm	1 ³)	
1.25		
Kinematic viso Testing no	cosity of relevant or not possible due to the nature of the product.	
Dynamic visco	osity	
3-4 mPa.s (Particle chara		
	apply to liquids.	
Phase changes		
Melting point/ -3020	t/Freezing point (°C)	
Softening poir	int/range (waxes and pastes) (°C)	
	apply to liquids.	
Boiling point (100	(*C)	
Vapour pressu		
20 bar (20 Relative vapor	•	
	bt relevant or not possible due to the nature of the product.	
	on temperature (°C)	
-	ot relevant or not possible due to the nature of the product. l explosion hazards	
Flash point (°0	C)	
-	ot relevant or not possible due to the nature of the product.	
Flammability (Testing no	bt relevant or not possible due to the nature of the product.	
Auto-ignition	temperature (°C)	
-	ot relevant or not possible due to the nature of the product. oper explosion limit (% v/v)	
	bt relevant or not possible due to the nature of the product.	
Solubility		
Solubility in w Testing no	vater ot relevant or not possible due to the nature of the product.	
n-octanol/wat	ter coefficient	
-	bt relevant or not possible due to the nature of the product.	
Solubility in fa Testing no	at (g/L) ot relevant or not possible due to the nature of the product.	
9.2. Other inform	mation	
Other physica	al and chemical parameters	



No data available.

Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with acids liberates toxic gas.

Reacts violently with alkali metals, metal powders, oxidizing materials and amines.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

10.4. Conditions to avoid

Protect from sunlight. Do no expose to temperatures exceeding 20 °C/68 °F.

10.5. Incompatible materials

Strong acids, alkali metals, metal powders, oxidizing materials and amines. Contact with metals can result in decomposition with the formation of oxygen. Strong acids

Reducing agents Metal

10.6. Hazardous decomposition products Oxygen, hypochlorous acid, chlorine.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

Not applicable.

Other information

None known.



SECTION 12: Ecological information

12.1. Toxicity

- No data available.
- 12.2. Persistence and degradability No data available.
- 12.3. Bioaccumulative potential No data available.
- 12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

- 12.6. Endocrine disrupting properties Not applicable.
- 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. HP 8 – Corrosive HP 14 – Ecotoxic Dispose of contents/container to an approved waste disposal plant. Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

Waste group

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1791 HYPOCHLORITE SOLUTION	Class: 8 Labels: 8 Classification code: C9	Π	Yes	Limited quantities: 1 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1791 HYPOCHLORITE SOLUTION	Class: 8 Labels: 8 Classification code: C9	П	Yes	Limited quantities: 1 L EmS: F-A S-B See below for additional information.



	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ΑΤΑ	UN1791	HYPOCHLORITE SOLUTION	Class: 8 Labels: 8 Classification code: C9	П	Yes	See below for additional information.
with acci IMD tran IATA tran This 14.6. S Not 14.7. N	n transpor dents duri OG / See se isport. A / See Tak isport. s product i pecial pre applicable	t. See section 5.4.3, for instruction ing transport. Action 3.2.1, for any information ole 4.2 for any information on sp s within scope of the regulations cautions for user e. Transport in bulk according to IM	nation on special provisions, req ons in writing regarding mitigation on special provisions, requirements, o becial provisions, requirements, o s of transport of dangerous good O instruments	on of damages in ents, or warnings or warnings in co	in conne	to incidents o
SECTI	ON 15: Re	gulatory information				
Rest F Den SEV E Add	trictions for Restricted People uno nands for No specific ESO - Cate ESO - Cate E1 - ENVIR litional info Not applica	or application to professional users. der the age of 18 shall not be ex specific education c requirements. egories / dangerous substances ONMENTAL HAZARDS, Qualifyin ormation	ns/legislation specific for the sul posed to this product. g quantity (lower-tier): 100 tonno			es
۲ E C	Based on (Executive (Commissic	Council Directive 94/33 / EC of 22 Order no. 372 of 25 April 2016 of on Regulation (EU) No 1357/2014	cy's executive order no. 239 of 6 2 June 1994 on the protection of n control of the risk of major acc 4 of 18 December 2014 on waste bean Parliament and of the Coun	young people at idents with dang	work. erous su	bstances.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information



Full text of H-phrases as mentioned in section 3

EUH031, Contact with acids liberates toxic gas.

H290, May be corrosive to metals.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

cwl

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en