# RV hand disinfection gel PRO 85%

Replaces date: 12/04/2023 Revision date: 05/07/2023

Version: 1.1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Trade name:** RV hand disinfection gel PRO 85%

Group name: Disinfection products

**Synonyms:** RV handspritt gel PRO 85%

Unique Formula Identifier (UFI): GKWH-W0HS-N00K-HWEP

#### Article no

Article no	Description
71500	600 ml
71595	5 L

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended uses:** Disinfectants PT 1 Human hygiene.

Hand disinfection.

Biocide. Use biocides safely. Always read the label and product information before use.

**Inadvisable uses:** The product is not suitable for surface disinfection.

#### 1.3. Details of the supplier of the safety data sheet

### Manufacturer

Company: KiiltoClean A/S
Address: Frederik Plums Vej 2

 Zip code:
 5610

 City:
 Assens

 Country:
 DENMARK

 E-mail:
 info.dk@kiilto.com

 Phone:
 +45 64712112

 Fax:
 +45 64712125

 Homepage:
 www.kiilto.dk

#### **Distributor**

Company: Rekstrarvörur
Address: Réttarhálsi 2
Zip code: 110
City: Reykjavík
Country: ICELAND
Phone: +354 520 6666
Fax: +354 851 6684

## 1.4. Emergency Telephone Number

Neyðarlínan: Sími 112. Eitrunarmiðstöð Landspítalans. Sími: 543 2222.

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

**CLP-classification:** Flam. Liq. 2;H225

# **RV** hand disinfection gel PRO 85%

Replaces date: 12/04/2023 Revision date: 05/07/2023

Version: 1.1.0

Eye Irrit. 2;H319

Most serious harmful effects: Highly flammable liquid and vapour. Causes serious eye irritation.

#### 2.2. Label elements

#### **Pictograms**



Signal word: Danger

**Hazard Statements** 

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

**Precautionary statements** 

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container as hazardous waste.

#### Supplemental information

Use: Hand disinfection. Type of formulation: Gel

Active substances: 682 g/kg ethanol and 131 g/kg propan-2-ol.

Dosage: Rub an appropriate amount into the hands so that they are moist for 30 sec.

#### 2.3. Other hazards

The product does not contain any PBT or vPvB substances.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
Ethanol	64-17-5 200-578-6 01-2119457610-43-xxxx	60 - 70 %	12, 13, 15	Flam. Liq. 2;H225 Eye Irrit. 2;H319 C ≥ 50%: Eye Irrit. 2;H319
propan-2-ol	67-63-0 200-661-7 01-2119457558-25-xxxx	10 - 20 %	13	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336
glycerol	56-81-5 200-289-5	~ 1 %	13	
2-methylpropan-2-ol	75-65-0 200-889-7	< 1 %	13	Flam. Liq. 2;H225 Eye Irrit. 2;H319 Acute Tox. 4;H332 STOT SE 3;H335

#### Please see section 16 for the full text of H- / EUH-phrases.

12 = The substance is included in the EU list of limit values for occupational exposure

15 = REACH-registered with a different classification than in Regulation 1272/2008 Appendix

<sup>13 =</sup> The substance has a national exposure limit.

## **RV** hand disinfection gel PRO 85%

Replaces date: 12/04/2023 Revision date: 05/07/2023

Version: 1.1.0

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of discomfort.

**Skin contact:** The product is intended to come into contact with the skin. In case of wound smarts, flush

with water.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes.

Open eye wide. Remove any contact lenses. Seek medical advice.

**Burns:** Flush with water until pain ceases. Remove clothing that is not stuck to the skin - seek

medical advice/transport to hospital. If possible, continue flushing until medical attention is

obtained.

**General:** When obtaining medical advice, show the safety data sheet or label.

## 4.2. Most important symptoms and effects, both acute and delayed

Direct eye contact can cause irritation. The product releases organic solvent vapours which may cause lethargy and dizziness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No special immediate treatment required. Treat symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool

non-ignited stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Explosive mixtures may form with air when heated/exposed to fire. The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

#### 5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stop leak if this can be done without risk. Provide adequate ventilation. Smoking and

naked flames prohibited. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment. Wear safety goggles if there is a risk of eye splash. In case of insufficient ventilation, wear respiratory protective equipment.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

#### 6.2. Environmental precautions

Do not discharge large quantities of concentrated spills and residue into drains.

# RV hand disinfection gel PRO 85%

Replaces date: 12/04/2023 Revision date: 05/07/2023

Version: 1.1.0

## 6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent, non-combustible material and transfer to suitable waste containers. Wipe up minor spills with a cloth. Rinse with water. Provide good ventilation.

#### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment. Smoking and naked flames prohibited. Wash hands before breaks, before using restroom facilities, and at the end of work. Running water and eye wash equipment must be available.

# 7.2. Conditions for safe storage, including any incompatibilities

Store safely and keep out of reach of children. Keep in tightly closed original packaging. Do not expose to heat (e.g. sunlight). Storage temperature: 0-30 °C.

#### 7.3. Specific end use(s)

None.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limit

Substance name	Time period	ppm	mg/m³	fiber/cm3	Remarks	Comments
Ethanol	8h	1.000	1.920			
Ethanol	15m					
propan-2-ol	15m	500	1250			
propan-2-ol	8h	400	999			
2- methylpropan- 2-ol	8h	100	308			
2- methylpropan- 2-ol	15m	150	462			
glycerol	8h		10		mist	
glycerol	15m				mist	

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational

hygiene measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

## **PNEC**

Ethanol, cas-no 64-17-5				
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (intermittent releases)	2,75 mg/l			
(water)	0,79 mg/l			
PNEC aqua (intermittent releases)	2,75 mg/l			

RV hand disinfection gel PRO 85% Replaces date: 12/04/2023 Revision date: 05/07/2023 Version: 1.1.0 PNEC sediment 3,6 mg/kg (freshwater) PNEC sediment (marine 2,9 mg/kg water) PNEC STP (wastewater-580 mg/l treatment facilities) PNEC soil 0,63 mg/kg PNEC aqua (freshwater) 0,96 mg/l propan-2-ol, cas-no 67-63-0 Value Assessment Factor **Extrapolation Method** Exposure Note PNEC aqua (freshwater) 140,9 mg/l PNEC aqua (marine 140,9 mg/l water) PNEC aqua (intermittent | 140,9 mg/l releases) PNEC STP (wastewater-2251 mg/l treatment facilities) PNEC soil 552 mg/kg dw PNEC soil 28 mg/kg

## **DNEL** - workers

Ethanol, cas-no 64-1	Ethanol, cas-no 64-17-5				
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Inhalation DNEL (acute/short-term exposure - local effects)	1900 mg/m³				
Dermal DNEL (long- term exposure - systemic effects)	343 mg/kg bw/day				
Inhalation DNEL (long-term exposure - systemic effects)	950 mg/m³				
propan-2-ol, cas-no 6	67-63-0				

Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Dermal DNEL (long- term exposure - systemic effects)	888 mg/kg bw/day				
Inhalation DNEL (long-term exposure - systemic effects)	500 mg/m³				

# **DNEL** - general population

Ethanol, cas-no 64-1	Ethanol, cas-no 64-17-5					
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note	
Dermal DNEL (long- term exposure - systemic effects)	206 mg/kg bw/day					
Oral DNEL (long- term exposure - systemic effects)	87 mg/kg bw/day					
Inhalation DNEL (long-term exposure - systemic effects)	114 mg/m³					

# **RV** hand disinfection gel PRO 85%

Replaces date: 12/04/2023 Revision date: 05/07/2023

Version: 1.1.0

Inhalation DNEL (acute/short-term exposure - local effects)	950 mg/m³		
propan-2-ol, cas-no 6	67-63-0		

Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Dermal DNEL (long- term exposure - systemic effects)	319 mg/kg bw/day				
Oral DNEL (long- term exposure - systemic effects)	26 mg/kg bw/day				
Inhalation DNEL (long-term exposure - systemic effects)	89 mg/m³				

# 8.2. Exposure controls

Appropriate engineering

controls:

Wear the personal protective equipment specified below.

Personal protective equipment, Not required.

eye/face protection:

Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN

Personal protective equipment, Not required.

skin protection:

hand protection:

Personal protective equipment, The product is intended to come into contact with the skin. With long-term work or when

cleaning up after large spills of the product, the use of e.g. nitril rubber gloves is recommended. The gloves should be change after use.

Personal protective equipment, Not required.

respiratory protection:

**Environmental exposure** 

controls:

Ensure compliance with local regulations for emissions.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

	• •
Parameter	Value/unit
State	Gel
Colour	Clear
Odour	Alcohol
Solubility	Soluble in the following: Water.

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	~ 78 °C	Ethanol @ 101325 Pa
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	< 21 °C	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	

# RV hand disinfection gel PRO 85%

Replaces date: 12/04/2023 Revision date: 05/07/2023

Version: 1.1.0

	Version, 1.1.
7 - 10	
No data	
0,8 - 0,9 g/cm³	
No data	
	No data No data No data No data No data 0,8 - 0,9 g/cm³ No data No data No data

#### 9.2. Other information

Parameter	Value/unit	Remarks
Explosive properties		Vapours may form explosive mixtures with air.
Oxidising properties		N/A

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reacts with the following: Strong oxidisers.

Explosive mixtures may form with air when heated/exposed to fire.

#### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Avoid heating and contact with ignition sources.

#### 10.5. Incompatible materials

Strong oxidisers.

#### 10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity - oral

#### Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg		OECD TG 401	Supplier

#### propan-2-ol, cas-no 67-63-0

<u> </u>						
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg			Supplier

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

# Acute toxicity - dermal

# RV hand disinfection gel PRO 85%

Replaces date: 12/04/2023 Revision date: 05/07/2023

Version: 1.1.0

#### Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 2000 mg/kg		OECD TG 402	Supplier

#### propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 2000 mg/kg			Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

## Acute toxicity - inhalation

#### Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse		4 h	> 20 mg/l			Supplier

#### propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50	8 h	> 20 mg/l			Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Skin corrosion/irritation

#### Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	Irritation				OECD TG 404	Supplier

# propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Non-irritating		Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Serious eye damage/eye irritation

## Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Moderate eye irritation	OECD TG 405	Supplier

## propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Irritating		Supplier

Irritating to eyes. Causes a burning sensation and tearing.

#### Respiratory sensitisation or skin sensitisation

## Ethanol, cas-no 64-17-5

Guinea Pig	Not sensitizing	OECD TG 406	Supplier

## propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea Pig	Buehler-Test			Not sensitizing		Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

**Germ cell mutagenicity:** The product does not have to be classified. Test data are not available.

**Carcinogenic properties:** The product does not have to be classified. Test data are not available.

**Reproductive toxicity:** The product does not have to be classified. Test data are not available.

# **RV** hand disinfection gel PRO 85%

Replaces date: 12/04/2023 Revision date: 05/07/2023

Version: 1.1.0

**Single STOT exposure:** The product does not have to be classified. Test data are not available.

**Repeated STOT exposure:** The product does not have to be classified. Test data are not available.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties:

None known.

Other toxicological effects: The product releases organic solvent vapours which may cause lethargy and dizziness.

The product does not have to be classified. Test data are not available.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

#### Ethanol, cas-no 64-17-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Leuciscus idus melanotus	48 h		> 100 mg/l			Supplier
Algea or other acquatic plants				5000 mg/l			Supplier
Crustacea	Daphnia magna	24 h		> 100 mg/l			Supplier
Bacteria	Pseudomonas putida	16 h		6500 mg/l			Supplier

### propan-2-ol, cas-no 67-63-0

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
	Leuciscus idus melanotus	48 h	LC50	> 100 mg/l			Supplier
Crustacea	Daphnia magna	48 h	EC50	> 100 mg/l			Supplier
Algea or other acquatic plants		72 h		> 100 mg/l			Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

# 12.2. Persistence and degradability

Expected to be biodegradable. Test data are not available.

#### 12.3. Bioaccumulative potential

No bioaccumulation expected. Test data are not available.

#### 12.4. Mobility in soil

Test data are not available.

#### 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

#### 12.6. Endocrine disrupting properties

None known.

## 12.7. Other adverse effects

None known.

# **RV** hand disinfection gel PRO 85%

Revision date: 05/07/2023 Replaces date: 12/04/2023

Version: 1.1.0

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Avoid unnecessary release to the environment. Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Wiping cloths with organic solvents: EWC code: 15 02 02 Absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances.

Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local wasteremoval scheme.

Category of waste: 16 03 05\* organic wastes containing hazardous substances

## **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number: 1987

14.2. UN proper shipping

name:

ALCOHOLS, N.O.S.

(Ethanol)

(propan-2-ol)

14.4. Packing group:

14.5. Environmental

hazards:

The product should not be labelled as an

environmental hazard (symbol: fish and tree).

14.3. Transport hazard

class(es):

Hazard label(s):

3 Hazard identification number:

3

**Tunnel restriction code:** 

D/E

Ш

Inland water ways transport (ADN)

14.1. UN number or ID number: 1987

14.2. UN proper shipping

name:

ALCOHOLS, N.O.S.

(Ethanol) (propan-2-ol) 14.4. Packing group:

14.5. Environmental

hazards:

The product should not be

labelled as an

environmental hazard (symbol: fish and tree).

14.3. Transport hazard

class(es):

3

Hazard label(s):

Transport in tank vessels:

Not applicable.

Sea transport (IMDG)

14.1. UN number or ID number: 1987

14.2. UN proper shipping

name:

ALCOHOLS, N.O.S.

(Ethanol)

(propan-2-ol)

14.5. Environmental hazards:

The product is not a Marine

Pollutant (MP).

14.3. Transport hazard

class(es):

Hazard label(s):

F-E, S-D

EmS:

**Environmental Hazardous** 

Substance Name(s):

14.4. Packing group:

**IMDG Code segregation** 

group:

- None -

Ш

Air transport (ICAO-TI / IATA-DGR)

14.1. UN number or ID number: 1987

14.2. UN proper shipping name:

ALCOHOLS, N.O.S.

(Ethanol) (propan-2-ol) 14.4. Packing group: 14.5. Environmental

14.3. Transport hazard

class(es):

3

Hazard label(s): 3

hazards.

Copyright © 1995 - 2023 DGOffice B.V., Made with CHESS in www.DGDoc.net

10 / 12

## **RV** hand disinfection gel PRO 85%

Replaces date: 12/04/2023 Revision date: 05/07/2023

Version: 1.1.0

#### 14.6. Special precautions for user

None.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other Information: May be transported in limited quantities if placed in outer packaging according to ADR 3.4,

when max. 1 liter/inner packaging and max. 30 kg total gross mass. Shrink- or stretch

wrapped trays may be used and shall not exceed 20 kg total gross mass/tray.

May be transported in limited quantities if placed in outer packaging according to IMDG 3.4, when max. 1 liter/inner packaging and max. 30 kg total gross mass. Shrink- or stretch

wrapped trays may be used and shall not exceed 20 kg total gross mass/tray.

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: Regulation (EU) of the European Parliament and of the Council concerning the making

available on the market and use of biocidal products.

REGULATION (EC) No 1272/2008 of 16 December 2008 on classification, labelling and

packaging of substances and mixtures.

COMMISSION REGULATION (EU) 2020/878 (SDS).

Directive 2012/18/EU (Seveso), P5c FLAMMABLE LIQUIDS: Column 2: 5000 t, Column 3:

50000 t.

European Agreement concerning the International Carriage of Dangerous Goods by Road.

Council Directive (EC) on the protection of young people at work.

Special care should be applied for employees under the age of 18. Young people under the

age of 18 may not carry out any work causing harmful exposure to this product.

#### 15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

# **SECTION 16: Other information**

## Version history and indication of changes

	<u> </u>		
Version	Revision date	Responsible	Changes
1.1.0	05/07/2023	KiiltoClean A/S (SKP)	1.4
1.0.0	12/04/2023	KiiltoClean A/S (SKP)	New

Abbreviations: DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration STOT: Specific Target Organ Toxicity PBT: Persistent, Bioaccumulative and Toxic vPvB: Very Persistent and Very Bioaccumulative

References to literature and

data sources:

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and

Restriction of Chemicals (REACH).

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances

and mixtures (CLP).

Other Information: Shelf life: 30 months. Additional information can be obtained by contacting

info.dk@kiilto.com or by telephone +45 6471 2112.

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

Date: 05/07/2023

# RV hand disinfection gel PRO 85%

Replaces date: 12/04/2023 Revision date: 05/07/2023

Version: 1.1.0

Classification method: Calculation based on the hazards of the known components. Test data.

#### **List of relevant H-statements**

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

# SDS is prepared by

Company: KiiltoClean A/S
Address: Frederik Plums Vej 2

 Zip code:
 5610

 City:
 Assens

 Country:
 DENMARK

 E-mail:
 info.dk@kiilto.com

 Phone:
 +45 64712112

 Fax:
 +45 64712125

 Homepage:
 www.kiilto.dk

Country: GB