

according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Revision date: 31.08.2018 Product code: 65 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Wetrok Antiwax forte

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)

Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name: Wetrok AG Headquarter

Street: Steinackerstr. 62

Place: CH-8302 Kloten, Switzerland

Telephone: +41 (0)43 255 51 51 e-mail: chemie@wetrok.ch

Contact person: Head Regulatory Telephone: +41 (0)43 255 53 50

Internet: www.wetrok.ch

Responsible Department: BU Chemicals / Regulatory
Mobile + 41 (0)79 657 45 20

Mobile + 41 (0)79 657 45 20

1.4. Emergency telephone +4

number:

+41 44 251 51 51 (Tel. 145) (Toxikologisches Zentrum)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Tridecyl alcohol ethoxylate

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P273 Avoid release to the environment.



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Revision date: 31.08.2018 Product code: 65 Page 2 of 9

Special labelling of certain mixtures

EUH208 Contains (R)-p-mentha-1,8-diene, d-limonene. May produce an allergic reaction.

Additional advice on labelling

No marking required according to 1999/45/EC, appendix V B, No. 9.

2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name							
	EC No	Index No	REACH No					
	Classification according to Regu							
34590-94-8	2- (methoxy-methylethoxy) propanol							
	252-104-2		01-2119450011-60					
9043-30-5	Tridecyl alcohol ethoxylate			1 - < 5 %				
	Eye Dam. 1, Aquatic Chronic 3; H318 H412							
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether							
	225-878-4	603-052-00-8						
	Eye Irrit. 2, Skin Irrit. 2; H319 H3							
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether							
	203-539-1	603-064-00-3						
	Flam. Liq. 3, STOT SE 3; H226 H336							
61789-30-8	Potassiumcocoate							
	263-049-9							
	Skin Irrit. 2, Eye Irrit. 2A; H315 H319							
5989-27-5	(R)-p-mentha-1,8-diene, d-limor	0.1 - < 1 %						
	227-813-5	601-029-00-7						
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H315 H317 H400 H410							

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % soap, < 5 % phosphates, perfumes (Limonene).

Further Information

none

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

Provide fresh air.



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Revision date: 31.08.2018 Product code: 65 Page 3 of 9

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Call a physician immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date. In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. May produce an allergic reaction. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Wear suitable protective clothing, gloves and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Observe instructions for use. Use only in well-ventilated areas.

Advice on protection against fire and explosion

The product is not: Combustible. The product is not: Explosive.

Further information on handling

No special handling instructions are necessary.



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Revision date: 31.08.2018 Product code: 65 Page 4 of 9

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Protect against direct sunlight. Store in a cool dry place. Recommended storage temperature: at room temperature

Advice on storage compatibility

No special measures are necessary.

Further information on storage conditions

Minimum storage temperature: 15°C Maximum storage temperature: 25°C

7.3. Specific end use(s)

Notice the directions for use on the label.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL

Additional advice on limit values

Exposure limit values: No data available

8.2. Exposure controls



Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommendation:

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material 0.4 mm

Breakthrough time (maximum wearing time) 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn DIN EN 374

Skin protection

Wear suitable protective clothing.



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Revision date: 31.08.2018 Product code: 65 Page 5 of 9

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

pH-Value: 8.0 - 9.0

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
No data available
Flash point:
No data available

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density: 1.0053 - 1.0153 g/cm³ ASTM D 7777

Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

none

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidising agent.



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Revision date: 31.08.2018 Product code: 65 Page 6 of 9

10.4. Conditions to avoid

Conditions to avoid: frost. Protect from sunlight.

10.5. Incompatible materials

Keep away from: Acid, Oxidising agent, Peroxides.

10.6. Hazardous decomposition products

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
107-98-2	1-methoxy-2-propanol; m	onopropylene	e glycol met	thyl ether					
	oral	LD50 mg/kg	> 5000	Rat	IUCLID				
	dermal	LD50 mg/kg	11000	Rabbit					
5989-27-5	(R)-p-mentha-1,8-diene, d-limonene								
	oral	LD50 mg/kg	> 2000	Rat					
	dermal	LD50 mg/kg	> 2000	Rabbit	IUCLID				

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Contains (R)-p-mentha-1,8-diene, d-limonene. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification according to Regulation (EC) No 1272/2008 [CLP] The product has not been tested.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Print date: 03.09.2018



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Revision date: 31.08.2018 Product code: 65 Page 7 of 9

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
107-98-2	1-methoxy-2-propanol; mo	ropanol; monopropylene glycol metl			hyl ether				
	Acute fish toxicity	LC50 4600 - 10000 mg/l		96 h	Leuciscus idus	IUCLID			
	Acute algae toxicity	ErC50 > 1000 mg/l		72 h Selenastrum capricornutum					
	Acute crustacea toxicity	EC50 mg/l	> 500	48 h	Daphnia magna	IUCLID			
5989-27-5	(R)-p-mentha-1,8-diene, o	I-limonene							
	Acute fish toxicity	LC50 0,7 mg/l		96 h	h Pimephales promelas				
	Acute crustacea toxicity EC50 0,42 mg/l		48 h	Daphnia magna					

12.2. Persistence and degradability

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether	-0,437
5989-27-5	(R)-p-mentha-1,8-diene, d-limonene	4,23

12.4. Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Classification according to Regulation (EC) No 1272/2008 [CLP] The product has not been tested.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Revision date: 31.08.2018 Product code: 65 Page 8 of 9

Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 3.999 % (40.202 g/l) 2004/42/EC (VOC): 3.999 % (40.202 g/l)

Additional information

To follow: Regulation (EC) No. 648/2004 (Detergents regulation), 850/2004/EC, 1107/2009/EC, 649/2012/EC.

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service



according to Regulation (EC) No 1907/2006

Wetrok Antiwax forte

Revision date: 31.08.2018 Product code: 65 Page 9 of 9

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 3; H412	Calculation method

R

Relevant H and EUH statements (number and full text)						
H226	Flammable liquid and vapour.					
H315	Causes skin irritation.					
H317	May cause an allergic skin reaction.					
H318	Causes serious eve damage					

Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains (R)-p-mentha-1,8-diene, d-limonene. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Allzweckreiniger/ Unterhaltsreiniger/Grundre iniger	-	22, 0	35	0	10b	30	-	2

LCS: Life cycle stages PC: Product categories ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use PROC: Process categories AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)