

## **WipeClean Ethanol Disinfection 80%**

Replaces date: 21/11/2019 Revision date: 06/10/2022

Version: 2.0.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name: WipeClean Ethanol Disinfection 80%

Unique Formula Identifier (UFI): 2UN3-1MTS-E006-WPGC

#### Article no

Article no	Description
5211	Small; 25 wipes (20*30 cm)
5212	Large; 20 wipes (40*30 cm)
5215	Food; 40 wipes
5252	Mini; 100 wipes

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: PT 2 Disinfectants and algaecides not intended for direct application to humans or animals.

PT 4 Food and feed area.

Disinfection of surfaces.

Use biocides safely. Always read the label and product information before use.

#### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company: Pal International Ltd.

Address:

Zip code:

City:

Country:

Bilton Way
Lutterworth

LE17 4JA

Leicestershire

UNITED KINGDOM

#### **Distributor**

Company: KiiltoClean A/S
Address: Frederik Plums Vej 2

 Zip code:
 5610

 City:
 Assens

 Country:
 DENMARK

 E-mail:
 info.dk@kiilto.com

 Phone:
 +45 64712112

 Fax:
 +45 64712125

 Homepage:
 www.kiilto.dk

### 1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)). The emergency telephone is open 24 hours.

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

**CLP-classification:** Flam. Liq. 2;H225 Eye Irrit. 2;H319

**CLP Classification - other** 

information:

Liquid in wipes.



## **WipeClean Ethanol Disinfection 80%**

Replaces date: 21/11/2019 Revision date: 06/10/2022

Version: 2.0.0

Most serious harmful effects: Highly flammable liquid and vapour. Causes serious eye irritation.

#### 2.2. Label elements

#### **Pictograms**



Signal word: Danger

**Hazard Statements** 

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

**Precautionary statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

#### Supplemental information

For professional users only Areas of use: For disinfection of surfaces and non-invasive medical devices that tolerate alcohol in, e.g., the health and food sector. Not recommended for wood, fabric, natural rubber, painted & paper surfaces, and plastic materials. Please check the device manufacturers guidance on disinfection before use. PT2 & PT4 biocidal product for professional use. nstructions for use: To be used on clean and dry surfaces. Wipe the surface, so that it is moist according to the stated contact time. For disinfection of 0.5 m² per wipe. Waste management: Empty packaging material should be disposed of/sorted as plastic and used wipes can be disposed of as household waste. Unused products should be disposed of as hazardous waste. Storage: Always close the packaging after use. Store the wipes in a dry, frost-free environment away from direct sunlight. Type of formulation: Ready to use wipe. Active substances: Ethanol: 700 g/kg (CAS 64-17-5), Propan-2-ol: 50 g/kg (CAS 67-63-0).

#### 2.3. Other hazards

Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking. The product releases organic solvent vapours which may cause lethargy and dizziness. The product does not contain any PBT or vPvB substances.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
Ethanol	64-17-5 200-578-6 01-2119457610-43-xxxx	70 - 80 %	13	Flam. Liq. 2;H225 Eye Irrit. 2;H319 C ≥ 50%: Eye Irrit. 2;H319
propan-2-ol	67-63-0 200-661-7 01-2119457558-25-xxxx	5 - 10 %	13	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336

Please see section 16 for the full text of H- / EUH-phrases.

13 = The substance has a national exposure limit.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**Inhalation:** Seek fresh air. Seek medical advice in case of persistent discomfort.



#### **WipeClean Ethanol Disinfection 80%**

Replaces date: 21/11/2019 Revision date: 06/10/2022

Version: 2.0.0

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of discomfort.

Skin contact: In case of irritation: Remove contaminated clothing. Wash skin with soap and water. Seek

medical advice in case of persistent discomfort.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes.

Open eye wide. Remove any contact lenses. Seek medical advice.

**General:** When obtaining medical advice, show the safety data sheet or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

Direct eye contact can cause irritation. Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking. The product releases organic solvent vapours which may cause lethargy and dizziness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool

non-ignited stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide. Explosive mixtures may form with air when heated/exposed to fire.

#### 5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Keep unnecessary personnel away. Provide adequate ventilation. Smoking and naked

flames prohibited. Wear safety goggles if there is a risk of eye splash.

For emergency responders: In addition to the above: No special steps are necessary.

#### 6.2. Environmental precautions

Avoid unnecessary release to the environment.

## 6.3. Methods and material for containment and cleaning up

Sweep up/collect spills for possible reuse or transfer to suitable waste containers. Provide good ventilation.

#### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

#### **SECTION 7: Handling and storage**



## **WipeClean Ethanol Disinfection 80%**

Replaces date: 21/11/2019 Revision date: 06/10/2022

Version: 2.0.0

### 7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Smoking and naked flames prohibited. Wash hands before breaks, before using restroom facilities, and at the end of work. A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk during pregnancy.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in tightly closed original packaging. Store safely and keep out of reach of children. Keep away from food, beverages and feed.

### 7.3. Specific end use(s)

None

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### Occupational exposure limit

Substance name	Time period	ppm	mg/m³	fiber/cm3	Remarks	Comments
ethanol	8h	1000	1920			
propan-2-ol	15m	500	1250			
propan-2-ol	8h	400	999			

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational

hygiene measurements.

**Legal basis:** EH40/2005 Workplace exposure limits. Last amended January 2020.

#### **PNEC**

Ethanol, cas-no 64-17-5						
Exposure	Value	Assessment Factor	Extrapolation Method	Note		
PNEC aqua (intermittent releases)	2,75 mg/l					
(water)	0,79 mg/l					
PNEC aqua (intermittent releases)	2,75 mg/l					
PNEC sediment (freshwater)	3,6 mg/kg					
PNEC sediment (marine water)	2,9 mg/kg					
PNEC STP (wastewater-treatment facilities)	580 mg/l					
PNEC soil	0,63 mg/kg					
PNEC aqua (freshwater)	0,96 mg/l					
propan-2-ol, cas-no 67-63	3-0					

p. opa = 0., 000 0.	proposit = 01, 000 its 01 00 0						
Exposure	Value	Assessment Factor	Extrapolation Method	Note			
PNEC aqua (freshwater)	140,9 mg/l						
PNEC aqua (marine water)	140,9 mg/l						
PNEC aqua (intermittent releases)							
PNEC STP (wastewater-treatment facilities)	2251 mg/l						
PNEC soil	552 mg/kg dw						



## WipeClean Ethanol Disinfection 80%

Revision date: 06/10/2022 Version: 2.0.0 Replaces date: 21/11/2019

			V C131011. 2.0.
PNEC soil	28 mg/kg		

## **DNEL** - workers

DIVEL WORKON							
Ethanol, cas-no 64-17-5							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Inhalation DNEL (acute/short-term exposure - local effects)	1900 mg/m³						
Dermal DNEL (long- term exposure - systemic effects)	343 mg/kg bw/day						
Inhalation DNEL (long-term exposure - systemic effects)	950 mg/m³						
propan-2-ol, cas-no	67-63-0						
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Dermal DNEL (long- term exposure - systemic effects)	888 mg/kg bw/day						
Inhalation DNEL (long-term exposure - systemic effects)	500 mg/m³						

## **DNEL** - general population

Ethanol, cas-no 64-17-5							
Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note			
206 mg/kg bw/day							
87 mg/kg bw/day							
114 mg/m³							
950 mg/m³							
	Value  206 mg/kg bw/day  87 mg/kg bw/day  114 mg/m³	Value Assessment Factor  206 mg/kg bw/day  87 mg/kg bw/day  114 mg/m³	Value Assessment Factor Dose Descriptor  206 mg/kg bw/day  87 mg/kg bw/day  114 mg/m³	Value Assessment Factor Dose Descriptor Main Impact Parameter  206 mg/kg bw/day  87 mg/kg bw/day  114 mg/m³			

#### propan-2-ol, cas-no 67-63-0

Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Dermal DNEL (long- term exposure - systemic effects)	319 mg/kg bw/day				
Oral DNEL (long- term exposure - systemic effects)	26 mg/kg bw/day				
Inhalation DNEL (long-term exposure - systemic effects)	89 mg/m³				

## 8.2. Exposure controls

Appropriate engineering controls:

Wear the personal protective equipment specified below.



## **WipeClean Ethanol Disinfection 80%**

Replaces date: 21/11/2019 Revision date: 06/10/2022

Version: 2.0.0

Personal protective equipment. Not required for normal expected usage.

Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN eye/face protection:

166.

Personal protective equipment, Not required.

skin protection:

Personal protective equipment, Follow local work instructions.

hand protection:

Wear gloves. Type of material: Nitrile rubber. Gloves must conform to EN 374.

Breakthrough time has not been determined for the product. Change gloves often.

Light use, shortterm contact (below 10 min.): Not required.

respiratory protection:

Personal protective equipment, Not required for normal expected usage.

In case of insufficient ventilation, wear respiratory protective equipment. Filter type: A.

Respiratory protection must conform to one of the following standards: EN 136/140/145.

**Environmental exposure** 

controls:

Ensure compliance with local regulations for emissions.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Parameter	Value/unit		
State	Wipe containing liquid.		
Colour	Clear Liquid White Tissue		
Odour	Alcohol		
Solubility	Miscible with the following: Water. (Cleaning fluid)		

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	-89.5 °C	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	< 23 °C	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	5.5 - 6.5	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octonol/water	No data	
Vapour pressure	No data	
Density	No data	
Relative density	0.785 - 0.875	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

#### 9.2. Other information

Other Information: None.

## **SECTION 10: Stability and reactivity**



## **WipeClean Ethanol Disinfection 80%**

Replaces date: 21/11/2019 Revision date: 06/10/2022

Version: 2.0.0

#### 10.1. Reactivity

Not reactive.

#### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Avoid heating and contact with ignition sources.

#### 10.5. Incompatible materials

None known.

#### 10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity - oral

### Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg		OECD TG 401	Supplier

## propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat LD50			> 2000 mg/kg			Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Acute toxicity - dermal

#### Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 2000 mg/kg		OECD TG 402	Supplier

## propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	Rabbit LD50		> 2000 mg/kg			Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Acute toxicity - inhalation

#### Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse		4 h	> 20 mg/l			Supplier

#### propan-2-ol, cas-no 67-63-0

Organism	m Test Type Exposure time		Value	Conclusion	Test method	Source
Rat	LC50	8 h	> 20 mg/l			Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.



## **WipeClean Ethanol Disinfection 80%**

Replaces date: 21/11/2019 Revision date: 06/10/2022

Version: 2.0.0

## Skin corrosion/irritation Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	Irritation				OECD TG 404	Supplier

propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Exposure time Value		Test method	Source
Rabbit				Non-irritating		Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

## Serious eye damage/eye irritation

#### Ethanol, cas-no 64-17-5

Organism	Test Type Exposure time		Value	Conclusion	Test method	Source
Rabbit				Moderate eye irritation	OECD TG 405	Supplier

propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Irritating		Supplier

Irritating to eyes. Causes a burning sensation and tearing.

### Respiratory sensitisation or skin sensitisation

#### Ethanol, cas-no 64-17-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea Pig				Not sensitizing	OECD TG 406	Supplier

propan-2-ol, cas-no 67-63-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea Pig	Buehler-Test			Not sensitizing		Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available.

Single STOT exposure: The product does not have to be classified. Test data are not available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties:

None known.

Other toxicological effects: The product does not have to be classified. Test data are not available.

Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking. The product releases organic solvent vapours which may cause lethargy and dizziness.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

### Ethanol, cas-no 64-17-5

•							
Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Convright © 1995	- 2022 DGOffice	B.V. Made with Cl	Doc net			8 / 12	



## **WipeClean Ethanol Disinfection 80%**

Replaces date: 21/11/2019

Revision date: 06/10/2022

Version: 2.0.0

					V C151011. 2.0.0
Fish	Leuciscus idus melanotus	48 h	> 100 mg/l		Supplier
Algea or other acquatic plants			5000 mg/l		Supplier
Crustacea	magna	24 h	> 100 mg/l		Supplier
Bacteria	Pseudomonas putida	16 h	6500 mg/l		Supplier

#### propan-2-ol, cas-no 67-63-0

Organism		Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Leuciscus idus melanotus	48 h	LC50	> 100 mg/l			Supplier
	magna	48 h	EC50	> 100 mg/l			Supplier
Algea or other acquatic plants	Scenedesmus subspicatus	72 h		> 100 mg/l			Supplier

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### 12.2. Persistence and degradability

Readily biodegradable.

#### 12.3. Bioaccumulative potential

No bioaccumulation expected.

#### 12.4. Mobility in soil

Soluble in water. The product contains organic solvents which will evaporate easily from all surfaces.

## 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

#### 12.6. Endocrine disrupting properties

None known.

#### 12.7. Other adverse effects

None known.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Collect concentrated spills and major waste in closed, leak-proof containers for disposal at the applicable hazardous waste site with the below specifications.

Empty packaging material should be disposed of/sorted as plastic and used wipes can be disposed of as household waste. Unused product should be disposed of as hazardous waste.

Wiping cloths with organic solvents: EWC code: 15 02 02 Absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances.

Category of waste: 14 06 03\* other solvents and solvent mixtures

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)



**WipeClean Ethanol Disinfection 80%** 

Replaces date: 21/11/2019 Revision date: 06/10/2022

14.4. Packing group:

14.5. Environmental

Tunnel restriction code:

14.4. Packing group:

14.5. Environmental

14.4. Packing group:

14.5. Environmental

Substance Name(s):

hazards:

hazarde:

hazards:

Version: 2.0.0

The product should not be

The product should not be

The product is not a Marine

Pollutant (MP).

- None -

Ш

environmental hazard

(symbol: fish and tree).

labelled as an

environmental hazard

(symbol: fish and tree).

labelled as an

F

**14.1. UN number or ID number:** 3175

14.2. UN proper shipping

name:

**SOLIDS CONTAINING** FLAMMABLE LIQUID,

N.O.S. (Ethanol) (propan-2-ol)

14.3. Transport hazard 4.1

class(es):

Hazard label(s):

Hazard identification number: 40

Inland water ways transport (ADN) 14.1. UN number or ID number: 3175

14.2. UN proper shipping

name:

**SOLIDS CONTAINING** FLAMMABLE LIQUID,

N.O.S. (Ethanol) (propan-2-ol)

4.1

14.3. Transport hazard

class(es):

Hazard label(s): 4.1

Transport in tank vessels:

Sea transport (IMDG)

14.1. UN number or ID number: 3175

14.2. UN proper shipping

name:

**SOLIDS CONTAINING** 

FLAMMABLE LIQUID,

N.O.S. (Ethanol) (propan-2-ol)

14.3. Transport hazard

class(es):

Hazard label(s):

EmS:

4 1

4.1

F-A, S-I

**IMDG** Code segregation

**Environmental Hazardous** 

14.4. Packing group: 14.5. Environmental

hazards:

group:

Air transport (ICAO-TI / IATA-DGR)

14.1. UN number or ID number: 3175 14.2. UN proper shipping

name:

**SOLIDS CONTAINING** FLAMMABLE LIQUID,

N.O.S. (Ethanol) (propan-2-ol)

14.3. Transport hazard

class(es):

Hazard label(s):

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other Information: May be transported in limited quantities if placed in outer packaging according to ADR 3.4,

when max. 1 kg/inner packaging and max. 30 kg total gross mass. Shrink- or stretch

wrapped trays may be used and shall not exceed 20 kg total gross mass/tray.

May be transported in limited quantities if placed in outer packaging according to IMDG 3.4, when max. 1 kg/inner packaging and max. 30 kg total gross mass. Shrink- or stretch

wrapped trays may be used and shall not exceed 20 kg total gross mass/tray.



## **WipeClean Ethanol Disinfection 80%**

Replaces date: 21/11/2019 Revision date: 06/10/2022

Version: 2.0.0

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances

and mixtures (CLP).

COMMISSION REGULATION (EU) 2020/878 (SDS).

Regulation (EU) of the European Parliament and of the Council concerning the making

available on the market and use of biocidal products.

European Agreement concerning the International Carriage of Dangerous Goods by Road. Council Directive (EC) on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or

are breastfeeding.

Council Directive (EC) on the protection of young people at work.

Special care should be applied for employees under the age of 18. Young people under the

age of 18 may not carry out any work causing harmful exposure to this product.

#### 15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

#### **SECTION 16: Other information**

#### Version history and indication of changes

Version	Revision date	Responsible	Changes
2.0.0	06/10/2022	KiiltoClean A/S (SKP)	2020/878
1.1.0	21/11/2019	KiiltoClean A/S (SKP)	2.2, 8, 16
1.0.0	04/10/2019	KiiltoClean A/S (SKP)	New

**Abbreviations:** STOT: Specific Target Organ Toxicity

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: Very Persistent and Very Bioaccumulative

Other Information: Shelf life: 2 years from the manufacturing date (unopened).

Shelf life: 6 months (after opening).

Additional information can be obtained by contacting info.dk@kiilto.com or by telephone

+45 6471 2112.

This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK

REACH etc. (EU Exit) as subsequently changed.

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

**Date:** 06/10/2022

List of relevant H-statements

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

## SDS is prepared by



## WipeClean Ethanol Disinfection 80%

Replaces date: 21/11/2019 Revision date: 06/10/2022

Version: 2.0.0

Company: KiiltoClean A/S
Address: Frederik Plums Vej 2

 Zip code:
 5610

 City:
 Assens

 Country:
 DENMARK

 E-mail:
 info.dk@kiilto.com

 Phone:
 +45 64712112

 Fax:
 +45 64712125

 Homepage:
 www.kiilto.dk

Country: GB